

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

UNITED STATES DEPARTMENT OF AGRICULTURE

AGRICULTURAL RESEARCH ADMINISTRATION

BUREAU OF ENTOMOLOGY AND PLANT QUARANTINE

SERVICE AND REGULATORY ANNOUNCEMENTS

LIST OF INTERCEPTED PLANT PESTS, 1951

(List of Pests Recorded During the Period July 1, 1950 to June 30, 1951, Inclusive, as Intercepted in, on, or with Plants and Plant Products Entering United States Territory.)

Compiled by
JUDITH HUNT
Plant Quarantine Aid

INTRODUCTION

This report, covering the thirty-eighth year for which interception lists have been issued, summarizes the records of insect pests, plant pathogens, and certain other organisms found in, on, or with plants and plant products (1) imported, (2) offered for but refused entry, (3) held as ships' stores, etc. and hence not offered for entry through customs, (4) offered for entry for immediate transportation and exportation in bond, and (5) in domestic shipments between Hawaii and Puerto Rico and the mainland.

Because of the large number of collections involved, an effort has been made to restrict this list to those insects and plant diseases of known or potential plant quarantine importance. Intercepted plant pests that are known to be widely distributed throughout the United States are not included in the tabulation.

In some cases collections made late in the year are included in the report for the following year, since determinations cannot be obtained immediately for all of them. Occasionally determinations are delayed for longer periods. The data for this list are obtained from routine reports by personnel of this Bureau, supplemented by information supplied by State and Customs officials. The States of California and Florida maintain staffs of specialists who identify a large proportion of the material collected at their ports. Specialists of the Bureau of Plant Industry, Soils, and Agricultural Engineering determine many of the difficult or unusual pathogens collected at the ports.

All scientific names are reviewed by appropriate specialists in the Department to assure conformance to the international rules of nomenclature.

While every reasonable effort is made to give the correct origin for all collections listed, the alleged origin of host plant materials cannot be verified in all cases, and where there is reason to doubt the accuracy of the information, the questionable items are either omitted or the origin is listed as unknown.

During the year of this report importers have continued a lively interest in obtaining various seeds, plants, bulbs, fruits, and plant products from many parts of the world. With such importations, which more and more frequently arrive by air, come an increasing number of living plant pathogens and insect pests. Fruit flies and the golden nematode continue to be among the primary pests for which inspectors are constantly alerted.

INTERCEPTIONS FROM AIR-BORNE MATERIAL

Plant pests have been intercepted frequently on air-borne plant material in baggage, express, freight, mail, and stores. During the year 3,269 interceptions were made of insects on imported plant parts or as stowaways, and 534 interceptions of plant diseases. A little more than one-third of the pathogens were not determinable as to species, but, from the evidence, appeared to exhibit little or no risk to the country. A few of the specifically identified parasites are unknown in the United

States but are known to cause important crop losses in the countries where they occur. Some of the more injurious insects intercepted during the year arrived in, on, or with fruits and plant material coming in by plane.

Among the more important insects found in air-borne material were: *Adoxophyes orana* on cut flowers of lilac in cargo from the Netherlands (although this species is a rather general feeder this is the first record on lilac for the National Museum collection); the citrus blackfly (*Aleurocanthus woglumi*) on an orange leaf in baggage from Mexico; the woolly whitefly (*Aleurothrixus floccosus*) on *Citrus* sp. leaf in baggage from the Bahamas and on *lignumvitae* in baggage from Jamaica; the Mexican fruit fly (*Anastrepha ludens*) in guava in baggage from Nicaragua, in mango in baggage from Mexico, in orange in baggage and stores from Mexico; the West Indian fruit fly (*A. mombinpraeoptans*) in mango in baggage from Cuba, Dominican Republic, Haiti, Jamaica, Mexico, Panama, Puerto Rico, and Salvador, in mango in cargo from Panama and Salvador, in mango in mail from Puerto Rico, in mango in quarters from Mexico, in *Spondias* sp. in baggage from Salvador, and in yellow mombin in baggage from Guatemala, Mexico, Nicaragua, Panama, and Salvador, in yellow mombin in stores from Guatemala; *A. serpentina* in sapodilla in baggage from Nicaragua, in sapote in baggage from Mexico, in star-apple in baggage from Panama and in star-apple in express from Salvador; *A. striata* in guava in baggage from Salvador and Trinidad; *A. suspensa* in guava in baggage from the Dominican Republic, Jamaica, and Puerto Rico, in guava in mail from Puerto Rico; *Brachy-rhinus rugosostriatus* in soil on roots of *Saxifraga* sp. in cargo from Switzerland; *Bruchus luteicornis* in vetch seed in baggage from Germany; the Mediterranean fruit fly (*Ceratitis capitata*) in *Annona* sp. in baggage from Portugal, in apple in baggage from the Azores and Portugal, in apricot in baggage from Lebanon, in apricot in stores from Portugal, in avocado in baggage from Portugal, in fig in quarters from Italy, in fig in baggage from Greece, Italy, and Lebanon, in lemon in baggage from the Azores, in Mandarin orange in cargo from Spain, in Mandarin orange in stores from the Azores and Spain, in nectarine in baggage from Italy, in *Opuntia* sp. in baggage from Italy, in orange in baggage from the Azores, Cyprus, Greece, Israel, Portugal, and Spain, in orange in cargo from Italy, in orange in stores from the Azores, Israel, Lebanon, and Spain, in peach in baggage from France, Italy, and Spain, in peach in stores from the Azores, Italy, and Portugal, in pear in baggage from Italy, in pear in stores from Portugal, in pomegranate in baggage from Greece, in prickly pear in baggage from Italy, in quince in baggage from Italy; *C. capitata* (?) in plum in baggage from Italy; the mango weevil (*Cryptorhynchus mangiferae*) in mango in baggage from India; the olive fruit fly (*D. oleae*) in olive in baggage from Italy, Lebanon, and Syria; the citrus whitefly (*Dialeurodes citri*) on gardenia leaf in baggage from Mexico; *Ereunetis flavistriata* in coconut in baggage from Hawaii; the Oriental fruit moth (*Grapholitha molesta*) in peach and pear in baggage from Japan; a bean pod borer, *Maruca testulalis*, in pigeonpea in baggage and mail from Puerto Rico, in string bean in mail from Puerto Rico; in string bean in baggage in preflight inspection of an airplane leaving Puerto Rico for the mainland; the pink bollworm (*Pectinophora gossypiella*) in cotton bolls in baggage from the Bahamas and Italy, in cottonseed in baggage from Puerto Rico, in cottonseed in cargo from Brazil, in okra in baggage from Puerto Rico and Trinidad; the leaf roller (*Polychrosis botrana*) in grapes in baggage from Greece and Italy; the European corn borer (*Pyrausta nubilalis*) in pepper in baggage from Italy; *Rhagoletis cerasi* in cherry in baggage from Austria, England, France, Germany, Italy, Portugal, and Spain, in cherry in quarters from France, in cherry in stores from France, Portugal, and Sweden.

Some important plant pathogens found on air-borne material and believed to be new to or not as yet established in the United States were: *Catacauma sabal* on palm leaf in baggage from Mexico; *Cercospora insulana* on *Limonium* sp. in cargo from Mexico; *Chrysomyxa rhododendri* on rhododendron in cargo from England and Switzerland; *Colletotrichum cajani* on pigeonpea in baggage from Puerto Rico; *Elsinoe australis* on lemon and sweet orange in baggage from Brazil, on sweet orange in stores from Argentina, and on sweet orange in baggage from an unknown origin; *E. phaseoli* on lima bean in baggage from Puerto Rico; *Gymnosporangium juniperi* and *G. juniperinum* on European mountain ash in baggage from Sweden; "Leprosis" on orange in baggage from Bolivia; *Mycosphaerella advena* on *Chamaedorea* sp. (palm) in cargo from Mexico; *M. palmae* on palm in cargo from Mexico; *Phlyctaena ranunculacearum* on tree peony in cargo from Japan; *Phoma hortensiae* on hydrangea in baggage from the Azores; *Phyllosticta passiflorae* on passion fruit in baggage from Australia; *Puccinia buxi* on box in baggage from Yugoslavia; *P. urbaniana* on

Stachytarpheta spp. in baggage from Puerto Rico; *Septoria posekensis* on *Odontoglossum citrosmum* (orchid) in cargo from Mexico and on *Cypripedium callosum* (orchid) in cargo from Siam; *Stachylidium theobromae* on banana in stores from Portugal; *Uredo jucunda* on philodendron in cargo from Costa Rica; virus (undetermined) on *Crossandra* sp. in mail from the Canal Zone; *Xanthomonas citri* on sour lime in stores from India; *Xanthomonas* sp. (Cancrosis "B") on lemon in stores from Argentina.

Intercepted plant disease organisms found on air-borne material that are generally of limited distribution in the United States were: *Coniothyrium hellebori* on Christmas-rose in cargo from the Netherlands and Switzerland; *Entyloma dahliae* on dahlia in baggage from Denmark; *Phakopsora desmum* on cotton in baggage from Puerto Rico; two species of nematodes, *Heterodera punctata* in soil with various plants intended for propagation from England, Germany, Sweden, and Switzerland, and the golden nematode (*H. rostochiensis*) in soil with strawberry, gooseberry, carnation, lavender, chrysanthemum plants from England, in soil with raspberry and currant plants from Sweden, in soil with rhododendron, heather, and shamrock plants from Scotland, in soil with gloxinia plants from Norway and Luxembourg, in soil with kale and shamrock plants from Ireland, in soil with narcissus bulbs and dahlia roots from Ireland, in soil with *Myrtus* sp. plant from Germany, in soil with clematis plants from Switzerland, and in soil with strawberry plants from Denmark. All of this material was intended for propagation.

NOTES ON INSECTS INTERCEPTED

FRUIT FLIES

The following fruit flies were intercepted: *Anastrepha fraterculus* in orange in quarters from Argentina and in peach in baggage from Mexico; the Mexican fruit fly (*A. ludens*) in avocado in baggage from Mexico, in grapefruit in stores from Guatemala, in grapefruit in baggage from Mexico, in guava in baggage from Nicaragua, in mango in baggage, quarters, and stores from Mexico, in orange in baggage from Guatemala, Mexico, and Salvador, in orange in stores from Costa Rica and Mexico, in orange in quarters from Mexico, in peach in baggage from Mexico, in pear in baggage from Mexico, in pomegranate in baggage from Mexico, in quince in baggage from Mexico, in sapote in baggage from Mexico, and in sweet lime in baggage from Mexico; the West Indian fruit fly (*A. mombinpraeoptans*) in mango in baggage from Cuba, Dominican Republic, Haiti, Jamaica, Mexico, Panama, Puerto Rico, and Salvador, in mango in cargo from Panama and Salvador, in mango in mail from Puerto Rico, in mango in quarters from Guatemala, Honduras, Mexico, and Trinidad, in mango in stores from the Canal Zone, Cuba, Dominican Republic, and Haiti, in *Spondias* sp. in baggage from Salvador and in *Spondias* sp. in mail from Puerto Rico, in yellow mombin in baggage from Guatemala, Nicaragua, Panama, and Salvador, in yellow mombin in baggage and stores from Guatemala; *A. mombinpraeoptans* (?) in guava in quarters from Honduras; *A. serpentina* in mamey and sapote in baggage from Mexico, in sapodilla in baggage from Nicaragua, and in sapodilla in quarters from Guatemala, in star-apple in baggage from Panama and in star-apple in express from Salvador; *A. serpentina* (?) in orange in stores from Peru; *A. striata* in guava in baggage from Salvador and Trinidad; *A. suspensa* in guava in baggage from the Dominican Republic, Jamaica, and Puerto Rico, in guava in mail from Puerto Rico; the Mediterranean fruit fly (*Ceratitis capitata*) in *Annona* sp. in baggage from Portugal, in apple in baggage from the Azores, Italy, and Portugal, in apricot in baggage from Greece and Lebanon and in apricot in stores from Portugal, in avocado in baggage from Portugal, in coffee berry in baggage from Hawaii, in fig in baggage from Greece, Italy, and Lebanon, in fig in quarters from Italy, in grapefruit in stores from Cyprus, Egypt, Gibraltar (?), Israel, Palestine, and Spain, in guava in baggage from Israel, in lemon in baggage from the Azores and Italy, in Mandarin orange in baggage from Israel and Italy, in Mandarin orange in cargo from Spain, in Mandarin orange in stores from Algeria, the Azores, Portugal, and Spain, in nectarine in baggage from Italy, in orange in baggage from the Azores, Cyprus, Greece, Israel, Italy, Malta, Palestine, Portugal, and Spain, in orange in cargo from Italy, in orange in stores from Africa, Algeria, the Azores, Israel, Italy, Lebanon, Portugal, and Spain, in peach in baggage from France, Italy, and Spain, in peach in stores from the Azores, Italy, Palestine, and Portugal, in pears in baggage from Italy and Syria, in pear in quarters from Italy, in pear in stores from Portugal, in persimmon in baggage from Italy, in pomegranate

in baggage from Greece and Italy, in prickly pear in baggage from Italy, and in quince in baggage from Italy, with grapes, oranges, and plums from Italy (abandoned on pier); *C. capitata* (?) in plum in baggage from Italy; the melon fly (*Dacus cucurbitae*) in cucumber in cargo and stores from Hawaii, in tomato in stores from Hawaii; the Oriental fruit fly (*D. dorsalis*) in avocado in baggage from Hawaii, in banana in baggage and quarters from Hawaii, a dead adult in a case of cucumbers in cargo from Hawaii, in mango in baggage from Hawaii, in tomato in stores from Hawaii; in *Ochrosia elliptica* in baggage from Hawaii; the olive fruit fly (*D. oleae*) in olive in baggage from Italy, Lebanon, and Syria, in olive in mail from Italy, in olive in quarters from Crete, in olive in stores from Greece; *D. oleae* (?) in olive in stores from Algeria; *Rhagoletis cerasi* in cherry in baggage from Austria, England, France, Germany, Italy, Portugal, and Spain; in cherry in quarters from France, in cherry in stores from France, Italy, Portugal, and Sweden; the walnut husk fly (*R. completa*) in walnut in baggage from Mexico; *R. juglans* in black walnut in baggage from Mexico; *R. pomonella* in apple in baggage from Mexico, in apple in stores from Canada and the Union of South Africa.

INSECTS OTHER THAN FRUIT FLIES

The following miscellaneous insects of special interest were intercepted: A bruchid, *Acanthoscelides griseolus*, in *Rhynchosia* sp. seed in mail from Mexico; an eriophyid mite, *Aceria tulipae*, on garlic in cargo from Mexico and on garlic in stores from Chile; *Adoxophyes orana* (Tortricidae) on cut flowers of lilac in cargo by air from the Netherlands; the citrus blackfly (*Aleurocanthus woglumi*) on leaves of *Citrus* sp. in baggage and in mail from Mexico, on hibiscus leaf in baggage from Mexico, on Mandarin orange leaf in baggage from Mexico, on orange leaves in baggage and in baggage by air from Mexico, on orange leaf in stores from Peru, and on sour lime leaf in cargo from Mexico; *Apsychomyrmex tristani* (Formicidae), a very rare species in most collections, on cane of *Philodendron* sp. in cargo from Costa Rica; a curculionid, *Brachyrhinus rugosostriatus*, in soil and moss packing for *Quercus* sp. in cargo and in soil on roots of *Saxifraga* sp., in cargo from Switzerland; a coccid, *Chrysomphalus ritchiei*, on *Calocarpum sapota* in stores from the Canal Zone; *Coccotrypes dactyliperda* (Scolytidae) in cliff date palm seed in mail from India and in unidentified seed in baggage from Hawaii; the banana root borer (*Cosmopolites sordidus*) in banana in cargo from Nicaragua; a curculionid, *Cylas femoralis*, in sweetpotato in baggage from Liberia; *Epicaerus cognatus* in potato in baggage and stores from Mexico; *Epinotia tessulatana* (Olethreutidae) in Portuguese cypress in baggage from Portugal; an olethreutid, *Gymnandrosoma aurantianum*, in an orange in stores from Brazil; *Laspeyresia juliana* (Olethreutidae) in chestnut in baggage from Italy; a scolytid, *Leperisinus fraxini*, in *Ulmus* sp. (?) crate in cargo from England; *Lepidosaphes kuvacola* (Coccidae) on tree peony in air express from Japan; *Lilioceris lili* (Chrysomelidae) in Madonna lily bulb and lily bulb in cargo from France; *Myrmica laevinodis* (Formicidae), an important economic species, on shasta daisy in air express from England; *Naupactus xanthographus* (Curculionidae) in packing around melons in cargo from Chile; the pink bollworm (*Pectinophora gossypiella*) in cotton bolls in baggage from the Bahamas, British West Africa, Hawaii, Italy, and Mexico, in cotton boll in cargo from Mexico, in cottonseed in baggage from Mexico, in cottonseed in baggage by air from Puerto Rico, in cottonseed in cargo from Brazil, Egypt, and India, and in cargo by air from Brazil, in cottonseed in mail from Brazil, Egypt, and Korea, in cottonseed in quarters from Mexico, in seed cotton in baggage, cargo, and quarters from Mexico, in seed cotton in mail from an unknown origin, in okra in baggage by air from Puerto Rico and Trinidad, in okra in mail from Egypt, and in okra in stores from Brazil and Egypt; an olethreutid, *Polychrosis botrana*, in grape in baggage by air from Greece and Italy; *Puto ulter* (Coccidae) on *Brassia verrucosa*, *Epidendrum atropurpureum*, *Oncidium splendidum*, and *Oncidium* sp., all orchids, in cargo by air from Guatemala; *Reticulitermes speratus* (Rhinotermitidae) on tree peony in cargo from Japan; *Sesamia cretica* (Phalaenidae) in broomcorn and corn in baggage from Italy and in broomcorn in cargo from Greece and Italy; the coffee berry borer (*Stephanoderes hampei*) in coffee beans in stores from Brazil; the bulb scale mite (*Tarsonemus laticeps*) in narcissus bulbs in cargo from the Netherlands.

SNAILS

During the year eleven shiploads of returned military equipment were found to be contaminated with the giant African snail (*Achatina fulica*). San Pedro, Calif., again made the largest number of interceptions of snails (6) on ships arriving from

Guam, the Philippines, and Saipan while San Francisco, Calif., made 4 interceptions and Portland, Oreg., made one, all on ships coming from Guam.

Another injurious snail, *Deroceras reticulatum*, distributed in some of our States, was intercepted at New York, N. Y., with celery in stores from Bermuda, with cut flowers of chrysanthemums in baggage from England, and with unidentified plant material in baggage from Italy, at Galveston, Tex., with cabbage in stores from Italy, and at Miami, Fla., with *Cattleya* sp., an orchid, in cargo by air from Venezuela. *Lamellaxis* sp., a third injurious species, not known to occur on the mainland of the United States, was taken at Honolulu, Hawaii with *Renanthera storiei*, an orchid, in cargo from the Philippines.

NOTES ON DISEASES INTERCEPTED

Japan has contributed the greatest number of interceptions (25) of citrus canker (*Xanthomonas citri*), 17 of which were on lemons, the remaining on sweet oranges and one each on pummelo and grapefruit. China supplied nearly as many interceptions (20) on the same above hosts except lemon and one on Mandarin orange. India dropped to third place this year, contributing fewer interceptions (15) than previous years, most of them on sour lime with one each on lemon and calamodin orange. Cancrosis "B" (*Xanthomonas* sp.), closely related to citrus canker, was intercepted six times on lemons from Argentina. Brazil contributed more interceptions (84) of sweet orange fruit scab (*Elsinoe australis*) on orange, lemon, and sour lime than Argentina (16) on the same hosts except sour lime. "Leprosis", a comparatively new disease to the citrus industry possibly caused by a virus or insect injury, has been intercepted once from Bolivia and once from Brazil. Quantities of plants for propagation purposes were intercepted at the ports of entry. *Chrysomyxa rhododendri*, a rust attacking both spruces and rhododendrons, was brought to this country with cut rhododendron flowers four times from Austria, three times from Switzerland, and once from an unknown source. It also came on one occasion from England on the same host, intended for propagation. Japan contributed 4 interceptions of Chinese juniper infected by a leaf rust, *Gymnosporangium harae-anum*. Flowering quince is the alternate host of this rust species. A stem disease, *Coniothyrium cytisallum*, of *Laburnum* sp. and a leaf disease, *C. hellebori*, on Christmas-rose came from the Netherlands. Two rust diseases, *Gymnosporangium juniperi* and *G. juniperinum*, were intercepted on European mountain ash from Norway and Sweden. The alternate host as the species name implies in both cases is juniper. A destructive leaf disease, *Septoria azaleae*, of rhododendron and azalea was brought from Belgium and the Netherlands.

Other pathogens of importance were *Botrytis gladiolorum* on gladiolus and *Tritonia* sp. in cargo from the Netherlands, on gladiolus in mail from Austria, on gladiolus in cargo from Japan, and on gladiolus in baggage from Mexico and the Netherlands; *Cercospora handelli* on rhododendron in cargo from the Netherlands; *C. kaki* on persimmon in stores from Japan; a parasitic lichen, *Mycena citricolor* (formerly *Omphalia flavida*), on gardenia in baggage from Guatemala and on gardenia in cargo from Mexico.

Nematodes have been important plant pests. The golden nematode, (*Heterodera rostochiensis*), causing serious concern for the third year, generally found in soil with various plant material for propagation, was intercepted 80 times from the British Isles, Europe, and the Scandinavian countries. This nematode was also found 57 times in soil on bagging from Belgium, England, the Netherlands, and Scotland, 21 times in soil with potatoes from Denmark, England, Germany, Ireland, Norway, Scotland, and Spain, 9 times in soil with heather and potatoes from Scotland. Other nematodes of importance were *Anguina tritici* in wheat in mail from Syria and Turkey; *Aphelenchoides parietinus* in *Convallaria* sp. in cargo from Denmark; *Aphelenchus avenae* in onion, potato, and soil with cactus plants, all in baggage from Mexico, and in gladiolus in mail from the Netherlands; *Ditylenchus dipsaci* in onion in baggage from Mexico and in *Tigridia* sp. in cargo from the Netherlands; *D. iridis* in iris in cargo from the Netherlands; *Heterodera avenae* in soil with rutabagas in stores from England and in soil with pine in baggage from the Isle of Man; *H. cacti* in soil with cactus in baggage from France and Israel and in soil with *Epiphyllum* sp. and *Mammillaria* sp. in mail from Mexico; *H. punctata* in soil with various host materials from the British Isles, the Scandinavian Countries, and Europe; *H. schachtii* in soil with beets in stores and in soil with grapes and fig plants in baggage from Italy; *Meloidogyne arenaria* in begonia tubers in cargo from Belgium and in roots of clematis in cargo from the Netherlands.

INCOMPLETELY DETERMINED PESTS

In many instances complete determinations of insects and plant pathogens, including nematodes, have been impossible due to their condition on arrival. Some of these potential pests may be hitherto unknown and may be of economic importance. Furthermore, the increasing importance of nematodes in agriculture is paralleled by an increasing number of interceptions by every method of transportation.

INSECTS

Among the incompletely determined insects were the following fruit flies: *Anastrepha* sp., probably *ludens*, at Brownsville, Tex., in an empty boxcar which had carried mangoes from Mexico, at El Paso, Tex., in mango in baggage from Mexico, at Galveston, Tex., in orange in stores from British Honduras; *Anastrepha* sp., probably *mombinpraeoptans*, at New Orleans, La., in guava in quarters from Honduras; *Anastrepha* sp. at Miami, Fla., in custard-apple in baggage by air from Peru, at San Juan, Puerto Rico, in date in baggage in preflight inspection for shipment to the mainland, at Brownsville, Tex., in mamey in baggage from Mexico, at Mobile, Ala., in grapefruit in stores from Peru, at Jacksonville, Fla., in grapefruit in stores from Argentina, at Laredo, Tex., in guava in baggage from Mexico, at New Orleans, La., in guava in baggage by air from Salvador, at New York, N. Y., in guava in baggage by air from Colombia, at Baltimore, Md., in mango in stores from Panama, at Brownsville, Tex., in mango in baggage from Mexico, at Hidalgo, Tex., in mango in baggage from Mexico, at Miami, Fla., in mango in baggage by air from Jamaica, at Laredo, Tex., in mango in baggage from Mexico, at New Orleans, La., in mango in baggage by air from Jamaica and in mango in quarters from Cuba and Guatemala, at New York, N. Y., in mango in baggage from Ecuador, at San Antonio, Tex., in mango in baggage by air from Salvador, at West Palm Beach, Fla., in mango in baggage by air from Jamaica, at Brownsville, Tex., in orange in baggage from Mexico, at Houston, Tex., in orange in baggage by air from Guatemala, at Miami, Fla., in orange in baggage by air and stores from Colombia, at New Orleans, La., in orange in stores from Brazil and Peru, at New York, N. Y. in orange in baggage by air from Colombia, at Philadelphia, Pa., in orange in stores from Brazil, at Port Arthur, Tex., in orange in quarters from Brazil, at Brownsville, Tex., in *Passiflora* sp., in stores from Mexico, at Laredo, Tex., in peach in baggage from Mexico, at Thayer, Tex., in peach in baggage from Mexico, at New York, N. Y., in persimmon in baggage by air from Brazil, at Brownsville, Tex., in plum in stores from Mexico, at New Orleans, La., in sapodilla in baggage by air from Salvador, at San Antonio, Tex., in sapodilla in baggage by air from Colombia and Mexico, at Tampa, Fla., in soursop in baggage by air from Peru, at San Pedro, Calif., in yellow mombin in baggage by air from Salvador, at Nogales, Ariz., in a railway car which had been used for hauling mangoes from Mexico; *Dacus* sp. at Norfolk, Va., in cucumber in stores from the Gold Coast, at Baltimore, Md., in squash in stores from the Union of South Africa, at Gulfport, Miss., in tomato in stores from Hawaii; *Rhagoletis* sp. at Laredo, Tex., in apple and apricot in baggage from Mexico, at New York, N. Y., in apple in stores by air from unknown origin (airplane stopped at London, England, and Gander, Canada). Forty-five interceptions which could not be identified beyond family (Tephritidae) were taken at Boston, Mass., in apple in baggage by air from the Azores and Portugal, in apple in stores by air from Australia, in apricot in stores by air from Portugal, at Hidalgo, Tex., in avocado in baggage from Mexico, at San Francisco, Calif., in avocado in baggage from Hawaii, at New York, N. Y., in azarole hawthorn in baggage from Italy, at San Francisco, Calif., in coffee berry in baggage from Hawaii, in cucumber in cargo from Hawaii, at New York, N. Y., in *Cyphomandra* sp. in mail from Mexico, with assorted fruits in baggage from Italy, at New Orleans, La., in grape in cargo from Argentina, at New York, N. Y., in grape in baggage from Italy and in grapes in stores by air from an unknown origin, at Boston, Mass., in grapefruit in stores from Egypt and the Gold Coast, at Houston, Tex., in grapefruit in quarters from Argentina, at Honolulu, Hawaii, in fruit of *Leucosomia burnettiana* in baggage from the Fiji Islands, at Houston, Tex., in mango in baggage by air from Peru, at Laredo, Tex., in mango in baggage from Mexico, at San Francisco, Calif., in mango in baggage from Hawaii, at Baltimore, Md., in orange in stores from Brazil, at Boston, Mass., in orange in stores from Algeria, Portugal (by air), and Spain, at Galveston, Tex., in orange in stores from Brazil, at Laredo, Tex., in orange in baggage from Mexico, at New York, N. Y., in orange in baggage from Trinidad and in orange in stores by air from the Union of South Africa, at Philadelphia, Pa., in orange in quarters from Egypt, at San Diego, Calif., in papaya in stores from Hawaii, at Boston, Mass., in peach in

stores by air from the Union of South Africa, at New York, N. Y., in pear in baggage by air from Greece, at Galveston, Tex., in pepper in stores from the Gold Coast, at Philadelphia, Pa., in chili pepper in stores from Sierra Leone, at San Francisco, Calif., in bell pepper in cargo from Hawaii, at New York, N. Y., in sorbe apple in baggage from Italy, at Calexico, Calif., in a refrigerator car which had been used to transport bananas from Mexico.

The following miscellaneous insects of special interest were intercepted: An aleyrodid, *Aleurocerus* sp., at San Antonio, Tex., on *Chamaedorea oblongata* in cargo by air from Mexico; *Anaphothrips* sp., near or equals *secticornis* (Tryb.) (Thripidae), at Honolulu, Hawaii, on iris plant, in cargo by air from New Zealand; a coccid, *Annulaspis* sp., at Nogales, Ariz., on bamboo in cargo from Mexico; a scarabaeid, *Anomala* sp. at Seattle, Wash., in soil around dwarf juniper in baggage from Japan; *Anthonomus* sp., near *rectirostris* (L.), (Curculionidae) at Seattle, Wash., in *Prunus* sp. seed in cargo from Japan; *Apion* sp., near *cerdo* Gerst., (Curculionidae) at New York, N. Y., in vetch seed in cargo from Portugal and in vetch seed in mail from Italy; a phalaenid, *Autographa* sp., might be *gamma* (L.), at Mobile, Ala., on cauliflower in stores from England; *Autoserica* sp. (Scarabaeidae) at San Diego, Calif., in soil around dwarf conifers in baggage from Japan; *Brachyrhinus* sp. (Curculionidae) at Seattle, Wash., with astilbe roots in cargo and at Hoboken, N. J., with begonia tubers in mail from the Netherlands, at New York, N. Y., in soil with carnation plants in baggage from Germany, and at New York, N. Y., in soil with oxalis plants in baggage from France; a bruchid, *Bruchus* sp., *ervi* Froel. or very near, at New York, N. Y., in dry lentils in baggage from Italy and in cargo by air from Lebanon; *Bruchus* sp., probably *tristis* Boh., at New York, N. Y., in *Lathyrus* sp. seed in baggage from Italy; *Carposina* sp. (Carposinidae) at San Francisco, Calif., in *Robos magnolia* seed in air freight from Japan; a bruchid, *Caryedon* sp., at Washington, D. C., in seed pod of *Terminalia sericæ* in mail from Pretoria; an anthribid, Cimberinae (genus unknown), at Nogales, Ariz., in the blossoms of pine from Mexico. (Insofar as known all the species live, as larvae, in the staminate cones of various pines.) *Cladius* sp., probably *diffimoris* (Panz.), (Tenthredinidae) was intercepted at New York, N. Y., with roses in baggage by air from Czechoslovakia, Germany, Italy, and Scotland; a curculionid, *Cleonus* sp. at Baltimore, Md., and at New York, N. Y., in beets in stores from Egypt; a tortricid, *Cnephasia* sp., near or equals *virgaureana* (Treit.), at New York, N. Y., in soil with viburnum cuttings, primroses, and *Sedum* sp. plants, and narcissus bulbs in baggage from England; *Ctenicera* sp. (Elateridae) at Seattle, Wash., with lily bulbs in mail from Canada, at Norfolk, Va., in soil with potatoes in stores from Denmark, and at Hoboken, N. J., in forest litter packing for violet plants in mail from Germany; an undescribed species of *Diaspis* sp. (Coccidae) at Hidalgo, Tex., on avocado in baggage from Mexico; *Diphaulaca* sp., presumably *panamae* Barber, (Chrysomelidae) at New Orleans, La., on deck of airplane from Guatemala; *Euura* sp. (Tenthredinidae) at Boston, Mass., in willow withe in cargo by air from France; *Gelechia* sp. (probably new) (Gelechiidae) at Nogales, Ariz., on a leaf of *Jathropha cinerea* in cargo from Mexico; *Gnorimoschema* sp., near or equals *ocellatella* (Boyd), (Gelechiidae) at Philadelphia, Pa., in beets in stores from Egypt; *Gnorimoschema* sp. at New York, N. Y., in Swiss chard in stores from Gibraltar (?); an. olethreutid *Gymnandrosoma* sp. at New Orleans, La., in an orange in quarters from Mexico; a psyllid, *Heteropsylla* sp., either undescribed or belonging to a species whose males are unknown, at Nogales, Ariz., with a pod of *Cryptostegia* sp. in baggage from Mexico; *Hypera* sp., near *murinus* (F.), (Curculionidae) at San Francisco, Calif., with *Ribes* sp. in mail from Germany; *Laphygma* sp., probably *exempta* (Wlk.), (Phalaenidae) at Honolulu, Hawaii, in an airplane from Kwajalein; *Lecanium* sp. (Coccidae) at San Francisco, Calif., on a plum tree in baggage from Japan. (This is a species not previously reported from Japan and one probably undescribed.) *Lepidosaphes* sp. (Coccidae) was intercepted at San Francisco, Calif., on coconut in mail from Nigeria. (There is a possibility that this actually may be *L. vermiculus* Mamet but it does not fit rigidly his description and figure.) A pyraustid, *Leucinodes* sp., probably *orbonalis* Gn., was intercepted at Philadelphia, Pa., in eggplant in stores from the Gold Coast; *Lixus* sp., probably *junci* Boh., (Curculionidae) at Boston, Mass., in beet in stores from Palestine; a mirid, *Mala* sp., probably a new species, at Laredo, Tex., on a leaf of *Colocasia* sp. in baggage from Mexico; *Megacyllene* sp., near *boliviana* (Chev.) (Cerambycidae) at New York, N. Y., on loosely baled cube root in cargo from Peru; *Midilia* sp. (Schoenobiidae), probably a new species, at Miami, Fla., on philodendron cutting in cargo by air from Colombia; *Niveaspis* sp. (Coccidae), an undescribed species, at Laredo, Tex., on *Laelia* sp. and *Oncidium* sp. in cargo from Mexico; *Cedionychis* sp. (Chrysomelidae), very interesting and not in the collection at the

U. S. National Museum, at Nogales, Ariz., with lettuce in baggage from Mexico; a chrysomelid, *Phyllobrotica* sp. at Seattle, Wash., in soil packing of lily bulbs in cargo from Japan; *Pityogenes* sp., probably *chalcographus* (L.), (Scolytidae) at Seattle, Wash., in bark of a wooden crate in cargo from Czechoslovakia; *Platypus* sp., probably *curtus* Chap., (Platypodidae) at Charleston, S. C., in *Khaya* sp. log in cargo from the Philippines; *Prays* sp. (Hyponomeutidae) at New York, N. Y., in pomelo in stores from Egypt; a coccid, *Pseudaonidia* sp., a new species, at San Francisco, Calif., on *Dendrobium* sp. in air freight from Australia; *Reticulitermes* sp., probably *lucifugus* (Rossi), (Rhinotermitidae) at New York, N. Y., in soil around roots of a potted *Jasminum* sp. plant in baggage from Italy; *Taeniothrips* sp., near or equals *gracilis* Mlt., (Thripidae) at Buffalo, N. Y., on *Lycoris* sp. bulbs in cargo from Japan and at Hoboken, N. J., in mail from Japan; *Thrips* sp., nearest *physapus* L., (Thripidae) at Washington, D. C., on a leaf of *Fragaria* sp. in mail from Sweden, a scolytid, *Xyleborus* sp., near or equals *confusus* Eichh., at Charleston, S. C., in *Copaifera hemitomophylla* log in cargo from Costa Rica

There were 2,178 interceptions distributed among 554 genera, which could be identified to genus only. A total of 116 could be determined to family or subfamily only.

A total of 2,294 incompletely determined insects were intercepted during the year.

DISEASES

Incompletely determined fungi on plants collected at the ports of entry during the year were the following suspected pathogens: An actinomycete causing stem galls of azalea at Seattle, Wash., in express from England; *Ascochyta* sp., at Philadelphia, Pa., on orange in stores from the Union of South Africa; *Ascochyta* sp., at Seattle, Wash., on *Viburnum rhytidophyllum* in cargo from France; *Cercospora* sp. at Brownsville, Tex., on palm fronds and snapdragon in cargo from Mexico, on avocado in stores from Mexico, and on mistletoe in baggage from Mexico; *Cercospora* sp. at Laredo, Tex., on orchids in baggage and cargo from Mexico; *Cercospora* sp., at Miami, Fla., on *Cynoches chlorochilon*, an orchid, in cargo by air from the Canal Zone; *Cercospora* sp., at New York, N. Y., on croton leaf in baggage by air from the Bahamas; *Cercospora* sp., at San Francisco, Calif., on *Miltonia russelliana*, an orchid, in cargo by air from Brazil; *Cercospora* sp., at San Juan, P. R., on a citrus leaf and on leaves of *Eryngium* sp. in baggage in preflight inspection of planes leaving San Juan for the mainland; *Cercospora* sp., at Seattle, Wash., on *Primula* sp., in mail from British Columbia; *Ceuthospora* sp., at Hoboken, N. J., on mountain laurel leaves in cargo from the Netherlands; *Curvularia* sp., at San Francisco, Calif., on elephant ear in cargo from China; *Cylindrosporium* sp., at San Francisco, Calif., on dry leaf of *Bambusa* sp. in cargo from China and on tree peony in cargo from Japan; *Endoconidiophora* sp., close to *fimbriata* (Ell. & Hals.) Davidson at San Francisco, Calif., on kudzu-bean in cargo from China; *Erwinia* sp. (undescribed) at New York, N. Y., on endive in cargo from Belgium; *Gymnosporangium* sp., at New York, N. Y., on leaves of *Sorbus aucuparia* in baggage by air from Sweden; *Mycosphaerella* sp. at San Juan, P. R., on citrus leaves in baggage in preflight inspection of an airplane leaving San Juan for the mainland; *Mycosphaerella* sp. at New York, N. Y., on leaves of *Arctostaphylos uva-ursi* (bearberry) in baggage from Finland; *Phytophthora* sp., probably of the *cryptogaea* type, at Hoboken, N. J., on *Incarvillea* sp., in cargo from the Netherlands; *Phytophthora* sp., at Hoboken, N. J., on gloxinia in cargo and air express from Belgium; *Plenodomus* sp., at San Francisco, Calif., on snowdrop bulbs in cargo from the Netherlands; *Pseudomonas* sp. (undescribed) at New York, N. Y., on endive in cargo from Belgium; *Sclerotium* sp., at Buffalo, N. Y., on narcissus bulbs in cargo from the Netherlands; *Sclerotium* sp., at Portland, Oregon, on *Tulipa fosteriana* bulb in cargo from the Netherlands; *Sclerotium* sp., at Seattle, Wash., on taro in cargo from China; *Sclerotium* sp., at Philadelphia, Pa., on *Galanthus* sp. bulbs in cargo from the Netherlands; *Sclerotium* sp., at Hoboken, N. J., on *Iris* sp. in air express from Jordan and on *Urceolina miniata* (scarlet pitcherlily) in mail from the Netherlands; *Sclerotium* sp., at New York, N. Y., on lily bulbs and *Muscari* sp. bulbs in cargo from the Netherlands; *Sclerotium* sp. at San Francisco, Calif., on seeds of Japanese aucuba in mail from Italy, on English iris bulbs in mail from England, on *Euphorbia pulcherrima* in mail from Honduras, and on narcissus bulbs in cargo from the Netherlands; *Septoria* sp., at San Antonio, Tex., on palm leaf in cargo by air from Mexico; *Septoria* sp., at Honolulu, Hawaii, on palm in cargo from Truk; *Sphaceloma* sp., at Baltimore, Md., and Boston, Mass., on lemon in stores from the Union of South Africa; *Sphaceloma* sp., at San Pedro, Calif., on

orange in stores from Curacao; *Uredo* sp., at El Paso, Tex., on *Brassavola* sp., an orchid, in cargo by air from Mexico; *Uredo* sp. at Nogales, Ariz., on an orchid in cargo from Mexico; *Uredo* sp. at Brownsville, Tex., on *Diacrium bilamellatum*, an orchid, in cargo by air from the Canal Zone; *Uredo* sp., at Miami, Fla., on *Masdevallia* sp., an orchid, in cargo by air from Costa Rica; *Verticillium* sp., close to *candidum* Pk., at Hoboken, N. J., on corm of *Acidanthera* sp., in cargo from the Netherlands; *Verticillium* sp., at Philadelphia, Pa., on roots of *Alpinia galanga* in stores from India; *Verticillium* sp., at Houston, Tex., on a begonia tuber in cargo from the Netherlands; *Verticillium* sp., at Seattle, Wash., on *Dendrobium* sp., an orchid, in mail from India and on waterchestnut in cargo from China; *Verticillium* sp., at Philadelphia, Pa., on *Lilium* sp. in cargo from the Netherlands.

Nematode interceptions included *Ditylenchus* spp. with lily-of-the-valley pips and various bulbs, including garlic, glory-of-the-snow, colchicum, and iris; *Heterodera* spp. in soil arriving with plants for propagation, vegetables in ships' stores, used bagging, dried roots for pharmaceutical purposes and even Irish shamrocks; *Helicotylenchus* sp., at New York, N. Y., in soil with lily-of-the-valley pips in cargo from Germany and in soil with unidentified plants in baggage from Ireland; *Meloidogyne* sp., probably *incognita* (Kofoed & White) Chitwood at Galveston, Tex., in celery in stores from Jamaica, and in carrots in stores from the Azores at Philadelphia, Pa., in beets in stores from Australia, and in soil with potatoes in stores from the Netherlands; *Rotylenchus* sp., at New York, N. Y., in soil with potatoes in stores from Uruguay, in soil with lily-of-the-valley pips in cargo from Germany, and in soil with peony roots in baggage from Poland; *Rotylenchus* sp., at Mobile, Ala., in soil with coleus plants in quarters from Guatemala and in soil with *Aster* sp. in baggage from Germany; *Rotylenchus* sp., at San Francisco, Calif., in roots of *Convallaria majalis* in mail from France; *Tylenchorhynchus* sp., at Nogales, Ariz., in soil with cactus plants in baggage from Mexico; *Tylenchorhynchus* sp., at Mobile, Ala., in soil on an unidentified plant and on sweetpotato plants in baggage by air from Puerto Rico; *Tylenchus* sp., at New York, N. Y., in soil with lily-of-the-valley pips in cargo from Germany; *Tylenchus* sp., at Washington, D. C., in soil with roots of lily bulbs in mail from England; *Tylenchus* sp., at Mobile, Ala., in soil with *Aster* sp., in baggage from Germany; *Xiphinema* sp., at New York, N. Y., in soil with citrus plants in baggage from Argentina; one interception which could not be identified beyond family (Tylenchidae) was taken at New York, N. Y., in soil with cactus plants in baggage from Italy.

A total of 1,259 incompletely determined pathogens were recorded during the year.

Graphic summary of interceptions listed in main table and interception totals

Country	Insect	Disease	Country	Insect	Disease
	<i>Number</i>	<i>Number</i>			
Africa:			Europe—Continued		
Africa (locality unknown).....	1	1	Turkey.....	1	3
Algeria.....	10	0	Wales.....	0	1
British West Africa.....	1	0	Yugoslavia.....	5	2
Canary Islands.....	3	0	North America:		
Egypt.....	11	0	Bermuda.....	20	3
Ethiopia.....	2	0	Canada.....	5	3
French West Africa (?).....	1	0	Canal Zone.....	51	5
Gold Coast.....	10	0	Central America:		
Liberia.....	1	0	British Honduras.....	3	0
Morocco.....	4	0	Colombia.....	14	1
Nigeria.....	2	2	Costa Rica.....	27	23
Union of South Africa.....	32	17	Guatemala.....	30	8
Asia:			Honduras.....	11	4
China.....	8	321	Nicaragua.....	8	0
Cyprus.....	3	1	Panama.....	45	21
Formosa.....	1	0	Salvador.....	17	0
India.....	27	35	Iceland.....	0	1
Indonesia.....	1	1	Mexico.....	716	151
Iraq.....	1	1	West Indies:		
Israel.....	17	2	Antigua.....	2	0
Japan.....	88	184	Aruba.....	2	0
Korea.....	3	0	Bahamas.....	4	4
Lebanon.....	8	0	Barbados.....	8	0
Palestine.....	4	0	British West Indies.....	2	0
Siam.....	4	3	Cuba.....	72	7
Straits Settlements.....	0	3	Curaco.....	2	0
Syria.....	3	1	Dominican Republic.....	13	1
Australasia:			Grand Cayman.....	1	0
American Samoa.....	1	0	Grenada *.....	1	0
Australia.....	20	13	Haiti.....	9	0
Caroline Islands.....	1	0	Jamaica.....	31	0
Ceylon.....	2	2	Montserrat.....	1	0
Fiji Islands.....	1	2	Nevis.....	1	0
Guam.....	11	10	Puerto Rico.....	57	11
Hawaii.....	202	16	St. Kitts.....	3	0
Kwajalein.....	0	2	St. Lucia.....	2	0
Marshall Islands.....	0	11	St. Vincent.....	2	0
New Zealand.....	0	4	Trinidad.....	28	3
Philippines.....	22	8	Virgin Islands.....	6	1
Saipan.....	1	0	South America:		
Tahiti.....	1	1	Argentina.....	1	28
Yap Island.....	0	1	Bolivia.....	0	1
Europe:			Brazil.....	27	90
Austria.....	3	7	Chile.....	7	1
Azores.....	9	3	Ecuador.....	15	1
Belgium.....	8	23	Paraguay.....	0	1
Crete.....	1	0	Peru.....	4	0
Czechoslovakia.....	0	1	South America.....	3	0
Denmark.....	6	8	Uruguay.....	0	2
England.....	45	88	Venezuela.....	32	2
Finland.....	0	1	Total:		
France.....	35	10	Africa.....	78	20
Germany.....	37	24	Asia.....	168	552
Gibraltar (?).....	1	0	Australasia.....	262	70
Great Britain.....	1	0	Europe.....	814	499
Greece.....	16	0	North America.....	1,194	247
Ireland.....	3	23	South America.....	89	126
Isle of Man.....	0	2	Unknown.....	9	3
Italy.....	477	59	Total.....	2,614	1,517
Luxembourg.....	0	1	Total incompletely deter-		
Malta.....	1	0	mined pests.....	2,294	1,259
Netherlands.....	75	139	Total insect interceptions.....	4,908	-----
Norway.....	2	7	Total disease intercep-		
Poland.....	2	1	tions.....		2,776
Portugal.....	29	3	Grand total.....		7,684
Scotland.....	8	67			
Spain.....	31	5			
Sweden.....	10	13			
Switzerland.....	8	8			

NOTE.—In addition to the countries named above, interceptions were made from American Virgin Islands, Anguilla, Belgian Congo, British Guiana, Burma, Canary Islands, Cape of Good Hope, Cape Verde Islands, French Cameroons, Iran, Jordan, Kenya, Labrador, Leeward Islands, Madeira Islands, Martinique, Mozambique, Natal, Netherlands Guiana, Netherlands West Indies, Newfoundland, Northern Ireland, Nova Scotia, Okinawa, Pakistan, Pretoria, Rhodesia, Sierra Leone, Society Islands, Trust Isles of Pacific, Tunisia, and Truk Island.

List of pests (insects) collected and reported from July 1, 1950, to June 30, 1951, inclusive

[An asterisk indicates State inspection]

Insect and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
<i>Acalypta parvula</i> (Fall.) (Tingidae): Moss packing around rhododendron seions	England	1			Wash.
<i>Acanthoderes circumflexa</i> Jaq. Dav. (Cerambycidae): <i>Cybistax donnell-smithii</i> (primavera)	Honduras	1			N. Y.
<i>Acanthoscelides armitagei</i> (Pie) (Bruehidae): <i>Cajanus cajan</i> (pigeonpea)	British West Indies, Canal Zone, Puerto Rieo.	4			N. J., N. Y.
<i>Acanthoscelides griseolus</i> (Fall) (Bruehidae): <i>Rhynchosia</i> sp.	Mexico			1	D. C.
<i>Acanthoscelides obvelatus</i> Bridw. (Bruehidae): <i>Phaseolus vulgaris</i>	Guatemala			1	D. C.
<i>Aceria tulipae</i> (Keif.) (Eriophyidae): <i>Allium sativum</i> (garlic)	Chile, Mexico	3	1		Tex.
<i>Achatina fulica</i> Fer. (Mollusea): In cargo hold	Guam	1			Calif.*
Returned military equipment	Guam, Philippines, Sapan.	8			Calif.*
Serap iron	Guam	2			Calif.,* Oreg.
<i>Acrolepia assectella</i> (Zell.) (Hyponomeutidae): <i>Allium porrum</i> (leek)	Italy, Netherlands		5		N. Y.
<i>Acroleucus vicinalis</i> Dist. (Lygaeidae): Orehid	Mexico			1	Tex.
<i>Adorophyes orana</i> (F. R.) (Tortrieidae): <i>Syringa</i> sp. (lilae)	Netherlands	20			N. Y.
<i>Agallia venosa</i> (Fall.) (Cieadellidae): <i>Hypericum repens</i> (creeping St. Johnswort)	Switzerland			1	N. J.
<i>Aganactesis indecora</i> Dyar (Galleriidae): <i>Cassia fistula</i> (golden-shower)	Brazil	1			N. Y.
<i>Agriotes lineatus</i> L. (Elateridae): Soil from potato bin	Denmark		1		Pa.
<i>Aleophagus myersi</i> Essig (Aphidae): <i>Aloe</i> sp.	Ethiopia			1	D. C.
<i>Aleurocanthus woglumi</i> Ashby (Aleyrodidae): <i>Citrus aurantifolia</i> (sour lime)	Mexico	8			Tex.
<i>Citrus reticulata</i> (Mandarin orange)	do	3			Tex.
<i>Citrus sinensis</i> (orange)	Mexico, Peru	2	1		Calif.,* Tex.
<i>Citrus</i> sp.	Mexico	3			Tex.
<i>Hibiscus</i> sp.	do			1	Ariz.
<i>Aleurodicus dugessi</i> Ckll. (Aleyrodidae): <i>Begonia</i> sp.	do			1	Tex.
<i>Aleuroglandulus emmae</i> Russell (Aleyrodidae): <i>Cattleya citrina</i> (orehid)	do			1	Tex.
<i>Psidium guajava</i> (guava)	do	1			Tex.
<i>Aleuroparadoxus gardeniae</i> Russell (Aleyrodidae): <i>Citrus</i> sp.	do	1			Tex.
<i>Aleurolobus marlatti</i> (Q.) (Aleyrodidae): <i>Citrus reticulata</i> (Mandarin orange)	Japan		1		Calif.*
<i>Aleuroplatus cococolus</i> Q. (Aleyrodidae): <i>Citrus</i> sp.	Mexico	1			Tex.
<i>Aleuroplatus plumosus</i> (Q.) (Aleyrodidae): <i>Ilex</i> sp. (holly)	do	1			Tex.
<i>Aleurothrixus floccosus</i> (Mask.) (Aleyrodidae): <i>Citrus sinensis</i> (orange)	Dominican Republic	1			N. Y.
<i>Citrus</i> sp.	Bahamas	1			Fla.*
<i>Guajacum officinale</i> (lignumvitae)	Jamaica			1	P. R.
<i>Psidium guajava</i> (guava)	Mexico	1			Tex.
<i>Aleurotuberculatus jasmini</i> Takah. (Aleyrodidae): <i>Gardenia</i> sp.	China			1	Calif.*
<i>Aleurotuberculatus similis</i> Takah. (Aleyrodidae): <i>Camellia japonica</i> (camellia)	Japan			1	N. J.
<i>Allantus cinctus</i> (L.) (Tenthredinidae): <i>Malus sylvestris</i> (apple)	England, Germany, Norway.	3			Calif.,* N. Y.
<i>Rosa</i> sp. (rose)	England, Germany	1		1	N. Y.
<i>Alpheias conspirata</i> Hein. (Galleriidae): <i>Ananas comosus</i> (pineapple)	Mexico	5			Calif.,* La., Tex.

List of pests (insects) collected and reported from July 1, 1950, to June 30, 1951,
inclusive—Continued

[An asterisk indicates State inspection]

Insect and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
<i>Amitermes wheeleri</i> (Desn.) (Termitidae):					
<i>Salvia officinalis purpurascens</i> (purple sage)-----	Mexico-----	1			Tex.
<i>Anaphothrips obscurus</i> (Muller) (Thripidae):					
<i>Brassica</i> sp-----	Ireland-----	1			N. Y.
<i>Anastrepha fraterculus</i> (Wied.) (Tephritidae):					
<i>Citrus sinensis</i> (orange)-----	Argentina-----		1		La.
<i>Prunus persica</i> (peach)-----	Mexico-----	1			Tex.
<i>Anastrepha ludens</i> (Loew) (Tephritidae):					
<i>Citrus aurantifolia</i> (sweet lime)-----	do-----	4			Tex.
<i>Citrus paradisi</i> (grapefruit)-----	Guatemala, Mexico-----	3	1		Fla.,* Tex.
<i>Citrus sinensis</i> (orange)-----	Costa Rica, Guatemala, Mexico, Salvador.	68	14		Ariz., La., S. C., Tex.
<i>Cydonia oblonga</i> (quince)-----	Mexico-----	1			Tex.
<i>Mangifera indica</i> (mango)-----	do-----	23	4		Calif.,* Tex.
<i>Persea americana</i> (avocado)-----	do-----	1			Tex.
<i>Prunus persica</i> (peach)-----	do-----	1			Tex.
<i>Psidium guajava</i> (guava)-----	Nicaragua-----	1			Calif.*
<i>Punica granatum</i> (pomegranate)-----	Mexico-----	1			Tex.
<i>Pyrus communis</i> (pear)-----	do-----	7			Tex.
Sapote-----	do-----	1			Tex.
<i>Anastrepha mombinpraeoptans</i> Sein (Tephritidae):					
<i>Mangifera indica</i> (mango)-----	Canal Zone, Cuba, Dominican Republic, Guatemala, Haiti, Honduras, Jamaica, Mexico, Panama, Puerto Rico, Salvador, Trinidad.	82	11	1	Ala., Calif.,* Fla.,* La. N. Y., Pa. P. R., S. C., Tex.
<i>Spondias mombin</i> (yellow mombin)-----	Guatemala, Mexico, Nicaragua, Panama, Salvador.	8	1		Calif.,* La.
<i>Spondias</i> sp-----	Puerto Rico, Salvador--	2			N. Y., Tex.
<i>Anastrepha mombinpraeoptans</i> Sein (?) (Tephritidae):					
<i>Psidium guajava</i> (guava)-----	Honduras-----		1		La.
<i>Anastrepha serpentina</i> (Wied.) (Tephritidae):					
<i>Achras zapota</i> (sapodilla)-----	Guatemala, Nicaragua--	3	1		Calif.,* La.
<i>Chrysophyllum cainito</i> (star-apple)-----	Panama, Salvador-----	2			La.
<i>Mammea americana</i> (mamey)-----	Mexico-----	5			Tex.
Sapote-----	do-----	1			Calif.
<i>Anastrepha serpentina</i> (Wied.) (?) (Tephritidae):					
<i>Citrus sinensis</i> (orange)-----	Peru-----		1		La.
<i>Anastrepha striata</i> Schiner (Tephritidae):					
<i>Psidium guajava</i> (guava)-----	Salvador, Trinidad-----	2			La., P. R.
<i>Anastrepha suspensa</i> (Loew) (Tephritidae):					
<i>Psidium guajava</i> (guava)-----	Dominican Republic, Jamaica, Puerto Rico.	25			N. Y., P. R.
<i>Ancylostomia stercorea</i> (Zell.) (Phycitidae):					
<i>Cajanus cajan</i> (pigeonpea)-----	Bahamas, Puerto Rico, Trinidad.	5			Fla.,* Md., N. Y., P. R.
<i>Cajanus</i> sp-----	Canal Zone-----	1			N. J.
<i>Cicer arietinum</i> (chickpea)-----	do-----	1			Fla.*
<i>Anthonomus pomorum</i> (L.) (Curculionidae):					
<i>Malus sylvestris</i> (apple)-----	Germany-----	1			N. Y.
<i>Anthonomus scutellaris</i> Lec. (Curculionidae):					
<i>Prunus</i> sp. (wild plum)-----	Mexico (?)-----	1			Tex.
<i>Anuraphis cynarae</i> (Theob.) (?) (Aphidae):					
<i>Cynara scolymus</i> (globe artichoke)-----	Algeria-----		1		N. Y.
<i>Aonidiella inornata</i> McKenzie (Coccidae):					
<i>Cocos nucifera</i> (coconut)-----	Philippines-----		2		Calif.*
<i>Jasminum sambac</i> (Arabian jasmine)-----	Hawaii-----			1	Calif.*
<i>Aphis rhamni</i> Fonsc. (?) (Aphidae):					
<i>Ranunculus</i> sp-----	France-----		1		N. Y.
<i>Apion apricans</i> Hbst. (Curculionidae):					
<i>Ribes</i> sp-----	Germany-----			1	Calif.*
<i>Apion auctum</i> Sharp (?) (Curculionidae):					
Orchid-----	Guatemala-----			1	Tex.
<i>Apion carduorum</i> Kby. (Curculionidae):					
<i>Cynara cardunculus</i> (cardoon)-----	Italy-----		1		N. Y.
<i>Cynara scolymus</i> (globe artichoke)-----	France, Italy-----		2		N. Y., Pa.

List of pests (insects) collected and reported from July 1, 1950, to June 30, 1951,
inclusive—Continued

[An asterisk indicates State inspection]

Insect and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
<i>Apion pomonae</i> F. (?) (Curculionidae): <i>Vicia sativa</i> (vetch)-----	France-----	1			Tex.
<i>Apsychomyrmex tristani</i> Menozzi (Formicidae): <i>Philodendron</i> sp.-----	Costa Rica-----			1	Tex.
<i>Arctothezia cataphracta</i> (Olaf.) (Coccidae): <i>Calluna vulgaris</i> (heather)-----	England-----	1			Ill.
<i>Arge rosae</i> (L.) (Argidae): <i>Rosa</i> sp.-----	Germany-----	1			N. Y.
<i>Argyroploce leucotreta</i> Meyr. (Olethreutidae): <i>Citrus limon</i> (lemon)-----	Union of South Africa-----		1		Tex.
<i>Citrus reticulata</i> (Mandarin orange)-----	do-----		1		Md.
<i>Citrus sinensis</i> (orange)-----	do-----		2		Md., Pa.
<i>Aspidiotus abietis</i> (Schr.) (Coccidae): <i>Pinus sylvestris</i> (Scotch pine)-----	Germany-----			1	N. Y.
<i>Aspidiotus corticis-pini</i> Ldgr. (Coccidae): <i>Pinus</i> sp. (pine)-----	Japan-----			1	Calif.*
<i>Aspidiotus coryphae</i> Ckll. & Rob. (Coccidae): <i>Cocos nucifera</i> (coconut)-----	Philippines-----		2		Calif.*
<i>Aspidiotus destructor</i> Sign. (Coccidae): <i>Cocos nucifera</i> (coconut)-----	Canal Zone, Costa Rica, Mexico, Nigeria, Pan- ama, Philippines.	6	1		Calif.*
<i>Garcinia mangostana</i> (mangosteen)-----	India-----	1			N. Y.
<i>Musa paradisiaca</i> (plantain)-----	Cuba-----	1			N. Y.
<i>Musa paradisiaca sapientum</i> (banana)-----	Panama-----	1			Calif.*
Orchid-----	Canal Zone-----			1	Fla.
<i>Persea americana</i> (avocado)-----	Cuba-----	2			N. Y.
<i>Aspidiotus excisus</i> Green (Coccidae): <i>Cocos nucifera</i> (coconut)-----	Philippines-----	1			Calif.*
<i>Aspidiotus herculeanus</i> (Ckll. & Hadd.) (Coccidae): Palm-----	Mexico-----	1			Calif.*
<i>Aspidiotus pseudomeyeri</i> Kuw. (Coccidae): <i>Cedrus</i> sp.-----	Japan-----			1	Calif.*
<i>Aspidiotus pyri</i> Light. (Coccidae): <i>Malus sylvestris</i> (apple)-----	Germany-----	1			Fla.
<i>Asterolecanium bambusae</i> (Bdv.) (Coccidae): Bamboo-----	Barbados-----	1			P. R.
<i>Asterolecanium epidendri</i> (Bouche) (Coccidae): <i>Burlingtonia</i> sp. (orchid)-----	Trinidad-----			1	N. J.
<i>Cattleya dowiana</i> (orchid)-----	Costa Rica-----			1	Calif.*
<i>Cattleya lueddemanniana</i> (orchid)-----	Venezuela-----			1	N. J.
<i>Cattleya</i> sp.-----	British Honduras, Vene- zuela.			2	N. J., Tex.
<i>Laelia</i> spp. (orchid)-----	Mexico-----			1	Calif.*
Leaf—unidentified-----	do-----	1			Calif.*
Orchid-----	Canal Zone, Costa Rica, Cuba, Jamaica, Pana- ma, Venezuela.			10	Fla., Tex., Wash.
<i>Vanda</i> sp. (orchid)-----	Cuba-----			1	Calif.*
<i>Asterolecanium miliaris miliaris</i> (Bdv.) (Coccidae): Bamboo-----	Barbados, Cuba-----	2		1	Mass., P. R., Tex.
<i>Asterolecanium stentae</i> Brain (Coccidae): <i>Anacampseros</i> sp.-----	Union of South Africa-----			1	Calif.*
<i>Asterolecanium truncatum</i> Russell (Coccidae): <i>Attalea</i> sp. (palm)-----	Costa Rica-----			1	N. J.
<i>Aulacaspis tubercularis</i> Newst. (Coccidae): <i>Mangifera indica</i> (mango)-----	Barbados, Mexico, Ven- ezuela.	4			N. Y., Tex.
<i>Bostrychoplites cornutus</i> (Oliv.) (Bostrichidae): <i>Khaya</i> sp.-----	Union of South Africa-----	2			La.
<i>Brachycerus albidentatus</i> Gyll. (Curculionidae): <i>Allium sativum</i> (garlic)-----	Italy-----	17	2		La., Mass., N. Y.
<i>Brachycerus algirus</i> (F.) (Curculionidae): <i>Allium sativum</i> -----	Italy, Spain-----	12	2		N. Y., Tex.
<i>Brachyrhinus ovatus</i> (L.) (Curculionidae): Soil around rose bush-----	Poland-----			1	N. Y.

List of pests (insects) collected and reported from July 1, 1950, to June 30, 1951,
inclusive—Continued

[An asterisk indicates State inspection]

Insect and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
<i>Brachyrhinus porcatus</i> (Hbst.) (Curculionidae): Soil and moss packing around <i>Quercus</i> sp.	Switzerland			1	N. J.
<i>Brachyrhinus rugosostriatus</i> (Goeze.) (Curculionidae): Soil and moss packing around <i>Quercus</i> sp.	do			2	N. J.
Soil around <i>Saxifraga</i> sp.	do			1	N. J.
<i>Brachyrhinus singularis</i> (L.) (Curculionidae): Woods moss packing around <i>Crataegus</i> spp.	Scotland			1	N. J.
<i>Brachyrhinus sulcatus</i> (F.) (Curculionidae): <i>Begonia</i> sp.	Belgium			1	N. J.
<i>Bruchus ervi</i> Froel. (Bruchidae): <i>Allium sativum</i> (garlic)	Italy	1			N. Y.
<i>Bruchus luteicornis</i> Ill. (Bruchidae): <i>Vicia angustifolia</i> (narrow leaf vetch)	France	1			Pa.
<i>Vicia sativa</i> (vetch)	France, Germany	2			Tex., Va.
<i>Bruchus rufipes</i> Hbst. (Bruchidae): <i>Lens culinaris</i> (lentil)	Iraq			1	D. C.
<i>Bruchus signaticornis</i> Gyll. (Bruchidae): <i>Lens culinaris</i>	Italy	2			N. Y.
<i>Bruchus tristis</i> Boh. (Bruchidae): <i>Vicia</i> sp.	Belgium			1	N. J.
<i>Cacoecia pronubana</i> (Hbn.) (Tortricidae): <i>Chrysanthemum</i> sp.	England		1		N. Y.
<i>Dianthus</i> sp. (carnation)	France	1			N. Y.
<i>Fragaria</i> sp. (strawberry)	Italy			1	N. Y.
<i>Laurus nobilis</i> (Grecian laurel)	England		2		N. Y.
<i>Rosa</i> sp.	Italy			1	N. J.
<i>Callidium aeneum</i> Deg. (Cerambycidae): Wood crating	Denmark, Germany, Sweden.	3			Calif.*
<i>Callosobruchus ademptus</i> (Sharp) (Bruchidae): <i>Pueraria thunbergiana</i> (kudzu-bean)	Korea			1	D. C.
<i>Callosobruchus phaseoli</i> (Gyll.) (Bruchidae): Bean	St. Vincent	1			Mass.
<i>Dolichos lablab</i> (hyacinth-bean)	Philippines			1	Wash.
<i>Capitophorus carduinus</i> (Wlk.) (Aphidae): <i>Cirsium</i> sp. (thistle)	Canada	1			Minn.
<i>Capitophorus formosanus</i> Takah. (Aphidae): <i>Chrysanthemum</i> sp.	Japan	1			Wash.
<i>Carbula trisignata</i> (Germar) (Pentatomidae): <i>Vitis</i> sp. (grape)	Union of South Africa	2			N. Y.
<i>Carposina sasakii</i> Mats. (Carposinidae): <i>Pyrus communis</i> (pear)	China	2			Alaska, Hawaii.
<i>Caryedon fuscus</i> (Goeze) (Bruchidae): <i>Cassia javanica</i> (appleblossom sennua)	Hawaii			1	D. C.
<i>Tamarindus indica</i> (tamarind)	Jamaica, Philippines	3			Calif.,* Fla.*
<i>Catolethrus ebeninus</i> Champ. (Curculionidae): <i>Tillandsia</i> sp.	Mexico			1	Tex.
<i>Ceratitis capitata</i> (Wied.) (Tephritidae): <i>Annona</i> sp.	Portugal	1			Mass.
<i>Citrus limon</i> (lemon)	Azores, Italy	5			Mass., N. Y.
<i>Citrus paradisi</i> (grapefruit)	Cyprus, Egypt, Gibraltar (?), Israel, Palestine, Spain.		12		Ala., Md., Mass., Mich., N. Y., Pa., S. C., Tex.
<i>Citrus reticulata</i> (Mandarin orange)	Algeria, Azores, Israel, Italy, Portugal, Spain.	9	4		Md., Mass., N. Y., P. R.
<i>Citrus sinensis</i> (orange)	Africa, Algeria, Azores, Cyprus, Greece, Israel, Italy, Lebanon, Malta, Palestine, Portugal, Spain, unknown.	28	26		Mass., N. Y., Pa., Tex., Va.
<i>Coffea</i> sp. (coffee)	Hawaii	1			Calif.*
<i>Cydonia oblonga</i> (quince)	Italy	6			N. Y.
<i>Diospyros</i> sp. (persimmon)	do	3			N. Y.
<i>Ficus carica</i> (fig)	Greece, Italy, Lebanon	10	2		Mass., N. Y.
<i>Malus sylvestris</i> (apple)	Azores, Italy, Portugal	4			N. Y.

List of pests (insects) collected and reported from July 1, 1950, to June 30, 1951,
inclusive—Continued

[An asterisk indicates State inspection]

Insect and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
<i>Ceratitis capitata</i> —Continued					
<i>Opuntia compressa</i> (pricklypear)-----	Italy-----	11	-----	-----	Mass., N. Y.
<i>Opuntia</i> sp.-----	do-----	2	-----	-----	Ill., N. Y.
<i>Persea americana</i> (avocado)-----	Portugal-----	1	-----	-----	N. Y.
<i>Prunus armeniaca</i> (apricot)-----	Greece, Lebanon, Portugal-----	2	3	-----	Ill., Mass., N. Y.
<i>Prunus persica</i> (peach)-----	Azores, France, Italy, Palestine, Portugal, Spain-----	11	4	-----	Mass., N. Y.
<i>Prunus persica nectarina</i> (nectarine)-----	Italy-----	1	-----	-----	N. Y.
<i>Psidium guajava</i> (guava)-----	Israel-----	1	-----	-----	N. Y.
<i>Punica granatum</i> (pomegranate)-----	Greece, Italy-----	2	-----	-----	N. Y.
<i>Pyrus communis</i> (pear)-----	Italy, Portugal, Syria-----	7	2	-----	Mass., N. Y.
<i>Vitis</i> sp. (grape)-----	Italy-----	1	-----	-----	N. Y.
With oranges, grapes, and plums abandoned on pier.	do-----	1	-----	-----	N. Y.
<i>Ceratitis capitata</i> (Wied.) (?) (Tephritidae):					
<i>Citrus sinensis</i> (orange)-----	Unknown-----	-----	1	-----	N. Y.
<i>Prunus domestica</i> (plum)-----	Italy-----	1	-----	-----	Mass.
<i>Ceroplastes ceriferus</i> (And.) (Coccidae):					
<i>Camellia japonica</i> (camellia)-----	Japan-----	-----	2	-----	Hawaii, N. Y.
<i>Ceroplastes japonicus</i> Green (Coccidae):					
<i>Laurus nobilis</i> (Grecian laurel)-----	France-----	1	-----	-----	N. Y.
<i>Ceroplastes rubens</i> Mask. (Coccidae):					
<i>Anthurium</i> sp-----	Hawaii-----	-----	-----	2	Calif.*
<i>Chaenomeles</i> sp. (flowering quince)-----	Japan-----	-----	-----	1	Calif.*
<i>Crataegus</i> sp-----	do-----	-----	-----	1	Calif.*
<i>Diospyros kaki</i> (kaki persimmon)-----	do-----	-----	-----	1	Calif.*
<i>Gardenia augusta</i> (gardenia)-----	Hawaii-----	1	-----	-----	Calif.*
<i>Grammatophyllum</i> sp. (orchid)-----	Guam-----	-----	-----	1	Hawaii.
<i>Ceroplastes rusci</i> (L.) (Coccidae):					
<i>Ficus carica</i> (fig)-----	Greece, Italy-----	3	-----	2	Mich., N. Y.
<i>Ceutorhynchus contractus</i> (Marsh) (Curculionidae):					
Woods moss packing around <i>Crataegus</i> spp-----	Scotland-----	-----	-----	1	N. J.
Woods moss packing around cut flowers	England-----	1	-----	-----	Ill.
<i>Ceutorhynchus erysimi</i> (F.) (Curculionidae):					
Woods moss packing around cut flowers	do-----	1	-----	-----	Ill.
<i>Chaetanaphothrips orchidii</i> (Mlt.) (Thripidae):					
<i>Citrus sinensis</i> (orange)-----	Portugal-----	-----	1	-----	Mass.
<i>Chalcodermus dentiferus</i> Faust (Curculionidae):					
<i>Ananas comosus</i> (pineapple)-----	Mexico-----	1	-----	-----	Tex.
<i>Chalcophana fervida</i> Suffr. (Chrysomelidae):					
Straw packing	Cuba-----	1	-----	-----	Fla.*
<i>Chilo simplex</i> (Btlr.) (Crambidae):					
<i>Oryza sativa</i> (rice)-----	Japan-----	5	1	-----	Calif.,* N. Y., Oreg., ¹ Wash.
" <i>Chionaspis</i> " <i>indigoferae</i> Hall (Coccidae):					
<i>Ceropegia</i> sp-----	Union of South Africa-----	-----	-----	1	Calif.*
<i>Stapelia pedunculata</i> (orchid)-----	do-----	-----	-----	1	Calif.*
" <i>Chionaspis</i> " <i>stanotophri</i> Cooley (Coccidae):					
<i>Asparagus plumosus</i> (fern asparagus)-----	Egypt-----	1	-----	-----	Mass.
<i>Chrysomphalus agavis</i> (Townsend & Ckll.) (Coccidae):					
<i>Yucca</i> sp-----	Mexico-----	1	-----	-----	Tex.
<i>Chrysomphalus diversicolor</i> Green (Coccidae):					
Orchid-----	Portugal-----	-----	-----	1	N. Y.
<i>Chrysomphalus nigropunctatus</i> (Ckll.) (Coccidae):					
<i>Philodendron selloum</i> -----	Guatemala-----	-----	-----	1	P. R.
<i>Chrysomphalus nulliporus</i> McKenzie (Coccidae):					
<i>Coelogyne remediosae</i> (orchid)-----	Philippines-----	-----	-----	1	Hawaii.
<i>Dendrobium lyonii</i> (orchid)-----	do-----	-----	-----	1	Calif.*
<i>Chrysomphalus odontoglossi</i> (Ckll.) (Coccidae):					
Stem—unknown-----	Jamaica-----	-----	-----	1	Hawaii.
<i>Chrysomphalus paulistus</i> (Hempel) (Coccidae):					
<i>Laurus nobilis</i> (Grecian laurel)-----	Brazil-----	-----	1	-----	N. Y.
<i>Laurus</i> sp-----	do-----	-----	1	-----	N. Y.

List of pests (insects) collected and reported from July 1, 1950, to June 30, 1951, inclusive—Continued

[An asterisk indicates State inspection]

Insect and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
<i>Chrysomphalus personatus</i> (Comst.) (Coccidae):					
<i>Citrus sinensis</i> (orange)-----	Brazil, Mexico, Trinidad	1	2	----	Calif.,* Tex.
<i>Cocos nucifera</i> (coconut)-----	Mexico-----	1	-----	-----	Calif.*
<i>Laurus nobilis</i> (Grecian laurel)-----	Brazil-----	-----	1	-----	N. Y.
Leaf—unknown-----	Mexico-----	-----	2	-----	Tex.
<i>Mangifera indica</i> (mango)-----	do-----	1	-----	-----	Tex.
<i>Chrysomphalus ritchiei</i> (Green & Laing) (Coccidae):					
<i>Calocarpum sapota</i> (sapote)-----	Canal Zone-----	-----	1	-----	Calif.*
<i>Chrysomphalus sphaeroides</i> (Ckll.) (Coccidae):					
Palm-----	Mexico-----	1	-----	-----	Tex.
<i>Philodendron</i> sp.-----	do-----	-----	-----	1	Tex.
<i>Chrysomphalus tenax</i> (McKenzie) (Coccidae):					
<i>Cattleya</i> spp. (orchid)-----	Guatemala-----	-----	-----	1	Calif.*
<i>Epidendrum stamfordianum</i> (orchid)-----	Honduras-----	-----	-----	1	N. J.
<i>Epidendrum</i> sp.-----	Cuba-----	-----	-----	1	Calif.*
Orchid-----	do-----	-----	-----	1	Calif.*
<i>Philodendron lacerum</i> -----	Guatemala-----	-----	-----	1	N. J.
<i>Philodendron</i> sp.-----	Mexico-----	-----	-----	1	Tex.
<i>Schomburgkia tibicinis</i> (orchid)-----	Cuba-----	-----	-----	1	Calif.*
<i>Chrysomphalus tingi</i> (McKenzie) (Coccidae):					
<i>Cocos nucifera</i> (coconut)-----	Mexico, Philippines-----	2	-----	-----	Calif.*
<i>Chrysomphalus umboniferus</i> (Newst.) (Coccidae):					
<i>Anthurium</i> sp.-----	Guatemala-----	-----	-----	1	Fla.
<i>Cattleya</i> sp. (orchid)-----	Costa Rica-----	-----	-----	1	Tex.
<i>Musa paradisiaca sapientum</i> (banana)-----	Panama-----	1	-----	-----	Calif.*
Orchid-----	Canal Zone, Guatemala, Mexico, St. Lucia.	-----	-----	4	Fla., Tex.
<i>Cleogonus armatus</i> Champ. (Curculionidae):					
Orchid-----	Canal Zone-----	-----	-----	1	Tex.
<i>Clerada apicornis</i> Sign. (Lygaeidae):					
Orchid-----	Mexico-----	-----	-----	1	Tex.
<i>Cnephasia virgaureana</i> (Treits.) (Tortricidae):					
<i>Chrysanthemum maximum</i> -----	England-----	-----	-----	1	N. J.
<i>Coccidella americana</i> (Hambl.) (Coccidae):					
<i>Isoloma</i> sp.-----	South America-----	-----	-----	1	N. J.
<i>Coccotrypes dactyliperda</i> (F.) (Scolytidae):					
<i>Phoenix rupicola</i> (cliff date palm)-----	India-----	-----	-----	1	N. J.
Seed—unidentified-----	Hawaii-----	-----	-----	1	Calif.*
<i>Coccus viridis</i> (Green) (Coccidae):					
<i>Coffea</i> sp. (coffee)-----	Cuba-----	1	-----	-----	Fla.*
<i>Ficus pandurata</i> (fiddleleaf fig)-----	Puerto Rico-----	-----	-----	1	Calif.*
<i>Gardenia augusta</i> (gardenia)-----	Cuba, Guatemala, Hawaii, Venezuela.	32	2	1	Calif.,* Fla., Fla.,* N. Y.
<i>Ixora macrothyrsa</i> (Malay ixora)-----	Panama-----	1	-----	-----	N. Y.
<i>Coeliodes rubicundus</i> Hbst. (Curculionidae):					
<i>Rhododendron</i> sp.-----	England-----	-----	-----	1	Wash.
<i>Conchaspis angraeci</i> Ckll. (Coccidae):					
<i>Epidendrum</i> sp. (orchid)-----	Mexico-----	-----	-----	1	Tex.
<i>Hibiscus</i> sp.-----	Bermuda-----	2	-----	1	N. Y.
<i>Oncidium ampliatum</i> (orchid)-----	Canal Zone-----	-----	-----	1	Tex.
Orchid-----	Canal Zone, Cuba, Mexico.	-----	-----	4	Fla., N. Y., Tex.
<i>Conotrachelus aguacatae</i> Barber (Curculionidae):					
<i>Persea americana</i> (avocado)-----	Mexico-----	154	-----	-----	Tex.
<i>Conotrachelus perseae</i> Barber (Curculionidae):					
<i>Persea americana</i> (avocado)-----	do-----	3	-----	-----	Tex.
<i>Cordylomera spinicornis</i> (F.) (Cerambycidae):					
<i>Khaya</i> sp.-----	Nigeria-----	1	-----	-----	Pa.
Log-----	Gold Coast-----	2	-----	-----	Va.
<i>Cosmopolites sordidus</i> (Germ.) (Curculionidae):					
<i>Musa paradisiaca sapientum</i> (banana)-----	Nicaragua-----	1	-----	-----	Fla.*
<i>Cryptoblabes gnidiella</i> (Mill.) (Phycitidae):					
Branch—unknown-----	Bermuda-----	1	-----	-----	Va.
<i>Citrus limon</i> (lemon)-----	Italy-----	1	1	-----	N. Y., Pa
<i>Citrus sinensis</i> (orange)-----	Italy, Spain-----	1	1	-----	N. Y., Va.
Cycadaceae-----	Bermuda-----	1	-----	-----	N. Y.
<i>Malus sylvestris</i> (apple)-----	Portugal-----	-----	1	-----	Mass.
Plant—unknown-----	Egypt-----	-----	-----	1	N. J.

List of pests (insects) collected and reported from July 1, 1950, to June 30, 1951,
inclusive—Continued

[An asterisk indicates State inspection]

Insect and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
<i>Cryptoblabes gnidiella</i> —Continued.					
<i>Punica granatum</i> (pomegranate)-----	Greece, Italy, Lebanon, Palestine.	11	-----	-----	Mass., N. Y.
<i>Vitis</i> sp. (grape)-----	Italy, Spain-----	1	1	-----	N. Y., P. R.
<i>Cryptorhynchus mangiferae</i> F. (Curculionidae):					
<i>Mangifera indica</i> (mango)-----	Hawaii, India-----	18	7	2	Calif.,* N. Y.
<i>Curculio elephas</i> (Gyll.) (Curculionidae):					
<i>Castanea</i> sp. (chestnut)-----	Azores, France, Italy, Portugal, Spain, Turkey, Yugoslavia.	101	1	1	D. C., Ill., Mass., N. Y., Pa.
<i>Curculio nucum</i> L. (Curculionidae):					
<i>Corylus avellana</i> (filbert)-----	Germany, Italy-----	3	-----	-----	Mass., N. Y.
<i>Cylas femoralis</i> Faust (Curculionidae):					
<i>Ipomoea batatas</i> (sweetpotato)-----	Liberia-----	1	-----	-----	Va.
<i>Cylas formicarius elegantulus</i> (Summers) (Curculionidae):					
<i>Ipomoea batatas</i> (sweetpotato)-----	Cuba, Haiti, Jamaica, Mexico, Puerto Rico, Virgin Islands.	25	5	-----	Fla.,* La., N. Y., P. R., S. C., Tex.
<i>Cyrtopeltis varians</i> (Dist.) (Miridae):					
<i>Antirrhinum majus</i> (snapdragon)-----	Bermuda-----	1	-----	-----	N. Y.
<i>Dacus cucurbitae</i> (Coq.) (Tephritidae):					
<i>Cucumis sativus</i> (cucumber)-----	Hawaii-----	1	1	-----	Calif.*
<i>Lycopersicon esculentum</i> (tomato)-----	do-----	-----	8	-----	Ala., Calif.,* Oreg.
<i>Dacus cucurbitae</i> (Coq.) (?) (Tephritidae):					
<i>Cucumis sativus</i> (cucumber)-----	do-----	-----	1	-----	Wash.
<i>Dacus dorsalis</i> Hend. (Tephritidae):					
<i>Cucumis sativus</i> (cucumber)-----	do-----	1	-----	-----	Calif.*
<i>Lycopersicon esculentum</i> (tomato)-----	do-----	-----	2	-----	Calif.*
<i>Mangifera indica</i> (mango)-----	do-----	3	-----	-----	Calif.*
<i>Musa paradisiaca sapientum</i> (banana)-----	do-----	1	4	-----	Calif.*
<i>Persea americana</i> (avocado)-----	do-----	1	-----	-----	Calif.*
<i>Dacus dorsalis</i> Hend. (?) (Tephritidae):					
<i>Mangifera indica</i> (mango)-----	Fiji Islands-----	-----	1	-----	Hawaii.
<i>Musa paradisiaca sapientum</i> (banana)-----	Hawaii-----	1	-----	-----	Calif.*
<i>Ochrosia elliptica</i> -----	do-----	1	-----	-----	Calif.*
<i>Dacus oleae</i> (Gmel.) (Tephritidae):					
<i>Olea europaea</i> (olive)-----	Crete, Greece, Italy, Lebanon, Syria.	45	2	-----	Ill., La., Mass., N. Y., Tex
<i>Dacus oleae</i> (Gmel.) (?) (Tephritidae):					
<i>Olea europaea</i> (olive)-----	Algeria-----	-----	1	-----	Tex.
<i>Dendroctonus mexicanus</i> Hopk. (Scolytidae):					
<i>Pinus montezumae</i> (Montezuma pine)-----	Mexico-----	-----	-----	1	Calif.*
<i>Pinus pseudostrobus</i> -----	do-----	-----	-----	1	Calif.*
<i>Deroceras reticulatum</i> (Muller) (Mollusca):					
<i>Apium graveolens</i> (celery)-----	Bermuda-----	-----	1	-----	N. Y.
<i>Brassica oleracea capitata</i> (cabbage)-----	Italy-----	-----	1	-----	Tex.
<i>Cattleya</i> sp. (orchid)-----	Venezuela-----	-----	-----	1	Fla.
<i>Chrysanthemum</i> sp-----	England-----	-----	-----	1	N. Y.
Plant—unknown-----	Italy-----	1	-----	-----	N. Y.
<i>Dialeurodes chittendeni</i> Laing (Aleyrodidae):					
<i>Rhododendron</i> sp-----	Netherlands-----	-----	-----	1	N. J.
<i>Dialeurodes citri</i> (Ashm.) (Aleyrodidae):					
<i>Citrus</i> sp-----	Mexico-----	2	-----	-----	Tex.
<i>Gardenia augusta</i> (gardenia)-----	Hawaii, Mexico-----	2	-----	-----	Calif.,* Tex.
<i>Dialeurodes citrifolii</i> (Morg.) (Aleyrodidae):					
<i>Citrus</i> sp-----	Bahamas-----	1	-----	-----	Fla.*
<i>Gardenia augusta</i> (gardenia)-----	Costa Rica-----	-----	-----	1	Fla.
<i>Dialeurodes kirkaldyi</i> (Kot.) (Aleyrodidae):					
<i>Gardenia</i> sp-----	China-----	-----	-----	1	Calif.*
<i>Jasminum sambac</i> (Arabian jasmine)-----	Hawaii, Philippines-----	-----	-----	2	Calif.*
<i>Diatraea busckella</i> Dyar & Hein. (Crambidae):					
<i>Saccharum officinarum</i> (sugarcane)-----	Venezuela-----	1	-----	-----	N. Y.
<i>Dicyphus annulatus</i> (Wolff) (Miridae):					
<i>Lactuca sativa</i> (lettuce)-----	Sweden-----	-----	1	-----	N. Y.

List of pests (insects) collected and reported from July 1, 1950, to June 30, 1951,
inclusive—Continued

[An asterisk indicates State inspection]

Insect and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
<i>Dinoderus bifoveolatus</i> (Woll.) (Bostrichidae):					
<i>Derris</i> sp.-----	Brazil-----	1			N. Y.
<i>Lonchocarpus</i> sp.-----	do-----	1			N. Y.
Palm mats-----	Gold Coast-----		1		Tex.
<i>Phoenix dactylifera</i> (date)-----	China-----	1			N. Y.
<i>Dinoderus brevis</i> (Horn) (Bostrichidae):					
Bamboo-----	India, Japan-----	2			Va.
<i>Diorymerellus laevimargo</i> Champ. (Curculionidae):					
Orchid-----	Mexico-----			7	Tex.
<i>Draeculacephala lenticula</i> Ball (Cicadellidae):					
<i>Copaifera hemitomophylla</i> ("cativo")-----	Costa Rica-----	2			S. C.
<i>Draeculacephala minerva</i> Ball (Cicadellidae):					
<i>Lactuca sativa</i> (lettuce)-----	Mexico-----	1			Ariz.
<i>Drymus assimilis</i> Horvath (Lygaeidae):					
Moss packing around rhododendron scions-----	England-----			1	Wash.
<i>Dryocoetes autographus</i> (Ratz.) (Scolytidae):					
<i>Pinus</i> sp. (pine)-----	Germany-----	1			N. Y.
<i>Dryocoetes septentrionis</i> (Mann.) (Scolytidae):					
<i>Pinus</i> sp. (pine)-----	Canada-----		1		Tex.
<i>Dryophthorus pusillus</i> Sharp (Curculionidae):					
Fern log-----	Hawaii-----	1			Wash.
<i>Dysdercus mimulus</i> Hussey (Pyrrhocoridae):					
<i>Gardenia augusta</i> (gardenia)-----	Mexico-----	1			Tex.
<i>Lycopersicon esculentum</i> (tomato)-----	do-----	1			Tex.
Palm-----	do-----	1			Tex.
<i>Dyspessa ulula</i> (Bkh.) (Cossidae):					
<i>Allium sativum</i> (garlic)-----	Italy-----	7			N. Y.
<i>Epicaerus cognatus</i> Sharp (Curculionidae):					
<i>Solanum tuberosum</i> (potato)-----	Mexico-----	2	2		Tex.
<i>Epidiaspis piricola</i> (del Guer.) (Coccidae):					
<i>Malus sylvestris</i> (apple)-----	France-----		1		N. Y.
<i>Prunus domestica</i> (plum)-----	Yugoslavia-----			1	D. C.
<i>Prunus persica nectarina</i> (nectarine)-----	Chile-----	1			N. Y.
<i>Epinotia opposita</i> Hein. (Olethreutidae):					
<i>Phaseolus vulgaris</i> var. (string bean)-----	Mexico, Peru-----	18	2		La., Tex.
<i>Epinotia tessulatana</i> (Stgr.) (Olethreutidae):					
<i>Cupressus lusitanica</i> (Portuguese cypress)-----	Portugal-----	1			N. Y.
<i>Ereunetis flavistriata</i> Wlsm. (Tineidae):					
<i>Cocos nucifera</i> (coconut)-----	Hawaii-----	1			Hawaii.
<i>Ethmia festiva</i> Busek (Ethmiidae):					
Cabin of airplane-----	Mexico-----		1		Tex.
<i>Eucalymnatus tessellatus</i> (Sign.) (Coccidae):					
<i>Gardenia augusta</i> (gardenia)-----	do-----	1			Tex.
<i>Euetheola bidentata</i> (Burm.) (Scarabaeidae):					
<i>Ananas comosus</i> (pineapple)-----	do-----	1			Tex.
<i>Euphilippia olivina</i> Berl. & Silv. (Coccidae):					
<i>Olea europaea</i> (olive)-----	Italy-----	1			Mass.
<i>Euphyllura olivina</i> (Costa) (Psyllidae):					
<i>Olea europaea</i> (olive)-----	do-----	1			N. Y.
<i>Eurythmia santiagella</i> Dyar (Phycitidae):					
<i>Ananas comosus</i> (pineapple)-----	Cuba-----	1			N. Y.
<i>Eurytoma orchidearum</i> (Westw.) (Eurytomidae):					
<i>Cattleya</i> sp. (orchid)-----	Brazil, Colombia, Trinidad, Venezuela-----			14	Fla., N. J.
Orchid-----	Colombia, Venezuela-----			7	Fla.
<i>Euscepes postfasciatus</i> (Fairm.) (Curculionidae):					
<i>Ipomoea batatas</i> (sweetpotato)-----	Brazil, Hawaii, Trinidad, Virgin Islands-----	2	6		Ala., Ga., La., Md., N. Y., P. R.
<i>Everes comyntas</i> (Godart) (Lycaenidae):					
<i>Phaseolus vulgaris</i> var. (string bean)-----	Mexico-----	4			Tex.
<i>Evergestis forficalis</i> (L.) (Pyraustidae):					
<i>Brassica oleracea acephala</i> (kale)-----	Ireland-----			1	N. Y.
<i>Brassica oleracea botrytis</i> (cauliflower)-----	Netherlands-----		1		N. Y.
<i>Brassica oleracea capitata</i> (cabbage)-----	France-----		1		N. Y.
<i>Evergestis rimosalis</i> (Gn.) (Pyraustidae):					
<i>Rorippa nasturtium aquaticum</i> (watercress)-----	Mexico-----	1			Tex.

List of pests (insects) collected and reported from July 1, 1950, to June 30, 1951,
inclusive—Continued

[An asterisk indicates State inspection]

Insect and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
<i>Exophthalmus laetus</i> (Oliv.) (Curculionidae):					
<i>Gladiolus</i> sp.	Haiti	1			P. R.
<i>Exophthalmus roseipes</i> (Chev.) (Curculionidae):					
<i>Citrus</i> sp.	Puerto Rico	1			N. Y.
<i>Exosoma lusitanica</i> L. (Chrysomelidae):					
<i>Muscari comosum</i> (cipollino)	Morocco	3			Pa.
<i>Exptochiomera albomaculata</i> (Dist.) (Lygaeidae):					
<i>Acacia farnesiana</i> (huisache)	Mexico	1			Tex.
<i>Ananas comosus</i> (pineapple)	do	2			Tex.
<i>Nerium oleander</i> (oleander)	do	1			Tex.
Orchid	Colombia			1	Fla.
<i>Persea americana</i> (avocado)	Mexico	2			Tex.
<i>Ferrisia virgata</i> (Ckll.) (Coccidae):					
<i>Cocos nucifera</i> (coconut)	do	1			Calif.*
<i>Delonix regia</i> (royal poinciana)	do			1	Calif.*
<i>Gardenia augusta</i> (gardenia)	Guatemala		1		Fla.*
Plant—unknown	Guam			1	Calif.*
<i>Filippia oleae</i> (Costa) (Coccidae):					
<i>Olea europaea</i> (olive)	Italy	2			N. Y.
<i>Fiorinia nephelii</i> Mask. (Coccidae):					
<i>Melicocca bijuga</i> (mamonchillo)	Cuba	1			N. Y.
<i>Frankliniella cubensis</i> Hood (Thripidae):					
<i>Bryophyllum</i> sp.	Bermuda	1			N. Y.
<i>Coriandrum sativum</i> (coriander)	Puerto Rico	1			N. Y.
<i>Eranthemum nervosum</i>	Bermuda	1			N. Y.
<i>Hibiscus</i> sp.	do	1			N. Y.
<i>Lilium</i> sp.	do	1			N. Y.
<i>Passiflora</i> sp. (passionflower)	do		1		N. Y.
<i>Fundella pellucens</i> (Zell.) (Phycitidae):					
<i>Phaseolus vulgaris</i> var. (string bean)	Cuba		1		Fla.*
<i>Furcaspis biformis</i> (Ckll.) (Coccidae):					
<i>Cattleya trianae</i> (orchid)	Hawaii			1	Calif.*
<i>Cattleya</i> sp.	Hawaii, South America, Venezuela.			7	Calif.,* N. J.
<i>Epidendrum atropurpureum</i> (orchid)	Canal Zone			2	N. J., Tex.
<i>Epidendrum</i> sp.	Canal Zone, Cuba, Honduras.			3	Calif.,* N. J.
<i>Oncidium ampliatus</i> (orchid)	Ceylon			1	N. J.
<i>Oncidium carthaginense</i>	Canal Zone			1	N. J.
<i>Oncidium</i> sp.	Ceylon, Dominican Republic, Guatemala.			3	Calif.,* Fla., N. J.
Orchid	Canal Zone, Colombia, Cuba, Hawaii, Mexico, Panama, Trinidad, Venezuela.			26	Calif.,* Fla., N. Y., P. R., Tex.
<i>Orchis</i> sp. (orchid)	Canal Zone			1	N. J.
Palm	Mexico	3			Tex.
<i>Vanda</i> sp. (orchid)	Hawaii			2	Calif.*
<i>Gargaphia patricia</i> Stal (Tingidae):					
<i>Myrtillocactus geometrizans</i> (cactus)	Mexico			1	Tex.
<i>Gelechia ericetella</i> (Hbn.) (Gelechiidae):					
<i>Calluna vulgaris</i> (heather)	England, Scotland	3			Ill., N. Y.
<i>Genopaschia protomis</i> Dyar (?) (Galleriidae):					
<i>Ananas comosus</i> (pineapple)	Grenada, Montserrat	1	1		Mass., N. Y.
<i>Genuchinus v-notatus</i> Westw. (Scarabaeidae):					
Orchid	Mexico			1	Tex.
<i>Gerstaeckeria mutillaria</i> (Gerst.) (Curculionidae):					
Cactus	do			1	Tex.
<i>Mammillaria applanata</i> (cactus)	do			1	Tex.
<i>Gnorimoschema gudmannella</i> (Wlsm.) (Gelechiidae):					
<i>Capsicum frutescens</i> (pepper)	do	5			Ariz.
<i>Capsicum frutescens grossum</i> (bell pepper)	do	5			Ariz.
<i>Gortyna flavago</i> (Hbn.) (Phalaenidae):					
<i>Dahlia</i> sp.	Norway			1	N. Y.
<i>Sorghum vulgare technicum</i> (broomcorn)	Italy (?)	1			Fla.*
Tuber—unknown	Greece			1	N. Y.

List of pests (insects) collected and reported from July 1, 1950, to June 30, 1951, inclusive—Continued

[An asterisk indicates State inspection]

Insect and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
<i>Gracilaria azaleella</i> Brants (Gracilariidae):					
<i>Rhododendron japonicum</i> (Japanese azalea)-----	Netherlands-----			4	N. J.
<i>Rhododendron</i> sp-----	Belgium, England, Japan, Netherlands.			8	N. J., Wash.
<i>Grapholitha molesta</i> (Busck) (Olethreutidae):					
<i>Prunus persica</i> (peach)-----	Japan-----	1			Alaska.
<i>Pyrus communis</i> (pear)-----	do-----	1			Wash.
<i>Grapholitha packardii</i> Zell. (Olethreutidae):					
<i>Cydonia oblonga</i> (quince)-----	Mexico-----	1			Tex.
<i>Gymnandrosoma aurantianum</i> DaCosta Lima (Olethreutidae):					
<i>Citrus sinensis</i> (orange)-----	Brazil-----		1		Pa.
<i>Gynaikothrips ficorum</i> (Marchal) (Phlaeothripidae):					
<i>Ficus</i> sp-----	Cuba-----	1			Fla.*
<i>Haplothrips bagnalli</i> Priesn. (Phlaeothripidae):					
<i>Ornithogalum thyrsoides</i> (chinkerichee)-----	Union of South Africa--	2			N. Y., Pa.
<i>Haplothrips gowdeyi</i> (Frankl.) (Phlaeothripidae):					
<i>Antirrhinum majus</i> (snapdragon)-----	Haiti-----	1			P. R.
<i>Calotropis gigantea</i> (akund calotrope)-----	Hawaii-----	2			Calif.*
<i>Canavalia</i> sp-----	do-----	1			Calif.*
<i>Daucus carota</i> (Queen-Annes-lace)-----	Haiti-----	1			P. R.
<i>Dianthus</i> sp-----	Hawaii-----	1			Calif.*
Flowers—unknown-----	Haiti-----	1			P. R.
<i>Helichrysum bracteatum</i> (strawflower)-----	Cuba-----	1			Fla.*
<i>Lathyrus odoratus</i> (sweet pea)-----	Unknown-----		1		Tex.
<i>Mesembryanthemum</i> sp-----	Hawaii-----	1			Calif.*
<i>Tagetes florida</i> (marigold)-----	India-----		1		N. Y.
<i>Haplothrips gowdeyi</i> (Frankl.) (?) (Phlaeothripidae):					
<i>Begonia nitida</i> -----	Bermuda-----	1			N. Y.
<i>Hemileuca oliviae</i> Ckll. (Saturniidae):					
Cactus-----	Mexico-----			1	Ariz.
<i>Hemimene juliana</i> (Curt.) (Olethreutidae):					
<i>Castanea</i> sp. (chestnut)-----	Italy-----	1			N. Y.
<i>Heterobostrychus aequalis</i> (Waterh.) (Bostrichidae):					
Herb-----	Cuba-----	1			Tex.
<i>Heterobostrychus brunneus</i> (Murray) (Bostrichidae):					
<i>Khaya</i> sp-----	Union of South Africa--	2			La.
<i>Triplochiton scleroxylon</i> -----	Gold Coast-----	5			La.
<i>Heteropsylla texana</i> Crawl. (Psyllidae):					
<i>Cryptostegia</i> sp-----	Mexico-----	1			Ariz.
<i>Homotoma ficus</i> (L.) (Psyllidae):					
<i>Ficus carica</i> (fig)-----	Italy-----	1			Mass
<i>Hoplosternus japonicus</i> Har. (Scarabaeidae):					
Cabin of airplane-----	Japan (?)-----		1		Alaska.
<i>Hyadaphis apii</i> Hall (Aphidae):					
<i>Apium graveolens</i> (celery)-----	Algeria-----		1		Tex.
<i>Hylurgops palliatus</i> (Gyll.) (Scolytidae):					
<i>Picea</i> sp. (spruce)-----	Sweden-----	1			N. Y.
<i>Pinus</i> sp. (pine)-----	Germany-----	1			La.
Wooden crate-----	do-----	1			La.
<i>Hypera nigrirostris</i> F. (Curculionidae):					
<i>Heuchers</i> sp. (alumroot)-----	Poland-----			1	N. Y.
Soil around plants-----	England-----			1	N. J.
Woods moss-----	Belgium-----			1	N. J.
<i>Hypera plantaginis</i> (Deg.) (?) (Curculionidae):					
Moss packing around rhododendrons-----	England-----			1	Wash.
<i>Hypera postica</i> (Gyll.) (Curculionidae):					
<i>Trifolium repens</i> var. (shamrock)-----	Ireland-----	1			N. Y.
Woods moss around <i>Ribes</i> sp. plants-----	Denmark-----			1	N. J.
<i>Icerya aegyptiaca</i> (Dougl.) (Coccidae):					
<i>Grevillea</i> sp-----	American Samoa-----		1		Calif.*
<i>Ips acuminatus</i> (Gyll.) (Scolytidae):					
Bark on dunnage lumber-----	Sweden-----		1		Ala.
<i>Iridomyrmex humilis</i> Mayr (Formicidae):					
<i>Cynara scolymus</i> (globe artichoke)-----	Italy-----	1			N. Y.
<i>Ficus carica</i> (fig)-----	do-----	1			N. Y.
<i>Nerium oleander</i> (oleander)-----	Bermuda-----	1			N. Y.

List of pests (insects) collected and reported from July 1, 1950, to June 30, 1951, inclusive—Continued

[An asterisk indicates State inspection]

Insect and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
<i>Iridomyrmex iniquus</i> Mayr (Formicidae):					
<i>Cattleya</i> sp. (orchid)-----	Venezuela-----			1	N. J.
<i>Philodendron</i> sp-----	Colombia-----			1	Fla.
<i>Iridomyrmex itoi abbotti</i> Whlr. (Formicidae):					
<i>Prunus cerasus</i> (sour cherry)-----	Japan-----			1	Calif.*
<i>Lampetia equestris</i> (F.) (Syrphidae):					
<i>Leucojum vernum</i> (spring snowflake)-----	Netherlands-----			1	N. Y.
<i>Narcissus</i> sp-----	Germany, Italy, Netherlands, Scotland.	1		28	Calif.,* Ill., La., Mass., Minn., N.J., N.Y., Pa., Tex.
<i>Ornithogalum thyrsoides</i> (chinkerichec)-----	Union of South Africa-----			1	Calif.*
<i>Lampides boeticus</i> (L.) (Lycaenidae):					
<i>Cajanus cajan</i> (pigeonpea)-----	Hawaii-----	1	1		Calif.,* Mass.
<i>Canavalia</i> sp-----	do-----	21	1		Calif.*
<i>Lampides boeticus</i> (L.) (?) (Lycaenidae):					
<i>Phaseolus vulgaris</i> var. (string bean)-----	Canary Islands-----		3		La.
<i>Laphygma exempta</i> (Wlk.) (Phalaenidae):					
Airplane-----	Japan, Wake (?)-----		2		Hawaii.
<i>Laspeyresia juliana</i> (Hbn.) (Olethreutidae):					
<i>Castanea</i> sp. (chestnut)-----	Italy-----	1			N. Y.
<i>Laspeyresia nigricana</i> (Stph.) (Olethreutidae):					
<i>Pisum sativum</i> (pea)-----	Portugal-----		1		Ala.
<i>Laspeyresia splendana</i> (Hbn.) (Olethreutidae):					
<i>Castanea</i> sp. (chestnut)-----	Azores, England, France, Italy, Portugal, Spain, Yugoslavia.	81	2		Fla.,* Mass., N. Y., Pa.
<i>Laspeyresia strobilella</i> (L.) (Olethreutidae):					
<i>Abies</i> sp. (fir)-----	Germany-----			2	N. Y.
<i>Picea</i> sp. (spruce)-----	do-----	2			N. Y.
<i>Lecaniodiaspis dendrobii</i> (Dougl.) (Coccidae):					
Orchid-----	Guatemala, Mexico-----			2	Tex.
<i>Lecanium coryli</i> (L.) (Coccidae):					
<i>Prunus armeniaca</i> (apricot)-----	Greece-----			1	D. C.
<i>Tilia chinensis</i> -----	Denmark-----			1	N. J.
<i>Leperisinus fraxini</i> (Panz.) (Scolytidae):					
<i>Ulmus</i> sp. (?)-----	England-----	1			Calif.*
<i>Lepidosaphes carinata</i> (Ckll.) (Coccidae):					
<i>Philodendron</i> sp-----	Mexico-----			1	Fla.
<i>Lepidosaphes celtis</i> Kuw. (Coccidae):					
Plant—unknown-----	Japan-----			1	Calif.*
<i>Lepidosaphes conchiformis</i> (Gmel.) (Coccidae):					
<i>Diospyros kaki</i> (kaki persimmon)-----	do-----			1	D. C.
<i>Malus sylvestris</i> (apple)-----	Korea-----	1			Wash.
<i>Lepidosaphes ficus</i> Sign. (Coccidae):					
<i>Ficus carica</i> (fig)-----	Italy, Morocco-----	1		2	D. C., N. Y.
<i>Ficus pandurata</i> (fiddleleaf fig)-----	Puerto Rico-----			1	Calif.*
<i>Ficus</i> sp-----	Italy-----			1	Calif.*
<i>Lepidosaphes kuwacola</i> Kuw. (Coccidae):					
<i>Paeonia suffruticosa</i> (tree peony)-----	Japan-----			1	Calif.*
<i>Lepidosaphes mcgregori</i> Banks (Coccidae):					
<i>Cocos nucifera</i> (coconut)-----	India-----	1			Calif.*
Palm-----	Philippines-----			1	Fla.
<i>Lepidosaphes pallida</i> (Green) (Coccidae):					
<i>Cupressus</i> sp. (cyprus)-----	Japan-----			2	Calif.*
<i>Juniperus</i> sp-----	do-----			2	Calif.*
<i>Thuja</i> sp-----	do-----			1	Calif.*
<i>Lepidosaphes philococcus</i> (Ckll.) (Coccidae):					
<i>Lemaireocereus pruinosus</i> (cactus)-----	Mexico-----			1	Calif.*
<i>Myrtillocactus geometrizans</i> (cactus)-----	do-----			1	Ariz.
<i>Lepidosaphes tokionis</i> (Kuw.) (Coccidae):					
<i>Codiaeum variegatum</i> (croton)-----	Canal Zone, Hawaii-----	2		16	Calif.,*Tex.
<i>Lepidosaphes tuberculata</i> Malen. (Coccidae):					
<i>Coelogyne corymbosa</i> (orchid)-----	India-----			1	N. J.
<i>Cymbidium grandiflorum</i> (orchid)-----	do-----			1	N. J.
<i>Cymbidium tracyanum</i> -----	do-----			1	N. J.

List of pests (insects) collected and reported from July 1, 1950, to June 30, 1951,
inclusive—Continued

[An asterisk indicates State inspection]

Insect and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
<i>Lepidosaphes tuberculata</i> —Continued.					
<i>Cymbidium</i> sp.	Australia, Belgium, England, India.	---	---	22	Calif.,* Hawaii, N. J.
<i>Leptoglossus chilensis</i> Spinola (Coreidae):					
<i>Vitis</i> sp. (grape)	Chile	2	---	---	N. Y.
<i>Leptophobia aripa</i> (Bdv.) (Pieridae):					
<i>Brassica oleracea botrytis</i> (cauliflower)	Mexico	---	1	---	N. Y.
<i>Leucaspis candida</i> (Targ.) (Coccidae):					
<i>Casuarina</i> sp. (Australian pine)	Greece	1	---	---	Ill.
<i>Leucaspis cockerelli</i> (de Charmoy) (Coccidae):					
<i>Citrus aurantifolia</i> (sour lime)	Canal Zone, Colombia, Costa Rica.	1	5	---	Calif.*
<i>Citrus aurantium</i> (sour orange) (?)	Canal Zone	1	---	---	Calif.*
<i>Citrus limon</i> (lemon)	Panama	---	1	---	Calif.*
<i>Citrus paradisi</i> (grapefruit)	Jamaica, Panama	---	2	---	Calif.*
<i>Citrus reticulata</i> (Mandarin orange)	Salvador	1	---	---	Calif.*
<i>Citrus sinensis</i> (orange)	Canal Zone, Jamaica, Panama.	---	6	---	Calif.*
<i>Citrus</i> sp.	Salvador	1	---	---	Calif.*
<i>Leucaspis loewi</i> (Colvee) (Coccidae):					
<i>Casuarina</i> sp. (Australian pine)	Greece	1	---	---	Ill.
<i>Pinus sylvestris</i> (Scotch pine)	Germany	1	---	1	N. J., N. Y.
<i>Pinus</i> sp.	Austria, Germany, Netherlands.	3	---	---	Mass., N. Y.
<i>Lichtensia lutea</i> Ckll. (Coccidae):					
<i>Carica papaya</i> (papaya)	Mexico	1	---	---	Ariz.
<i>Ligyrocoris aurivilliana</i> (Dist.) (Lygaeidae):					
<i>Celosia cristata</i> (cockscorn)	do	1	---	---	Tex.
<i>Lilioceris lili</i> (Scop.) (Chrysomelidae):					
<i>Lilium candidum</i> (Madonna lily)	France	---	---	1	N. Y.
<i>Lilium</i> sp.	do	---	---	1	N. Y.
<i>Lineaspis striata</i> (Newst.) (Coccidae):					
<i>Cedrus libani</i> (cedar-of-Lebanon)	Israel	1	---	---	N. Y.
<i>Lineodes integra</i> (Zell.) (Pyraustidae):					
<i>Lycopersicon esculentum</i> (tomato)	Mexico	2	---	---	Tex.
<i>Liosomaphis berberidis</i> (Kltb.) (Aphidae):					
<i>Berberis gagnepaini</i> (black barberry)	Netherlands	---	---	1	N. J.
<i>Liriomyza congesta</i> (Beck.) (Agromyzidae):					
<i>Lathyrus odoratus</i> (sweet pea)	Bermuda	1	---	---	Mass.
<i>Lixus junci</i> Boh. (Curculionidae):					
<i>Beta vulgaris</i> (beet)	Egypt	---	1	---	Md.
<i>Lochmaea capreae</i> (L.) (Chrysomelidae):					
<i>Calluna vulgaris</i> (heather)	Scotland	1	---	---	N. Y.
<i>Lorostege similalis</i> (Guen.) (Pyraustidae):					
<i>Daucus carota</i> (carrot)	Mexico	1	---	---	Tex.
<i>Lygaeus circulinitus</i> Dist. (Lygaeidae):					
Orchid	do	---	---	1	Tex.
<i>Lygaeus circumplexatus</i> Dist. (Lygaeidae):					
Orchid	do	---	---	2	Tex.
<i>Lygus campestris</i> (L.) (Miridae):					
<i>Cornus alba</i> (tatarian dogwood)	Netherlands	---	---	1	N. J.
<i>Lygus lucorum</i> (Meyer-Dür) (Miridae):					
<i>Brassica chinensis</i> (Chinese cabbage)	England	---	1	---	N. Y.
<i>Malocampa punctata</i> (Cram.) (Notodontidae):					
Orchid	Mexico	---	---	1	Ariz.
<i>Mamestra brassicae</i> (L.) (Phalaenidae):					
<i>Brassica oleracea botrytis</i> (cauliflower)	England, France, Netherlands.	---	4	---	N. Y., Tex.
<i>Brassica oleracea capitata</i> (cabbage)	France, Italy	---	4	---	N. Y.
<i>Daucus carota</i> (carrot)	England, France	---	2	---	N. Y.
<i>Maruca testulalis</i> (Geyer) (Pyraustidae):					
Airplane	Japan	---	1	---	Alaska.
<i>Cajanus cajan</i> (pigeonpea)	Hawaii, Puerto Rico	3	---	---	Fla., Hawaii, N. Y.
<i>Canavalia</i> sp.	Hawaii	15	---	---	Calif.*
<i>Phaseolus lunatus macrocarpus</i> (lima bean)	Cuba	2	---	---	N. Y.
<i>Phaseolus vulgaris</i> var. (string bean)	Brazil, Hawaii, Puerto Rico, Trinidad.	5	3	---	Ala., Calif.,* La., Md., N. Y., P. R.

List of pests (insects) collected and reported from July 1, 1950, to June 30, 1951,
inclusive—Continued

[An asterisk indicates State inspection]

Insect and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
<i>Masonaphis rhododendri</i> (Wils.) (Aphidae): Rhododendron sp.	Netherlands			1	N. J.
<i>Megalometis chiliensis</i> Boh. (Curculionidae): Vitis sp. (grape)	Chile	1			N. Y.
<i>Megalopyge krugii</i> (Dewitz) (Megalopygidae): Herb	Curacao	1			N. Y.
<i>Megastigmus pistaciae</i> Wlk. (Torymidae): Pistacia sp. (pistache)	Italy	1			N. Y.
<i>Mertila malayensis</i> Dist. (Miridae): Grammatophyllum speciosum (orchid)	Philippines			1	Hawaii.
<i>Metamasius sericeus</i> (Oliv.) (Curculionidae): Musa paradisiaca sapientum (banana)	Costa Rica, Ecuador, Honduras, Panama, Puerto Rico.	46			Calif.,* La., N. Y., Pa., S. C.
<i>Metamasius sericeus carbonarius</i> (Cher.) (Curculionidae): Musa paradisiaca sapientum (banana)	Guatemala	1			La.
<i>Metopoplax ditomoides</i> (Costa) (Lygaeidae): Bark	Portugal	1			Va.
<i>Micrapate labialis</i> Lesne (Bostrichidae): Bamboo	Mexico	1			Ariz.
<i>Microleon longipalpis</i> Butl. (Limaecodidae): Alnus sp. (alder)	Japan			1	Wash.
<i>Microplax plagiatus</i> (Fieber) (Lygaeidae): Bark	Portugal	1			Va.
<i>Mimosestes dominicana</i> (Jek.) (Bruchidae): Caesalpinia sp.	Haiti	1			Md.
<i>Monanthia echii</i> (Schrank) (Tingidae): Malus sylvestris (apple)	Syria	1			N. Y.
<i>Monellia costalis</i> (Fitch) (Aphidae): Juglans sp. (walnut)	Mexico	1			Tex.
<i>Monomorium destructor</i> (Jerd.) (Formicidae): Brassica oleracea capitata (cabbage)	Jamaica		1		S. C.
<i>Dioscorea</i> sp. (yam)	St. Kitts	1			Mass.
Soil around camellia plants	Japan		1		Tex.
<i>Tamarindus indica</i> (tamarind)	Indonesia		1		Tex.
<i>Vanda caerulea</i> (orchid)	India, Siam			2	Calif.,* N. J.
<i>Moodna bisinuella</i> Hamp. (Phycitidae): Zea mays (corn)	Mexico	1			Tex.
<i>Mordellistena cattleyana</i> Champ. (Mordellidae): Cattleya sp. (orchid)	Colombia			1	Fla.
Orchid	do			1	Fla.
<i>Morganella longispina</i> (Morg.) (Coccidae): Citrus limon (lemon)	Union of South Africa		1		Calif.*
<i>Mammea americana</i> (mamey)	Guatemala		1		Calif.*
<i>Nerium oleander</i> (oleander)	Bermuda			1	N. Y.
<i>Mormidea collaris</i> Dallas (Pentatomidae): Orchid	Mexico			1	Tex.
<i>Myelois ceratoniae</i> Zell. (Phycitidae): Punica granatum (pomegranate)	Italy	2			N. Y.
<i>Tamarindus indica</i> (tamarind)	Jamaica	1			Fla.*
<i>Myrmica laevinodis</i> Nyl. (Formicidae): Chrysanthemum maximum (shasta daisy)	England			1	N. J.
<i>Myzocallis caryaefoliae</i> (Davis) (Aphidae): Juglans sp. (walnut)	Mexico	1			Tex.
<i>Nasutitermes fulviceps</i> (Silvestri) (Termitidae): Log	Brazil	1			N. Y.
<i>Nasutitermes luzonicus</i> (Oshima) (Termitidae): Truck bed	Philippines	1			Calif.*
<i>Naupactus xanthographus</i> (Germ.) (Curculionidae): Packing around melons	Chile	1			N. Y.
<i>Nematus bergmanni</i> Dahlb. (Tenthredinidae): Rhododendron sp.	Netherlands			1	N. J.
<i>Nemotois violellus</i> Zell. (?) (Adelidae): Gentiana sp.	Austria	1			N. Y.
<i>Neoclytus cacicus</i> Chevr. (Cerambycidae): Guajacum officinale (lignumvitae)	Guatemala	1			Calif.*
<i>Neoleucinodes elegantalis</i> (Guen.) (Pyraustidae): Lycopersicon esculentum (tomato)	Mexico	66			Tex.

List of pests (insects) collected and reported from July 1, 1950, to June 30, 1951,
inclusive—Continued

[An asterisk indicates State inspection]

Insect and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
<i>Newsteadia floccosa</i> (Deg.) (Coccidae): <i>Rhododendron</i> sp.	England			1	Wash.
<i>Nilotaspis halli</i> (Green) (Coccidae): <i>Prunus armeniaca</i> (apricot)	Greece			1	D. C.
<i>Noropsis hieroglyphica</i> (Cram.) (Phalaenidae): <i>Ananas comosus</i> (pineapple)	Mexico	2			Tex.
<i>Notochilus damryi</i> Puton (Lygaeidae): <i>Ilex</i> sp. (holly)	Italy			1	N. Y.
<i>Nysius terrestris</i> Usinger (Lygaeidae): Orchid	Hawaii	1			Calif.*
<i>Oligotrophus betulae</i> (Winn.) (Itonididae): <i>Betula</i> sp. (birch)	England			1	Wash.
<i>Orobitis cyaneus</i> (L.) (Curculionidae): Moss packing around rhododendron plants	do			1	Wash.
<i>Orthezia praelonga</i> Dougl. (Coccidae): <i>Bougainvillea</i> sp.	Virgin Islands			1	D. C.
<i>Gardenia augusta</i> (gardenia)	Trinidad	1			N. Y.
<i>Ortheziola signoreti</i> (Haller) (Coccidae): Moss packing	England			2	Wash.
<i>Orthochaetes setiger</i> (Beck.) (Curculionidae): Moss packing around rhododendron cuttings	do			1	Wash.
<i>Orthodes melanops</i> Dyar (Phalaenidae): Bromeliad	Mexico			1	Tex.
<i>Orthotylus ericetorum</i> (Fall.) (Miridae): <i>Calluna vulgaris</i> (heather)	Scotland	1			Pa.
<i>Oxythyrea funsta</i> (Poda) (Scarabaeidae): With roses, lilies, and daisies	France (?)	1			Mass.
<i>Ozophora consanguinea</i> (Dist.) (Lygaeidae): Airplane	Mexico		1		Tex.
<i>Pachyzancla bipunctalis</i> (F.) (Pyraustidae): <i>Beta vulgaris</i> (beet)	do	1			Tex.
<i>Brassica oleracea capitata</i> (cabbage)	Haiti		1		P. R.
<i>Pachyzancla periusalis</i> (Wlk.) (Pyraustidae): Leaf—unknown	Puerto Rico	1			N. Y.
<i>Palaeopus costicollis</i> Mshll. (Curculionidae): <i>Ipomoea batatas</i> (sweetpotato)	Jamaica, Trinidad		2		Ala., Md.
<i>Zingiber officinale</i> (ginger)	British West Indies, Jamaica.	2			N. Y.
<i>Pantomorus godmani</i> (Crotch) (Curculionidae): <i>Acacia australis</i>	Australia			1	Calif.*
Daisy	Mexico	1			Tex.
<i>Paraleyrodes goyabae</i> (Goeld.) (Aleyrodidae): <i>Guajacum officinale</i> (lignumvitae)	Jamaica			1	P. R.
<i>Paratuto taraktogeni</i> Rao (Coccidae): <i>Curcuma</i> sp.	India			1	N. J.
<i>Hedychium</i> sp. (gingerlily)	do			1	N. J.
<i>Parlatoria camelliae</i> Comst. (Coccidae): <i>Camellia japonica</i> (camellia)	Italy, Japan		1	5	Calif.,* Fla., N. J., Tex.
<i>Camellia sasanqua</i> (sasanqua tea)	Japan			3	Calif.*
<i>Camellia</i> sp.	China, Japan			8	Calif.*
<i>Parlatoria cinerea</i> Hadden (Coccidae): <i>Citrus aurantifolia</i> (sour lime)	Mexico, Tahiti		3		Calif.*
<i>Citrus limon</i> (lemon)	Brazil		1		Calif.*
<i>Citrus paradisi</i> (grapefruit)	Brazil, Israel		3		Calif.*
<i>Citrus sinensis</i> (orange)	Brazil, Curacao (?), Trinidad.		4		Calif.,* Fla.*
<i>Jasminum sambac</i> (Arabian jasmine)	Mexico		1		Calif.*
<i>Parlatoria crotonis</i> Dougl. (Coccidae): <i>Codiaeum variegatum</i> (croton)	Hawaii	1		5	Calif.*
<i>Parlatoria oleae</i> (Colvce) (Coccidae): <i>Diospyros</i> sp. (persimmon)	Italy	1			N. Y.
<i>Malus sylvestris</i> (apple)	do	1			N. Y.
<i>Olea europaea</i> (olive)	Greece, Italy	2		1	D. C., Mass. N. Y.
<i>Olea</i> sp.	Switzerland (?)			1	Calif.*
<i>Prunus armeniaca</i> (apricot)	Egypt, Greece			2	D. C.
<i>Prunus domestica</i> (plum)	Italy	1			N. Y.
<i>Rosa</i> sp.	do			1	N. Y.

List of pests (insects) collected and reported from July 1, 1950, to June 30, 1951,
inclusive—Continued

[An asterisk indicates State inspection]

Insect and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
<i>Parlatoria pseudaspidiotus</i> Ldgr. (Coccidae):					
<i>Cattleya</i> sp. (orchid)-----	Formosa-----	-----	-----	1	Calif.*
<i>Cypripedium callosum</i> (orchid)-----	Siam-----	-----	-----	1	Calif.*
<i>Cypripedium philippinense</i> -----	do-----	-----	-----	1	Calif.*
Orchid-----	Canal Zone, Hawaii, Siam.	-----	-----	3	Calif.,* Fla. Fla.*
<i>Parlatoria zizyphus</i> (Lucas) (Coccidae):					
<i>Citrus aurantifolia</i> (sour lime)-----	Australia (?)-----	-----	1	-----	Calif.*
<i>Citrus limon</i> (lemon)-----	Italy-----	-----	3	-----	Calif.*
<i>Citrus paradisi</i> (grapefruit)-----	French West Africa (?)-----	-----	1	-----	Mass.
<i>Citrus reticulata</i> (Mandarin orange)-----	China-----	1	-----	-----	Calif.*
<i>Citrus sinensis</i> (orange)-----	Algeria, Aruba, Spain-----	-----	7	-----	Calif.,*Fla.,* Mass., Pa. Tex.
Herb-----	France-----	1	-----	-----	Pa.
<i>Parmena balteus</i> (L.) (Cerambycidae):					
<i>Allium sativum</i> (garlic)-----	Italy-----	1	-----	-----	N. Y.
<i>Parthenothrips dracaena</i> (Heeger) (Thripidae):					
<i>Anthurium</i> sp-----	Hawaii-----	-----	-----	1	Wash.
<i>Pectinophora gossypiella</i> (Saund.) (Gelechiidae):					
<i>Gossypium</i> sp. (cotton; boll)-----	Bahamas, British West Africa, Hawaii, Italy, Mexico.	10	-----	-----	Calif.,*Fla., N. Y., Tex.
<i>Gossypium</i> sp. (cottonseed)-----	Brazil, Egypt, India, Korea, Mexico, Puerto Rico.	17	3	1	Md., N. J., N. Y., Pa. P. R., Tex. Va., Wash.
<i>Gossypium</i> sp. (seed cotton)-----	Mexico, unknown-----	24	1	-----	Mich., Tex.
<i>Hibiscus esculentus</i> (okra)-----	Brazil, Egypt, Puerto Rico, Trinidad.	4	2	-----	La., N. Y., P. R.
<i>Phalonia zephyrana</i> (Treit.) (Phaloniidae):					
<i>Daucus carota</i> (carrot)-----	France-----	-----	1	-----	Md.
<i>Pheidole megacephala</i> (F.) (Formicidae):					
<i>Ananas comosus</i> (pineapple)-----	Cuba-----	1	-----	-----	N. Y.
<i>Phenacaspis sandwicensis</i> Fullaway (Coccidae):					
<i>Cocos nucifera</i> (coconut)-----	Hawaii-----	7	-----	-----	Calif.*
<i>Mangifera indica</i> (mango)-----	do-----	2	-----	-----	Calif.*
<i>Strelitzia reginae</i> (bird-of-paradise-flower)-----	do-----	1	-----	1	Calif.*
<i>Strelitzia</i> sp-----	do-----	2	-----	-----	Calif.*
<i>Phloeotribus scarabaeoides</i> (Bern.) (Scolytidae):					
<i>Olea europaea</i> (olive)-----	Italy-----	1	-----	-----	N. Y.
<i>Phlyctinus callosus</i> Boh. (Curculionidae):					
<i>Vitis</i> sp. (grape)-----	Union of South Africa-----	13	-----	-----	N. Y.
<i>Phytomyza atricornis</i> (Mg.) (Agromyzidae):					
<i>Chrysanthemum</i> sp-----	England-----	1	2	-----	N. Y.
<i>Phytomyza rufipes</i> (Mg.) (Agromyzidae):					
<i>Brassica oleracea botrytis</i> (cauliflower)-----	Netherlands-----	-----	1	-----	N. Y.
<i>Pieris brassicae</i> (L.) (Pieridae):					
<i>Allium porrum</i> (leek)-----	France-----	-----	1	-----	N. Y.
<i>Brassica oleracea capitata</i> (cabbage)-----	Italy-----	-----	2	-----	N. Y.
<i>Pinnaspis buxi</i> (Bouche) (Coccidae):					
<i>Maranta</i> sp-----	Canal Zone-----	-----	-----	1	N. J.
<i>Monstera deliciosa</i> (ceriman)-----	Hawaii-----	1	-----	-----	Calif.*
Palm-----	Nicaragua-----	-----	-----	1	Calif.*
<i>Philodendron</i> sp-----	Hawaii-----	2	-----	2	Calif.*
<i>Scindapsus aureus</i> (Solomon Island ivy-arum)-----	do-----	-----	-----	1	Calif.*
<i>Pityogenes bidentatus</i> (Hbst.) (Scolytidae):					
<i>Pinus</i> sp. (pine)-----	Netherlands-----	1	-----	-----	Ala.
Wood-----	Denmark, Sweden-----	2	-----	-----	Calif.*
<i>Pityogenes chalcographus</i> (L.) (Scolytidae):					
<i>Picea</i> sp. (spruce)-----	Sweden-----	1	-----	-----	N. Y.
<i>Pinus</i> sp. (pine)-----	Germany, Sweden-----	1	1	-----	Ill., Tex.
Wood-----	Germany-----	1	-----	-----	La.
<i>Platynota rostrana</i> (Wlk.) (Tortricidae):					
<i>Ananas comosus</i> (pineapple)-----	Mexico-----	1	-----	-----	Tex.
<i>Capsicum frutescens</i> (pepper)-----	do-----	1	-----	-----	Tex.
<i>Euphorbia</i> sp-----	Cuba-----	-----	-----	1	Fla.

List of pests (insects) collected and reported from July 1, 1950, to June 30, 1951, inclusive—Continued

[An asterisk indicates State inspection]

Insect and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
<i>Platypus rugulosus</i> Chap. (Platypodidae):					
Airplane	Nicaragua		1		Tex.
<i>Copaifera hemitomophylla</i>	Costa Rica	4			S. C.
" <i>Poliaspis</i> " <i>pini</i> Mask. (Coccidae):					
<i>Juniperus</i> sp.	Japan			2	Calif.*
<i>Pinus</i> sp. (pine)	do			1	Wash.
<i>Pollinia pollonii</i> (Costa) (Coccidae):					
<i>Olea europaea</i> (olive)	Italy	1			N. Y.
<i>Polychrosis botrana</i> (Schiff.) (Olethreutidae):					
<i>Vitis</i> sp. (grape)	Greece, Italy	4			Mass., N. Y.
<i>Polychrosis botrana</i> (Schiff.) (?) (Olethreutidae):					
<i>Vitis</i> sp. (grape)	Israel	2			N. Y.
<i>Præblissus albofasciatus</i> Barber (Lygaeidae):					
Orchid	Mexico			2	Tex.
<i>Prays oleellus</i> (F.) (Hyponomeutidae):					
<i>Olea europaea</i> (olive)	Italy	5			Mass., N. Y., Pa.
<i>Prodenia eridania</i> (Cram.) (Phalaenidae):					
<i>Lilium</i> sp. (lily)	Bermuda	1			N. Y.
<i>Protopulvinaria longivalvata</i> (Green) (Coccidae):					
<i>Gardenia augusta</i> (gardenia)	Trinidad, Venezuela	2			N. Y., P. R.
Seed—unknown	Canal Zone			1	Fla.
<i>rotapulvinaria pyriformis</i> (Ckll.) (Coccidae):					
<i>P Gardenia augusta</i> (gardenia)	Guatemala, Trinidad	1	1	1	Fla.,* La., N. Y.
Leaf—unknown	Bermuda	1			N. Y.
<i>Pseudaonidia trilobitiformis</i> (Green) (Coccidae):					
<i>Citrus sinensis</i> (orange)	South America	1			P. R.
<i>Mangifera indica</i> (mango)	Philippines		1		Calif.*
<i>Pseudischaspis alienus</i> (Newst.) (Coccidae):					
<i>Brassavola</i> sp. (orchid)	Mexico			1	Tex.
<i>Cattleya</i> sp. (orchid)	British Honduras			1	Tex.
Orchid	British Honduras, Canal Zone, Costa Rica, Mexico, Venezuela.			6	Fla., N. J., Tex.
Palm	Mexico	1			Calif.*
<i>Pseudococcus boninsis</i> (Kuw.) (Coccidae):					
<i>Saccharum officinarum</i> (sugarcane)	Cuba	1			Fla.*
<i>Pseudococcus giffardi</i> (Ehrh.) (Coccidae):					
<i>Pandanus odoratissimus</i>	Hawaii	1			Calif.*
<i>Pseudococcus gahani</i> (Green) (Coccidae):					
<i>Prunus domestica</i> (plum)	Chile	1			N. Y.
<i>Pseudococcus palmarum</i> (Ehrh.) (Coccidae):					
<i>Cocos nucifera</i> (coconut)	Hawaii, Philippines	6	1		Calif.*
<i>Pseudodiaspis yuccae</i> (Ckll.) (Coccidae):					
<i>Agave</i> sp.	Mexico			1	N. J.
Cactus	do			1	N. J.
<i>Psylla buxi</i> (L.) (Psyllidae):					
<i>Buxus sempervirens</i> (box)	Netherlands			2	N. J.
<i>Buxus</i> sp.	do			2	N. J.
<i>Pteleobius vittatus</i> (F.) (Scolytidae):					
<i>Ulmus</i> sp. (elm)	England	1			Md.
<i>Ptinus villiger</i> (Reit.) (Ptinidae):					
<i>Tagetes</i> sp. (marigold)	Mexico	1			Ariz.
<i>Pulvinaria psidii</i> Mask. (Coccidae):					
<i>Alpinia purpurata</i>	Hawaii	4			Calif.*
<i>Anthurium</i> sp.	do	2			Calif.*
<i>Arctotis stoechadifolia</i> (African daisy)	Bermuda			2	N. Y.
<i>Cordyline terminalis</i> (dracena)	Hawaii	1			Calif.*
<i>Ficus</i> sp.	Cuba		1		Fla.*
Plant—unknown	Philippines			1	Calif.*
<i>Puto lasiorum</i> (Ckll.) (Coccidae):					
Cactus	Mexico			1	Tex.
<i>Puto mexicanus</i> (Ckll.) (Coccidae):					
Orchid	do			1	Tex.
<i>Puto ulter</i> Ferris (Coccidae):					
<i>Brassia verrucosa</i> (orchid)	Guatemala			1	N. J.
<i>Epidendrum atropurpureum</i> (orchid)	do			1	N. J.
<i>Oncidium splendidum</i> (orchid)	do			1	N. J.

List of pests (insects) collected and reported from July 1, 1950, to June 30, 1951, inclusive—Continued

[An asterisk indicates State inspection]

Insect and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
<i>Puto ulter</i> —Continued.					
<i>Oncidium</i> sp.-----	Guatemala-----			2	Fla.
Orchid-----	do-----			3	Fla.
<i>Pyrausta nubilalis</i> (Hbn.) (Pyraustidae):					
<i>Arctium lappa</i> (burdock)-----	Japan-----		1		Oreg.
<i>Capsicum frutescens</i> (pepper)-----	Italy-----	1	1		N. Y.
<i>Cucurbita maxima</i> (squash)-----	do-----		1		N. Y.
<i>Sorghum vulgare technicum</i> (broomcorn)-----	do-----	12	2		Calif.,* La., Md., Mass., Minn., Tex.
<i>Zea mays</i> (corn)-----	do-----	1		1	N. Y.
<i>Renocis mexicanus</i> Blkm. (Scolytidae):					
Wood-----	Mexico-----	1			Ill.
<i>Reticulitermes speratus</i> (Kolbe) (Rhinotermitidae):					
<i>Paeonia suffruticosa</i> (tree peony)-----	Japan-----			1	Calif.*
<i>Rhagoletis cerasi</i> (L.) (Tephritidae):					
<i>Prunus</i> sp. (cherry)-----	Austria, England, France, Germany, Italy, Portugal, Spain, Sweden.	17	11		Mass., N. Y.
<i>Rhagoletis completa</i> Cr. (Tephritidae):					
<i>Juglans</i> sp. (walnut)-----	Mexico-----	1			Tex.
<i>Rhagoletis juglans</i> Cress. (Tephritidae):					
<i>Juglans nigra</i> (black walnut)-----	do-----	1			Tex.
<i>Rhagoletis pomonella</i> (Walsh) (Tephritidae):					
<i>Malus sylvestris</i> (apple)-----	Canada, Mexico, Union of South Africa.	9	2		N. Y., Tex.
<i>Rhagoletis pomonella</i> (Walsh) (?) (Tephritidae):					
<i>Malus sylvestris</i> -----	Unknown-----		1		N. Y.
<i>Rhinocenus stigma</i> (L.) (Curculionidae):					
<i>Vicia faba</i> (broadbean)-----	Trinidad-----		1		Tex.
<i>Rhopalosiphum subterraneum</i> Mason (Aphidae):					
<i>Capsicum frutescens grossum</i> (bell pepper)-----	Mexico-----	1			Ariz.
<i>Lycopersicon esculentum</i> (tomato)-----	do-----	1			Ariz.
<i>Rhyparochromus chiragra</i> (F.) (Lygaeidae):					
Nursery stock-----	Germany-----			1	Md.
Soil around roots of <i>Quercus</i> sp.-----	Switzerland-----			1	N. J.
<i>Ribua innoxia</i> Hein. (Phycitidae):					
<i>Ananas comosus</i> (pineapple)-----	Cuba-----	13			N. Y.
<i>Scyphophorus acupunctatus</i> Gyll. (Curculionidae):					
<i>Agave parviflora</i> -----	Mexico-----			1	N. J.
<i>Agave</i> sp.-----	do-----	1			Tex.
<i>Selenothrips rubrocinctus</i> (Giard) (Thripidae):					
<i>Rosa</i> sp.-----	do-----		1		Tex.
<i>Sesamia cretica</i> Led. (Phalaenidae):					
<i>Sorghum vulgare technicum</i> (broomcorn)-----	Greece, Italy-----	47	1		Calif.,* Fla., Fla.,* La., Md., Mass., N. Y., Pa.
<i>Zea mays</i> (corn)-----	Italy-----	1			N. Y.
<i>Sinoxylon anale</i> Lesne (Bostrichidae):					
Wood-----	India-----	9			N. Y.
<i>Sinoxylon crassum</i> Lesne (Bostrichidae):					
Wood-----	do-----	1			Calif.*
<i>Sisamnes contractus</i> Dist. (Lygaeidae):					
<i>Ananas comosus</i> (pineapple)-----	Mexico-----	4			Tex.
<i>Sitona crinita</i> (Hbst.) (Curculionidae):					
<i>Brassica oleracea capitata</i> (cabbage)-----	Algeria-----		1		Va.
<i>Sitona hispidula</i> (F.) (Curculionidae):					
Soil around rockery plants-----	Canada-----			1	Wash.
<i>Sitona humeralis</i> Steph. (Curculionidae):					
Woods moss around <i>Fagus</i> sp. plants-----	Denmark-----			1	N. J.
<i>Sitona lineata</i> (L.) (Curculionidae):					
Peat moss around rhododendron plants-----	Netherlands-----			1	N. J.

List of pests (insects) collected and reported from July 1, 1950, to June 30, 1951,
inclusive—Continued

[An asterisk indicates State inspection]

Insect and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
<i>Sizeonotus luteiceps</i> Reuter (Miridae):					
Cactus	Mexico			3	Tex.
<i>Ferocactus echidne</i> (cactus)	do			1	Tex.
<i>Mammillaria</i> sp. (cactus)	do			3	Tex.
<i>Sparteus villosus</i> (F.) (Bruchidae):					
<i>Cytisus scoparius</i> (Scotch broom)	Italy			1	N. J.
<i>Lens culinaris</i> (lentil)	do	1			N. Y.
<i>Spartium junceum</i> (weavers-broom)	do			1	N. J.
<i>Specularius impressithorax</i> (Pic) (Bruchidae):					
<i>Erythrina</i> sp.	Union of South Africa			1	Calif.*
<i>Sphenarches caffer</i> (Zell.) (Pterophoridae):					
<i>Cajanus cajan</i> (pigeonpea)	Trinidad	1			N. Y.
<i>Stenocarus fuliginosus</i> Marsh (Curculionidae):					
<i>Ribes</i> sp.	Germany			1	Calif.*
<i>Stenoma anonella</i> Sepp. (Stenomidae):					
<i>Annona cherimola</i> (cherimoya)	Brazil	1			N. Y.
<i>Annona muricata</i> (soursop)	Jamaica, Panama	2			Fla.,* La.
<i>Stenoma catenifer</i> Wlsm. (Stenomidae):					
<i>Persea americana</i> (avocado)	Canal Zone, Costa Rica, Dominican Republic, Ecuador, Honduras, Mexico, Panama, Venezuela, unknown.		14	10	Ala., Calif.,* La., N. Y., Pa., Tex.
<i>Stephanoderes buscki</i> Hopk. (Scolytidae):					
<i>Caesalpinia</i> sp.	Canal Zone			1	N. J.
<i>Stephanoderes hampei</i> (Ferr.) (Scolytidae):					
<i>Coffea</i> sp. (coffee)	Brazil		1		Md.
<i>Stephanoderes lecontei</i> Hopk. (Scolytidae):					
<i>Cajanus cajan</i> (pigeonpea)	St. Vincent	1			Mass.
<i>Strophosoma capitatum</i> (Deg.) (Curculionidae):					
<i>Rosa</i> sp.	Netherlands			1	N. Y.
<i>Strophosoma melanogrammum</i> (Forst.) (Curculionidae):					
<i>Petroselinum crispum</i> (parsley)	Canada	1			Wash.
<i>Rhododendron</i> sp.	England			1	Wash.
<i>Strophosoma retusum</i> (Marsh.) (?) (Curculionidae):					
<i>Calluna</i> sp.	England	1			N. J.
<i>Systole geniculata</i> Foerst. (Eurytomidae):					
<i>Coriandrum sativum</i> (coriander)	Ethiopia			1	D. C.
<i>Tadius erirhinoides</i> Pasc. (Curculionidae):					
Orchid	Philippines			1	Calif.*
<i>Taeniothrips atratus</i> (Hal.) (Thripidae):					
<i>Calluna vulgaris</i> (heather)	Scotland, Sweden	2			Md., N. Y.
<i>Centaurea cyanus</i> (bachelors button)	Netherlands	1			N. Y.
<i>Dianthus</i> sp. (carnation)	England, Germany, Scotland, Sweden.	10			N. J., N. Y.
<i>Rosa</i> sp.	Unknown		1		N. Y.
Soil on roots of plant	England			1	N. J.
<i>Tulipa</i> sp. (tulip)	do			1	N. Y.
<i>Taeniothrips dianthi</i> Pr. (Thripidae):					
<i>Dianthus</i> sp. (carnation)	Germany, Switzerland, unknown.	1	1	1	Calif.,* N. Y.
<i>Taeniothrips ericae</i> (Hal.) (Thripidae):					
<i>Calluna vulgaris</i> (heather)	England	1			N. Y.
<i>Taeniothrips hawaiiensis</i> (Morg.) (Thripidae):					
<i>Canavalia</i> sp.	Hawaii	5			Calif.*
<i>Dianthus</i> sp.	Hawaii, Philippines	3			Calif.,* Hawaii.
Flower leis	Hawaii	2			Calif.*
<i>Gardenia augusta</i> (gardenia)	do	2			Calif.*
<i>Mesembryanthemum</i> sp.	do	1			Calif.*
<i>Taeniothrips picipes</i> (Zett.) (Thripidae):					
<i>Primula</i> sp. (primrose)	England			1	N. J.
<i>Talponia batesi</i> Hein. (Olethreutidae):					
<i>Annona cherimola</i> (cherimoya)	Mexico	2			Tex.
<i>Annona reticulata</i> (custard-apple)	do	1			Tex.
" <i>Targionia</i> " <i>bromiliae</i> (Leon.) (Coccidae):					
<i>Ananas comosus</i> (pineapple)	do	15		1	Tex.

List of pests (insects) collected and reported from July 1, 1950, to June 30, 1951, inclusive—Continued

[An asterisk indicates State inspection]

Insect and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
"Targionia" cueroensis (Ckll.) (Coccidae): Pithecellobium dulce (guamachil)-----	Mexico-----	1			Calif.
"Targionia" hartii (Ckll.) (Coccidae): Dioscorea sp. (yam)-----	Antigua, Barbados, Cuba, Gold Coast, Grand Cayman, Nevis, St. Kitts, St. Lucia.	10	1	1	D. C., Fla.,* Mass., N. Y.
"Targionia" sacchari (Ckll.) (Coccidae): Saccharum officinarum (sugarcane)-----	Cuba, Puerto Rico-----	2			Fla.,* N. Y.
Tarsonemus laticeps Halb. (Tarsonemidae): Narcissus sp-----	Netherlands-----			1	N. J.
Tenthecoris angustimarginatus Hsiao & Sailer (Miridae): Orchid-----	Mexico-----			3	Tex.
Tenthecoris bicolor Scott (Miridae): Orchid-----	Honduras, Mexico-----			4	N. J., Tex.
Tenthecoris confusus Hsiao & Sailer (Miridae): Orchid-----	Mexico-----			4	Tex.
Tenthecoris distinguendus Hsiao & Sailer (Miridae): Cynoches chlorochilon (orchid)-----	Canal Zone-----			1	Calif.*
Tenthecoris orchidearum Reuter (Miridae): Orchid-----	Brazil-----			1	Fla.
Tenthecoris venezuelensis Hsiao & Sailer (Miridae): Cattleya sp (orchid)-----	Venezuela-----			2	N. J.
Tetaleurodes acaciae (Q.) (Aleyrodidae): Brya sp. (?)-----	Jamaica-----			1	Fla.
Chamaedorea sp. (palm)-----	Mexico-----	1			Tex.
Leaf—unknown-----	do-----	1			Tex.
Thamnophthorus schwarzi Blkm. (Scolytidae): Persea americana (avocado)-----	do-----	1			Tex.
Thamnotettix hyalinapennis (Stal) (Cicadellidae): Anthurium sp-----	Trinidad-----	1			N. Y.
Thrips angusticeps Uzel (Thripidae): Dianthus sp., Iris sp., & Lathyrus sp-----	Japan-----	1			Wash.
Zantedeschia aethiopica (calla lily)-----	Italy-----	1			N. Y.
Tingis cardui (L.) (Tingidae): Calluna sp-----	Great Britain-----	1			N. Y.
Tmetomorpha bitias (Druce) (Geometridae): Airplane-----	Panama-----		1		La.
Trialeurodes intermedia Russell (?) (Aleyrodidae): Quercus sp. (oak)-----	Mexico-----		1		Ariz.
Trialeurodes lauri (Sign.) (Aleyrodidae): Laurus nobilis (Grecian laurel)-----	Italy-----		1		N. Y.
Laurus sp-----	Belgium-----		1		N. Y.
Trialeurodes vitrinellus Ckll. (Aleyrodidae): Citrus paradisi (grapefruit)-----	Mexico-----		1		Tex.
Trichobaris mucorea (Lec.) (Cruculionidae): Physalis sp. (husk tomato)-----	do-----	1			Tex.
Trionymus sacchari (Ckll.) (Coccidae): Saccharum officinarum (sugarcane)-----	do-----	1			Tex.
Trioza magnoliae (Ashm.) (Psyllidae): Laurus nobilis (Grecian laurel)-----	do-----	1			Tex.
Trupanea stellata (Fuessly) (Tephritidae): Chrysanthemum sp-----	Italy-----	1			Ill.
Unaspis citri (Comst.) (Coccidae): Citrus paradisi (grapefruit)-----	Cuba-----		1		Calif.*
Citrus sinensis (orange)-----	Colombia-----		1		Calif.*
Unaspis euonymi (Comst.) (Coccidae): Euonymus sp-----	Yugoslavia-----		1		N. Y.
Unaspis yanonensis (Kuw.) (Coccidae): Citrus limon (lemon)-----	Japan-----		6		Calif.*
Citrus paradisi (grapefruit)-----	do-----		1		Calif.*
Citrus reticulata (Mandarin orange)-----	China, Japan-----	2	7		Alaska, Calif.,*
Citrus sinensis (orange)-----	Japan-----		18		Calif.,* Hawaii.

List of pests (insects) collected and reported from July 1, 1950, to June 30, 1951, inclusive—Continued

[An asterisk indicates State inspection]

Insect and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
<i>Vinsonia stellifera</i> (Westw.) (Coccidae):					
<i>Anthurium</i> sp.-----	Trinidad-----			2	Fla.
<i>Aspasia epidendroides</i> (orchid)-----	Canal Zone-----			1	N. J.
<i>Aspasia</i> sp.-----	do-----			1	Fla.
<i>Broughtonia</i> sp. (orchid)-----	Jamaica-----			1	Fla.
<i>Cattleya</i> sp. (orchid)-----	Antigua-----			1	N. J.
<i>Dendrobium</i> sp. (orchid)-----	Venezuela-----			1	N. J.
<i>Oncidium ampliatus</i> (orchid)-----	Canal Zone-----			1	Tex.
Orchid-----	Brazil, Canal Zone, Caroline Islands, Jamaica, St. Kitts, Trinidad, Virgin Islands.			16	Calif.,* Fla., N. J.
<i>Peristeria elata</i> (holy-ghost-flower)-----	Canal Zone-----			1	Hawaii.
<i>Xylobiops texanum</i> (Horn) (Bostrichidae):					
<i>Ananas comosus</i> (pineapple)-----	Mexico-----	1			Tex.
Herb-----	do-----	1			Tex.

Hosts and insects

- ABIES:
Laspeyresia strobilella (Lepidoptera)
- ACACIA:
Exptochiomeria albomaculata (Hemiptera)
Pantomorus godmani (Coleoptera)
- ACHRAS:
Anastrepha serpentina (Diptera)
- AGAVE:
Pseudodiaspis yuccae (Homoptera)
Scyphophorus acupunctatus (Coleoptera)
- ALLIUM PORRUM:
Acrolepia assectella (Lepidoptera)
Pieris brassicae (Lepidoptera)
- ALLIUM SATIVUM:
Aceria tulipae (Acarina)
Brachycerus albidentatus (Coleoptera)
Brachycerus algirus (Coleoptera)
Bruchus ervi (Coleoptera)
Dyspessa ulula (Lepidoptera)
Parmena balteus (Coleoptera)
- ALNUS:
Microleon longipalpis (Lepidoptera)
- ALOE:
Aleophagus myersi (Homoptera)
- ALPINIA:
Pulvinaria psidii (Homoptera)
- ANACAMPSEROS:
Asterolecanium stentae (Homoptera)
- ANANAS:
Alpheias conspirata (Lepidoptera)
Chalcodermus dentiferus (Coleoptera)
Eutheola bidentata (Coleoptera)
Eurythmia santiagella (Lepidoptera)
Exptochiomeria albomaculata (Hemiptera)
Genopaschia protomis (?) (Lepidoptera)
Noropsis hieroglyphica (Lepidoptera)
Pheidole megacephala (Hymenoptera)
Platynota rostrana (Lepidoptera)
Ribua innoxia (Lepidoptera)
Sisamnes contractus (Hemiptera)
"Targionia" bromiliae (Homoptera)
Xylobiops texanum (Coleoptera)
- ANNONA:
Ceratitis capitata (Diptera)
Stenoma anonella (Lepidoptera)
Talponia batesi (Lepidoptera)
- ANTHURIUM:
Ceroplastes rubens (Homoptera)
Chrysomphalus umboniferus (Homoptera)
Parthenothrips dracaena (Thysanoptera)
Pulvinaria psidii (Homoptera)
Thamnotettix hyalinapennis (Hemiptera)
Vinsonia stellifera (Homoptera)
- ANTIRRHINUM:
Cyrtopeltis varians (Hemiptera)
Haplothrips gowdeyi (Thysanoptera)
- APIUM:
Deroceras reticulatum (Mollusca)
Hyadaphis apii (Homoptera)
- ARCTIUM:
Pyrausta nubilalis (Lepidoptera)
- ARCTOTIS:
Pulvinaria psidii (Homoptera)
- ASPARAGUS:
"Chionaspis" stanotophri (Homoptera)
- ASPASIA:
Vinsonia stellifera (Homoptera)
- ATTALEA:
Asterolecanium truncatum (Homoptera)
- BAMBOO:
Asterolecanium bambusae (Homoptera)
Asterolecanium miliaris miliaris (Homoptera)
Dinoderus brevis (Coleoptera)
Micrapate labialis (Coleoptera)
- BEGONIA:
Aleurodicus dugesii (Homoptera)
Brachyrhinus sulcatus (Coleoptera)
Haplothrips gowdeyi (?) (Thysanoptera)
- BERBERIS:
Liosomaphis berberidis (Homoptera)
- BETA:
Lixus junci (Coleoptera)
Pachyzancla bipunctalis (Lepidoptera)
- BETULA:
Oligotrophus betulae (Diptera)
- BOUGAINVILLEA:
Orthezia praelonga (Homoptera)
- BRASSAVOLA:
Pseudischinaspis alienus (Homoptera)
- BRASSIA:
Puto ulter (Homoptera)
- BRASSICA CHINENSIS:
Lygus lucorum (Hemiptera)
- BRASSICA OLERACEA ACEPHALA:
Evergestis forficalis (Lepidoptera)
- BRASSICA OLERACEA BOTRYTIS:
Evergestis forficalis (Lepidoptera)
Leptophobia aripa (Lepidoptera)
Mamestra brassicae (Lepidoptera)
Phytomyza rufipes (Diptera)
- BRASSICA OLERACEA CAPITATA:
Deroceras reticulatum (Mollusca)
Evergestis forficalis (Lepidoptera)
Mamestra brassicae (Lepidoptera)
Monomorium destructor (Hymenoptera)
Pachyzancla bipunctalis (Lepidoptera)
Pieris brassicae (Lepidoptera)
Sitona crinita (Coleoptera)
- BRASSICA SP.:
Anaphothrips obscurus (Thysanoptera)
- BROMELIAD:
Orthodes melanops (Lepidoptera)
- BROUGHTONIA:
Vinsonia stellifera (Homoptera)
- BRYA:
Tetraleurodes acaciae (Homoptera)
- BRYOPHYLLUM:
Frankliniella cubensis (Thysanoptera)
- BURLINGTONIA:
Asterolecanium epidendri (Homoptera)
- BUXUS:
Psylla buxi (Homoptera)
- CACTUS:
Gerstaeckeria mutillaria (Coleoptera)
Hemileuca oliviae (Lepidoptera)
Pseudodiaspis yuccae (Homoptera)
Puto lasiorum (Homoptera)
Sixeonotus luteiceps (Hemiptera)
- CAESALPINIA:
Mimosestes dominicana (Coleoptera)
Stephanoderes buscki (Coleoptera)
- CAJANUS:
Acanthoscelides armitagei (Coleoptera)
Ancylostomia stercorea (Lepidoptera)
Lampides boeticus (Lepidoptera)
Maruca testulalis (Lepidoptera)
Sphenarches caffer (Lepidoptera)
Stephanoderes lecontei (Coleoptera)
- CALLUNA:
Arctorthesia cataphracta (Homoptera)
Gelechia ericetella (Lepidoptera)
Lochmaea capreae (Coleoptera)
Orthotylus ericetorum (Hemiptera)
Strophosoma retusus (?) (Coleoptera)
Taeniothrips atratus (Thysanoptera)
Taeniothrips ericae (Thysanoptera)
Tingis cardui (Hemiptera)
- CALOCARPUM:
Chrysomphalus ritchiei (Homoptera)
- CALOTROPIS:
Haplothrips gowdeyi (Thysanoptera)
- CAMELLIA:
Aleurotuberculatus similis (Homoptera)
Ceroplastes ceriferus (Homoptera)
Parlatoria camelliae (Homoptera)
- CANAVALIA:
Haplothrips gowdeyi (Thysanoptera)
Lampides boeticus (Lepidoptera)
Maruca testulalis (Lepidoptera)
Taeniothrips hawaiiensis (Thysanoptera)
- CANIS:
Gnorimoschema gudmannella (Lepidoptera)
Platynota rostrana (Lepidoptera)
Pyrausta nubilalis (Lepidoptera)
Rhopalosiphum subterraneum (Homoptera)
- CARICA:
Lichtensia lutea (Homoptera)
- CASSIA:
Aganactes indecora (Lepidoptera)
Caryedon fuscus (Coleoptera)
- CASTANEA:
Curculio elephas (Coleoptera)
Hemimene juliana (Lepidoptera)
Laspeyresia juliana (Lepidoptera)

Hosts and insects—Continued

CASTANEA—Continued

Laspeyresia splendana (Lepidoptera)

CASUARINA:

Leucaspis candida (Homoptera)*Leucaspis loewi* (Homoptera)

CATTLEYA:

Aleuroglandulus emmae (Homoptera)*Asterolecanium epidendri* (Homoptera)*Chrysomphalus tenax* (Homoptera)*Chrysomphalus umboniferus* (Homoptera)*Deroceras reticulatum* (Mollusca)*Eurytoma orchidearum* (Hymenoptera)*Furcaspis biformis* (Homoptera)*Iridomyrmex iniquus* (Hymenoptera)*Mordellistena catleyana* (Coleoptera)*Parlatoria pseudaspidiotus* (Homoptera)*Pseudischinaspis alienus* (Homoptera)*Tenthecoris venezuelensis* (Hemiptera)*Vinsonia stellifera* (Homoptera)

CEDRUS:

Aspidiotus pseudomeyeri (Homoptera)*Lineaspis striata* (Homoptera)

CELOSIA:

Ligyrocoris aurivilliana (Hemiptera)

CENTAUREA:

Taeniothrips atratus (Thysanoptera)

CEROPEGIA:

"Chionaspis" indigoferae (Homoptera)

CHAENOMELES:

Ceroplastes rubens (Homoptera)

CHAMAEDOREA:

Tetraleurodes acaciae (Homoptera)

CHRYSANTHEMUM:

Cacoecia pronubana (Lepidoptera)*Capitophorus formosanus* (Homoptera)*Cnephasia virgaureana* (Lepidoptera)*Deroceras reticulatum* (Mollusca)*Myrmica laevinodis* (Hymenoptera)*Phytomyza atricornis* (Diptera)*Trupanea stellata* (Diptera)

CHRYSOPHYLLUM:

Anastrepha serpentina (Diptera)

CICER:

Ancylostomia stercorea (Lepidoptera)

CIRSIIUM:

Capitophorus carduinus (Homoptera)

CITRUS AURANTIFOLIA:

Aleurocanthus woglumi (Homoptera)*Anastrepha ludens* (Diptera)*Leucaspis cockerelli* (Homoptera)*Parlatoria cinerea* (Homoptera)*Parlatoria zizyphus* (Homoptera)

CITRUS AURANTIUM (?):

Leucaspis cockerelli (Homoptera)

CITRUS LIMON:

Argyroploce leucotreta (Lepidoptera)*Ceratitis capitata* (Diptera)*Cryptoblabes gnidiella* (Lepidoptera)*Leucaspis cockerelli* (Homoptera)*Morganella longispina* (Homoptera)*Parlatoria cinerea* (Homoptera)*Parlatoria zizyphus* (Homoptera)*Unaspis yanonensis* (Homoptera)

CITRUS PARADISI:

Anastrepha ludens (Diptera)*Ceratitis capitata* (Diptera)*Leucaspis cockerelli* (Homoptera)*Parlatoria cinerea* (Homoptera)*Parlatoria zizyphus* (Homoptera)*Trialeurodes vitrinellus* (Homoptera)*Unaspis citri* (Homoptera)*Unaspis yanonensis* (Homoptera)

CITRUS RETICULATA:

Aleurocanthus woglumi (Homoptera)*Aleurolobus marlatti* (Homoptera)*Argyroploce leucotreta* (Lepidoptera)*Ceratitis capitata* (Diptera)*Leucaspis cockerelli* (Homoptera)*Parlatoria zizyphus* (Homoptera)*Unaspis yanonensis* (Homoptera)

CITRUS SINENSIS:

Aleurocanthus woglumi (Homoptera)*Aleurothrix floccosus* (Homoptera)*Anastrepha fraterculus* (Diptera)

CITRUS SINENSIS—Continued

Anastrepha ludens (Diptera)*Anastrepha serpentina* (?) (Diptera)*Argyroploce leucotreta* (Lepidoptera)*Ceratitis capitata* (Diptera)*Chaetanaphothrips orchidii* (Thysanoptera)*Chrysomphalus personatus* (Homoptera)*Cryptoblabes gnidiella* (Lepidoptera)*Gymnandrosoma aurantianum* (Lepidoptera)*Leucaspis cockerelli* (Homoptera)*Parlatoria cinerea* (Homoptera)*Parlatoria zizyphus* (Homoptera)*Pseudonidia trilobitiformis* (Homoptera)*Unaspis citri* (Homoptera)*Unaspis yanonensis* (Homoptera)

CITRUS SP.:

Aleurocanthus woglumi (Homoptera)*Aleuroparadoxus gardeniae* (Homoptera)*Aleuroplatus coccolus* (Homoptera)*Aleurothrix floccosus* (Homoptera)*Dialeurodes citri* (Homoptera)*Dialeurodes citrifolii* (Homoptera)*Exophthalmus roseipes* (Coleoptera)*Leucaspis cockerelli* (Homoptera)

COCOS:

Aonidiella inornata (Homoptera)*Aspidiotus coryphae* (Homoptera)*Aspidiotus destructor* (Homoptera)*Aspidiotus excisus* (Homoptera)*Chrysomphalus personatus* (Homoptera)*Chrysomphalus tingi* (Homoptera)*Ereunetis flavistriata* (Lepidoptera)*Ferrisiana virgata* (Homoptera)*Lepidosaphes mcgregori* (Homoptera)*Phenacaspis sandwicensis* (Homoptera)*Pseudococcus palmarum* (Homoptera)

CODIAEUM:

Lepidosaphes tokionis (Homoptera)*Parlatoria crotonis* (Homoptera)

COELOGYNE:

Chrysomphalu snulporus (Homoptera)*Lepidosaphes tuberculata* (Homoptera)

COFFEA:

Ceratitis capitata (Diptera)*Coccus viridis* (Homoptera)*Stephanoderes hampei* (Coleoptera)

COPAIFERA:

Draeculacephala lenticula (Hemiptera)*Platypus rugulosus* (Coleoptera)

CORDYLINE:

Pulvinaria psidii (Homoptera)

CORIANDRUM:

Frankliniella cubensis (Thysanoptera)*Systole geniculata* (Hymenoptera)

CORNUS:

Lygus campestris (Hemiptera)

CORYLUS:

Curculio nucum (Coleoptera)

CRATAEGUS:

Ceroplastes rubens (Homoptera)

CRYPTOSTEGIA:

Heteropsylla texana (Homoptera)

CUCUMIS:

Dacus cucurbitae (Diptera)*Dacus dorsalis* (Diptera)

CUCURBITA:

Pyrausta nubilalis (Lepidoptera)

CUPRESSUS:

Epinotia tessulatana (Lepidoptera)*Lepidosaphes pallida* (Homoptera)

CURCUMA:

Paraputo taraktogeni (Homoptera)

CYBISTAX:

Acanthoderes circumflexa (Coleoptera)

CYCAD:

Cryptoblabes gnidiella (Lepidoptera)

CYCNOCHES:

Tenthecoris distinguendus (Hemiptera)

CYDONIA:

Anastrepha ludens (Diptera)*Ceratitis capitata* (Diptera)*Grapholitha packardi* (Lepidoptera)

CYMBIDIUM:

Lepidosaphes tuberculata (Homoptera)

Hosts and insects—Continued

CYNARA:

- Anuraphis cynarae* (?) (Homoptera)
Apion carduorum (Coleoptera)
Iridomyrmex humilis (Hymenoptera)

CYPRIPIEDUM:

- Parlatoria pseudaspidiotus* (Homoptera)

CYTISUS:

- Sparteus villosus* (Coleoptera)

DAHLIA:

- Gortyna flavago* (Lepidoptera)

DAISY:

- Pantomorus godmani* (Coleoptera)

DAUCUS:

- Haplothrips gowdeyi* (Thysanoptera)
Loxostege similalis (Lepidoptera)
Mamestra brassicae (Lepidoptera)
Phalonia zephyrana (Lepidoptera)

DELONIX:

- Ferrisiana virgata* (Homoptera)

DENDROBIUM:

- Chrysomphalus nulliporus* (Homoptera)
Vinsonia stellifera (Homoptera)

DERRIS:

- Dinoderus bifoveolatus* (Coleoptera)

DIANTHUS:

- Cacoecia pronubana* (Lepidoptera)
Haplothrips gowdeyi (Thysanoptera)
Taeniothrips atratus (Thysanoptera)
Taeniothrips dianthi (Thysanoptera)
Taeniothrips hawaiiensis (Thysanoptera)

DIOSCOREA:

- Monomorium destructor* (Hymenoptera)
"Targionia" hartii (Homoptera)

DIOSPYROS:

- Ceratitis capitata* (Diptera)
Ceroplastes rubens (Homoptera)
Lepidosaphes conchiformis (Homoptera)
Parlatoria oleae (Homoptera)

DOLICHOS:

- Callosobruchus phaseoli* (Coleoptera)

EPIDENDRUM:

- Chrysomphalus tenax* (Homoptera)
Conchaspis angraeci (Homoptera)
Furcaspis biformis (Homoptera)
Puto ulter (Homoptera)

ERANTHEMUM:

- Frankliniella cubensis* (Thysanoptera)

ERYTHRINA:

- Specularius impressithorax* (Coleoptera)

EUONYMUS:

- Unaspis euonymi* (Homoptera)

EUPHORBIA:

- Platynota rostrana* (Lepidoptera)

FEROCACTUS:

- Sizeonotus luteiceps* (Hemiptera)

FICUS:

- Ceratitis capitata* (Diptera)
Ceroplastes rusci (Homoptera)
Coccus viridis (Homoptera)
Gynaikothrips ficorum (Thysanoptera)
Homotoma ficus (Homoptera)
Iridomyrmex humilis (Hymenoptera)
Lepidosaphes ficus (Homoptera)
Pulvinaria psidii (Homoptera)

FRAGARIA:

- Cacoecia pronubana* (Lepidoptera)

GARCINIA:

- Aspidiotus destructor* (Homoptera)

GARDENIA:

- Aleurotuberculatus jasmini* (Homoptera)
Ceroplastes rubens (Homoptera)
Coccus viridis (Homoptera)
Dialeurodes citri (Homoptera)
Dialeurodes citrifolii (Homoptera)
Dialeurodes kirkaldyi (Homoptera)
Dysdercus mimulus (Hemiptera)
Eucalymnatus tessellatus (Homoptera)
Ferrisiana virgata (Homoptera)
Orthezia praelonga (Homoptera)
Protopulvinaria longivalvata (Homoptera)
Protopulvinaria pyriformis (Homoptera)
Taeniothrips hawaiiensis (Thysanoptera)

GENTIANA:

- Nemotois violellum* (?) (Lepidoptera)

GLADIOLUS:

- Exophthalmus laetus* (Coleoptera)

GOSSYPIUM:

- Pectinophora gossypiella* (Lepidoptera)

GRAMMATOPHYLLUM:

- Ceroplastes rubens* (Homoptera)
Mertila malayensis (Hemiptera)

GREVILLEA:

- Icerya aegyptiaca* (Homoptera)

GUAJACUM:

- Aleurothrixus floccocus* (Homoptera)
Neoclytus cacticus (Coleoptera)
Paraleyrodes goyabae (Homoptera)

HEDYCHIUM:

- Paraputo taraktogeni* (Homoptera)

HELICHRYSUM:

- Haplothrips gowdeyi* (Thysanoptera)

HEUCHERA:

- Hypera nigristrotris* (Coleoptera)

HIBISCUS:

- Aleurocanthus woglumi* (Homoptera)
Conchaspis angraeci (Homoptera)
Frankliniella cubensis (Thysanoptera)
Pectinophora gossypiella (Lepidoptera)

HYPERICUM:

- Agallia venosa* (Hemiptera)

ILEX:

- Aleuroplatus plumosus* (Homoptera)
Notochilus damryi (Hemiptera)

IPOMOEA:

- Cylas femoralis* (Coleoptera)
Cylas formicarius elegantulus (Coleoptera)
Euscepes postfasciatus (Coleoptera)
Palaeopus costicollis (Coleoptera)

ISOLOMA:

- Coccidella americana* (Homoptera)

IXORA:

- Coccus viridis* (Homoptera)

JASMINUM:

- Aonidiella inornata* (Homoptera)
Dialeurodes kirkaldyi (Homoptera)
Parlatoria cinerea (Homoptera)

JUGLANS:

- Monellia costalis* (Homoptera)
Myzocallis caryaefoliae (Homoptera)
Rhagoletis completa (Diptera)
Rhagoletis juglans (Diptera)

JUNIPERUS:

- Lepidosaphes pallida* (Homoptera)
"Poliaspis" pini (Homoptera)

KHAYA:

- Bostrychoplites cornutus* (Coleoptera)
Cordylomera spinicornis (Coleoptera)
Heterobostrychus brunneus (Coleoptera)

LACTUCA:

- Dicyphus annulatus* (Hemiptera)
Draeculacephala minerva (Hemiptera)

LAELIA:

- Asterolecanium epidendri* (Homoptera)

LATHYRUS:

- Haplothrips gowdeyi* (Thysanoptera)
Liriomyza congesta (Diptera)

LAURUS:

- Cacoecia pronubana* (Lepidoptera)
Ceroplastes japonicus (Homoptera)
Chrysomphalus paulistus (Homoptera)
Chrysomphalus personatus (Homoptera)
Trialeurodes lauri (Homoptera)
Trioza magnoliae (Homoptera)

LEMAIREOCEREUS:

- Lepidosaphes philococcus* (Homoptera)

LENS:

- Bruchus rufipes* (Coleoptera)
Bruchus signaticornis (Coleoptera)
Sparteus villosus (Coleoptera)

LEUCOJUM:

- Lampetia equestris* (Diptera)

LILIUM:

- Crioceris lili* (Coleoptera)
Frankliniella cubensis (Thysanoptera)
Prodenia eridania (Lepidoptera)

LONCHOCARPUS:

- Dinoderus bifoveolatus* (Coleoptera)

LYCOPERSICON:

- Dacus cucurbitae* (Diptera)
Dacus dorsalis (Diptera)
Dysdercus mimulus (Hemiptera)
Lineodes integra (Lepidoptera)

Hosts and insects—Continued

LYCOPERSICON—Continued

Neoleucinodes elegantalis (Lepidoptera)
Rhopalosiphum subterraneum (Homoptera)

MALUS:

Allantus cinctus (Hymenoptera)
Anthonomus pomorum (Coleoptera)
Aspidiotus pyri (Homoptera)
Ceratitis capitata (Diptera)
Cryptoblabes gnidiella (Lepidoptera)
Epidiaspis piricola (Homoptera)
Lepidosaphes conchiformis (Homoptera)
Monanthia echii (Hemiptera)
Parlatoria oleae (Homoptera)
Rhagoletis pomonella (Diptera)

MAMMEA:

Anastrepha serpentina (Diptera)
Morganella longispina (Homoptera)

MAMMILLARIA:

Gerstaeckeria mutillaria (Coleoptera)
Sizeonotus luteiceps (Hemiptera)

MANGIFERA:

Anastrepha ludens (Diptera)
Anastrepha mombinpraeoptans (Diptera)
Aulacaspis tubercularis (Homoptera)
Chrysomphalus personatus (Homoptera)
Cryptorhynchus mangiferae (Coleoptera)
Dacus dorsalis (Diptera)
Phenacaspis sandwicensis (Homoptera)
Pseudaonidia trilobitiformis (Homoptera)

MARANTA:

Pinnaspis buxi (Homoptera)

MELICOCCA:

Fiorinia nephelii (Homoptera)

MESEMBRYANTHEMUM:

Haplothrips gowdeyi (Thysanoptera)
Taeniothrips hawaiiensis (Thysanoptera)

MONSTERA:

Pinnaspis buxi (Homoptera)

MUSA PARADISIACA:

Aspidiotus destructor (Homoptera)

MUSA PARADISIACA SAPIENTUM:

Aspidiotus destructor (Homoptera)
Chrysomphalus umboniferus (Homoptera)
Cosmopolites sordidus (Coleoptera)
Dacus dorsalis (Diptera)
Metamasius sericeus (Coleoptera)
Metamasius sericeus carbonarius (Coleoptera)

MUSCARI:

Exosoma lusitanica (Coleoptera)

MYRTILLOCACTUS:

Gargaphia patricia (Hemiptera)
Lepidosaphes philococcus (Homoptera)

NARCISSUS:

Lampetia equestris (Diptera)
Tarsonemus laticeps (Acarina)

NERIUM:

Exptochiomera albomaculata (Hemiptera)
Iridomyrmex humilis (Hymenoptera)
Morganella longispina (Homoptera)

OCHROSIA:

Dacus dorsalis (?) (Diptera)

OLEA:

Dacus oleae (Diptera)
Euphilippia olivina (Homoptera)
Euphyllura olivina (Homoptera)
Filippia oleae (Homoptera)
Parlatoria oleae (Homoptera)
Phloeotribus scarabaeoides (Coleoptera)
Pollinia pollonii (Homoptera)
Prays oleellus (Lepidoptera)

ONCIDIUM:

Conchaspis angraeci (Homoptera)
Furcaspis bififormis (Homoptera)
Puto ulter (Homoptera)
Vinsonia stellifera (Homoptera)

OPUNTIA:

Ceratitis capitata (Diptera)

ORCHID:

Acroleucus vicinalis (Hemiptera)
Apion auctum (?) (Coleoptera)
Aspidiotus destructor (Homoptera)
Asterolecanium epidendri (Homoptera)
Chrysomphalus diversicolor (Homoptera)
Chrysomphalus tenax (Homoptera)
Chrysomphalus umboniferus (Homoptera)
Cleogonus armatus (Coleoptera)

ORCHID—Continued

Clerada apicornis (Hemiptera)
Conchaspis angraeci (Homoptera)
Diorymerellus laevimargo (Coleoptera)
Eurytoma orchidearum (Hymenoptera)
Exptochiomera albomaculata (Hemiptera)
Furcaspis bififormis (Homoptera)
Genuchinus v-notatus (Coleoptera)
Lecaniodiaspis dendrobii (Homoptera)
Lygaeus circumlinitus (Hemiptera)
Lygaeus circumplicatus (Hemiptera)
Malocampa punctata (Lepidoptera)
Mordellistena cattleyana (Coleoptera)
Mormidea collaris (Hemiptera)
Nysius terrestris (Hemiptera)
Parlatoria pseudaspidiotus (Homoptera)
Praeblissus albofasciatus (Hemiptera)
Pseudischnaspis alienus (Homoptera)
Puto mexicanus (Homoptera)
Puto ulter (Homoptera)
Tadius erirhinoides (Coleoptera)
Tenthecoris angustimarginatus (Hemiptera)
Tenthecoris bicolor (Hemiptera)
Tenthecoris confusus (Hemiptera)
Tenthecoris orchidearum (Hemiptera)
Vinsonia stellifera (Homoptera)

ORCHIS:

Furcaspis bififormis (Homoptera)

ORNITHOGALUM:

Haplothrips bagnalli (Thysanoptera)
Lampetia equestris (Diptera)

ORYZA:

Chilo simplex (Lepidoptera)

PAEONIA:

Lepidosaphes kuwacola (Homoptera)
Reticulitermes speratus (Isoptera)

PALM:

Aspidiotus herculeanus (Homoptera)
Chrysomphalus sphaeroides (Homoptera)
Dinoderus bifoveolatus (Coleoptera)
Dysdercus mimulus (Hemiptera)
Furcaspis bififormis (Homoptera)
Lepidosaphes mcgregori (Homoptera)
Pinnaspis buxi (Homoptera)
Pseudischnaspis alienus (Homoptera)

PANDANUS:

Pseudococcus giffardi (Homoptera)

PASSIFLORA:

Frankliniella cubensis (Thysanoptera)

PERISTERIA:

Vinsonia stellifera (Homoptera)

PERSEA:

Anastrepha ludens (Diptera)
Aspidiotus destructor (Homoptera)
Ceratitis capitata (Diptera)
Conotrachelus aguacatae (Coleoptera)
Conotrachelus perseae (Coleoptera)
Dacus dorsalis (Diptera)
Exptochiomera albomaculata (Hemiptera)
Stenoma catenifer (Lepidoptera)
Thamnophthorus schwarzi (Coleoptera)

PETIVERIA:

Cylas formicarius elegantulus (Coleoptera)

PETROSELINUM:

Strophosoma melanogrammmum (Coleoptera)

PHASEOLUS LUNATUS MACROCARPUS:

Maruca testulalis (Lepidoptera)

PHASEOLUS VULGARIS:

Acanthoscelides obvelatus (Coleoptera)

PHASEOLUS VULGARIS VAR.:

Epinotia opposita (Lepidoptera)
Everes comyntas (Lepidoptera)
Fundella pellucens (Lepidoptera)
Lampides boeticus (?) (Lepidoptera)
Maruca testulalis (Lepidoptera)

PHILODENDRON:

Apsychoymymex tristani (Hymenoptera)
Chrysomphalus nigropunctatus (Homoptera)
Chrysomphalus sphaeroides (Homoptera)
Chrysomphalus tenax (Homoptera)
Iridomyrmex iniquus (Hymenoptera)
Lepidosaphes carinata (Homoptera)
Pinnaspis buxi (Homoptera)

PHOENIX:

Coccotrypes dactyliperda (Coleoptera)
Dinoderus bifoveolatus (Coleoptera)

Hosts and insects—Continued

PHYSALIS:

Trichobaris mucorea (Coleoptera)

PICEA:

Hylurgops palliatus (Coleoptera)*Laspeyresia strobilella* (Lepidoptera)*Pityogenes chalcographus* (Coleoptera)

PINUS:

Aspidiotus abietus (Homoptera)*Aspidiotus corticis-pini* (Homoptera)*Dendroctonus mexicanus* (Coleoptera)*Dryocoetes autographus* (Coleoptera)*Dryocoetes septentrionis* (Coleoptera)*Hylurgops palliatus* (Coleoptera)*Leucaspis loewi* (Homoptera)*Pityogenes bidentatus* (Coleoptera)*Pityogenes chalcographus* (Coleoptera)*Poliaspis pini* (Homoptera)

PISTACIA:

Megastigmus pistaciae (Hymenoptera)

PISUM:

Laspeyresia nigricana (Lepidoptera)

PITHECELLOBIUM:

"Targionia" cueroensis (Homoptera)

PRIMULA:

Taeniothrips picipes (Thysanoptera)

PRUNUS ARMENIACA:

Ceratitis capitata (Diptera)*Lecanium coryli* (Homoptera)*Nilotaspis halli* (Homoptera)*Parlatoria oleae* (Homoptera)

PRUNUS CERASUS:

Iridomyrmex itoi abbotti (Hymenoptera)

PRUNUS DOMESTICA:

Ceratitis capitata (?) (Diptera)*Epidiaspis piricola* (Homoptera)*Parlatoria oleae* (Homoptera)*Pseudococcus gahani* (Homoptera)

PRUNUS PERSICA:

Anastrepha fraterculus (Diptera)*Anastrepha ludens* (Diptera)*Ceratitis capitata* (Diptera)*Grapholitha molesta* (Lepidoptera)

PRUNUS PERSICA NECTARINA:

Ceratitis capitata (Diptera)*Epidiaspis piricola* (Homoptera)

PRUNUS SP. (cherry):

Rhagoletis cerasi (Diptera)

PRUNUS SP. (wild plum):

Anthonomus scutellaris (Coleoptera)

PSIDIUM:

Aleuroglandulus emmae (Homoptera)*Aleurothrixus floccosus* (Homoptera)*Anastrepha ludens* (Diptera)*Anastrepha mombinpraeoptans* (?) (Diptera)*Anastrepha striata* (Diptera)*Anastrepha suspensa* (Diptera)*Ceratitis capitata* (Diptera)

PUERARIA:

Callosobruchus ademptus (Coleoptera)

PUNICA:

Anastrepha ludens (Diptera)*Ceratitis capitata* (Diptera)*Cryptoblabes gnidiella* (Lepidoptera)*Myelois ceratoniae* (Lepidoptera)

PYRUS:

Anastrepha ludens (Diptera)*Carposina sasakii* (Lepidoptera)*Ceratitis capitata* (Diptera)*Grapholitha molesta* (Lepidoptera)

QUERCUS:

Curculio elephas (Coleoptera)*Trialeurodes intermedia* (?) (Homoptera)

RANUNCULUS:

Aphis rhamni (?) (Homoptera)

RHODODENDRON:

Coeliodes rubicundus (Coleoptera)*Dialeurodes chittendeni* (Homoptera)*Gracilaria azaleella* (Lepidoptera)*Masonaphis rhododendri* (Homoptera)*Nematus bergmanni* (Hymenoptera)*Newsteadia floccosa* (Homoptera)*Strophosoma melanogrammus* (Coleoptera)

RHYNCHOSIA:

Acanthoscelides griseolus (Coleoptera)

RIBES:

Apion apricans (Coleoptera)*Stenocarus fuliginosus* (Coleoptera)

RORIPPA:

Evergestis rimosalis (Lepidoptera)

ROSA:

Allantus cinctus (Hymenoptera)*Arge rosae* (Hymenoptera)*Cacoecia pronubana* (Lepidoptera)*Parlatoria oleae* (Homoptera)*Selenothrips rubrocinctus* (Thysanoptera)*Strophosoma capitatus* (Coleoptera)*Taeniothrips atratus* (Thysanoptera)

SACCHARUM:

Diatraea busckella (Lepidoptera)*Pseudococcus boninsis* (Homoptera)*"Targionia" sacchari* (Homoptera)*Trionymus sacchari* (Homoptera)

SALVIA:

Amitermes wheeleri (Isoptera)

SAPOTE:

Anastrepha ludens (Diptera)*Anastrepha serpentina* (Diptera)

SCHOMBURGKIA:

Chrysomphalus tenax (Homoptera)

SCINDAPSUS:

Pinnaspis buxi (Homoptera)

SOIL:

Agriotes lineatus (Coleoptera)*Brachyrhinus ovatus* (Coleoptera)*Brachyrhinus porcatus* (Coleoptera)*Brachyrhinus rugosostriatus* (Coleoptera)*Hypera nigrirostris* (Coleoptera)*Monomorium destructor* (Hymenoptera)*Rhyparochromus chiragra* (Hemiptera)*Sitona hispidula* (Coleoptera)*Taeniothrips atratus* (Thysanoptera)

SOLANUM:

Epicaerus cognatus (Coleoptera)

SORGHUM:

Gortyna flavago (Lepidoptera)*Pyrausta nubilalis* (Lepidoptera)*Sesamia cretica* (Lepidoptera)

SPARTIUM:

Sparteus villosus (Coleoptera)

SPONDIAS:

Anastrepha mombinpraeoptans (Diptera)

STAPELIA:

"Chionaspis" indigoferae (Homoptera)

STRELITZIA:

Phenacaspis sandwicensis (Homoptera)

SYRINGA:

Adoxophyes orana (Lepidoptera)

TAGETES:

Haplothrips gowdeyi (Thysanoptera)*Ptinus villiger* (Coleoptera)

TAMARINDUS:

Caryedon fuscus (Coleoptera)*Monomorium destructor* (Hymenoptera)*Myelois ceratoniae* (Lepidoptera)

THUJA:

Lepidosaphes pallida (Homoptera)

TILIA:

Lecanium coryli (Homoptera)

TILLANDSIA:

Catolethrus ebeninus (Coleoptera)

TRIFOLIUM:

Hypera postica (Coleoptera)

TRIPLOCHITON:

Heterobostrychus brunneus (Coleoptera)

TULIPA:

Taeniothrips atratus (Thysanoptera)

ULMUS (?):

Leperisinus fraxini (Coleoptera)

ULMUS:

Pteleobius vittatus (Coleoptera)

VANDA:

Asterolecanium epidendri (Homoptera)*Furcaspis bififormis* (Homoptera)*Monomorium destructor* (Hymenoptera)

VICIA:

Apion pomonae (?) (Coleoptera)*Bruchus luteicornis* (Coleoptera)*Bruchus tristis* (Coleoptera)*Rhinochenus stigma* (Coleoptera)

VITIS:

Carbula trisignata (Hemiptera)*Ceratitis capitata* (Diptera)*Cryptoblabes gnidiella* (Lepidoptera)

Hosts and insects—Continued

VITIS—Continued

Leptoglossus chilensis (Hemiptera)
Megalometis chiliensis (Coleoptera)
Phlyctinus callosus (Coleoptera)
Polychrosis botrana (Lepidoptera)

YUCCA:

Chrysomphalus agavis (Homoptera)

ZANTEDESCHIA:

Thrips angusticeps (Thysanoptera)

ZEA:

Moodna bisinuella (Lepidoptera)
Pyrausta nubilalis (Lepidoptera)
Sesamia cretica (Lepidoptera)

ZINGIBER:

Palaeopus costicollis (Coleoptera)

Hosts unknown

AIRPLANE:

Ethmia festiva (Lepidoptera)
Hoplosternus japonicus (Coleoptera)
Laphygma exempta (Lepidoptera)
Maruca testulalis (Lepidoptera)
Ozophora consanguinea (Hemiptera)
Platypus rugulosus (Coleoptera)
Tmetomorpha bitias (Lepidoptera)

BARK:

Ips acuminatus (Coleoptera)
Metopoplax ditomoides (Hemiptera)
Microplax plagiatus (Hemiptera)

BEAN:

Callosobruchus phaseoli (Coleoptera)

CARGO HOLD:

Achatina fulica (Mollusca)

FERN LOG:

Dryophthorus pusillus (Coleoptera)

FLOWERS:

Haplothrips gowdeyi (Thysanoptera)
Oxythyrea funesta (Coleoptera)
Taeniothrips hawaiiensis (Thysanoptera)
Thrips angusticeps (Thysanoptera)

HERB:

Heterobostrychus aequalis (Coleoptera)
Megalopyge krugii (Lepidoptera)
Parlatoria zizyphus (Homoptera)
Xylobiops texanum (Coleoptera)

LEAF:

Asterolecanium epidendri (Homoptera)
Chrysomphalus personatus (Homoptera)
Pachyzancla periusalis (Lepidoptera)
Protopulvinaria pyriformis (Homoptera)
Tetraleurodes acaciae (Homoptera)

LOG:

Cordylomera spinicornis (Lepidoptera)
Nasutitermes fulviceps (Isoptera)

NURSERY STOCK:

Rhyparochromus chiragra (Hemiptera)

PACKING:

Acalypta parvula (Hemiptera)
Ceutorhynchus contractus (Coleoptera)
Ceutorhynchus erysimi (Coleoptera)
Chalcophana fervida (Coleoptera)
Drymus assimilis (Hemiptera)
Hypera plantaginis (?) (Coleoptera)
Naupactus xanthographus (Coleoptera)
Orobitis cyaneus (Coleoptera)
Ortheziola signoreti (Homoptera)
Orthochaetes setiger (Coleoptera)
Sitona lineata (Coleoptera)

PLANT:

Chrysomphalus odontoglossi (Homoptera)
Cryptoblabes gnidiella (Lepidoptera)
Deroceras reticulatum (Mollusca)
Ferrisiana virgata (Homoptera)
Lepidosaphes celtis (Homoptera)
Pulvinaria psidii (Homoptera)

RETURNED WAR EQUIPMENT:

Achatina fulica (Mollusca)

SEED:

Coccotrypes dactyliperda (Coleoptera)
Protopulvinaria longivalvata (Homoptera)

TRUCK BED:

Nasutitermes luzonicus (Isoptera)

TUBER:

Gortyna flavago (?) (Lepidoptera)

WOOD:

Callidium aeneum (Coleoptera)
Hylurgops palliatus (Coleoptera)
Pityogenes bidentatus (Coleoptera)
Pityogenes chalcographus (Coleoptera)
Renocis mexicanus (Coleoptera)
Sinoxylon anale (Coleoptera)
Sinoxylon crassum (Coleoptera)

WOODS MOSS:

Brachyrhinus singularis (Coleoptera)
Ceutorhynchus contractus (Coleoptera)
Hypera nigrirostris (Coleoptera)
Hypera postica (Coleoptera)
Sitona humeralis (Coleoptera)

Countries of origin and insects

AFRICA:

Ceratitis capitata

ALGERIA:

Anuraphis cynarae (?)
Ceratitis capitata
Dacus oleae (?)
Hyadaphis apii
Parlatoria zizyphus
Sitona crinita

AMERICAN SAMOA:

Icerya aegyptiaca

ANTIGUA:

"*Targionia*" *hartii*
Vinsonia stellifera

ARGENTINA:

Anastrepha fraterculus

ARUBA:

Parlatoria zizyphus

AUSTRALIA:

Lepidosaphes tuberculata
Pantomorus godmani
Parlatoria zizyphus

AUSTRIA:

Leucaspis loewi
Nemotois violellus (?)
Rhagoletis cerasi

AZORES:

Ceratitis capitata
Curculio elephas
Laspeyresia splendana

BAHAMAS:

Aleurothrixus floccosus
Ancylostomia stercorea
Dialeurodes citrifolii
Pectinophora gossypiella

BARBADOS:

Asterolecanium bambusae
Asterolecanium miliaris miliaris
Aulacaspis tubercularis
"*Targionia*" *hartii*

BELGIUM:

Brachyrhinus sulcatus
Bruchus tristis
Gracilaria azaleella
Hypera nigrirostris
Lepidosaphes tuberculata
Tetraleurodes lauri

BERMUDA:

Conchaspis angraeci
Cryptoblabes gnidiella
Cyrtopeltis varians
Deroceras reticulatum
Frankliniella cubensis
Haplothrips gowdeyi (?)
Iridomyrmex humilis
Liriomyza congesta
Morganella longispina
Prodenia eridania
Protopulvinaria pyriformis
Pulvinaria psidii

Countries of origin and insects—Continued

BRAZIL:

Aganactesis indecora
Chrysomphalus paulistus
Chrysomphalus personatus
Dinoderus bifoveolatus
Eurytoma orchidearum
Euscepes postfasciatus
Gymnandrosoma aurantianum
Maruca testulalis
Nasutitermes fulviceps
Parlatoria cinerea
Pectinophora gossypiella
Stenoma anonella
Stephanoderes hampei
Tenthecoris orchidearum
Vinsonia stellifera

BRITISH HONDURAS:

Asterolecanium epidendri
Pseudischnaspis alienus

BRITISH WEST AFRICA:

Pectinophora gossypiella

BRITISH WEST INDIES:

Acanthoscelides armitagei
Palaeopus costicollis

CANADA:

Capitophorus carduinus
Dryocoetes septentrionis
Rhagoletis pomonella
Sitona hispidula
Strophosoma melanogrammum

CANAL ZONE:

Acanthoscelides armitagei
Anastrepha mombinpraeoptans
Ancylostomia stercora
Aspidiotus destructor
Asterolecanium epidendri
Chrysomphalus ritchiei
Chrysomphalus umboniferus
Cleogonus armatus
Conchaspis angraeci
Furcaspis biformis
Lepidosaphes tokionis
Leucaspis cockerelli
Parlatoria pseudaspidiotus
Pinnaspis buxi
Protopulvinaria longivalvata
Pseudischnaspis alienus
Stenoma catenifer
Stephanoderes buscki
Tenthecoris distinguendus
Vinsonia stellifera

CANARY ISLANDS:

Lampides boeticus (?)

CAROLINE ISLANDS:

Vinsonia stellifera

CEYLON:

Furcaspis biformis

CHILE:

Aceria tulipae
Epidiaspis piricola
Leptoglossus chilensis
Megalometis chiliensis
Naupactus xanthographus
Pseudococcus gahani

CHINA:

Aleurotuberculatus jasmini
Carposina sasakii
Dialeurodes kirkaldyi
Dinoderus bifoveolatus
Parlatoria camelliae
Parlatoria zizyphus
Unaspis yanonensis

COLOMBIA:

Eurytoma orchidearum
Exptochiomera albomaculata
Furcaspis biformis
Iridomyrmex iniquus
Leucaspis cockerelli
Mordellistena cattleyana
Unaspis citri

COSTA RICA:

Anastrepha ludens
Apsychomyrmex tristani
Aspidiotus destructor
Asterolecanium epidendri
Asterolecanium truncatum

COSTA RICA—Continued

Chrysomphalus umboniferus
Dialeurodes citrifolii
Draeculacephala lenticula
Leucaspis cockerelli
Metamasius sericeus
Platypus rugulosus
Pseudischnaspis alienus
Stenoma catenifer

CRETE:

Dacus oleae

CUBA:

Anastrepha mombinpraeoptans
Aspidiotus destructor
Asterolecanium epidendri
Asterolecanium miliaris miliaris
Chalcophana fervida
Chrysomphalus tenax
Coccus viridis
Conchaspis angraeci
Cylas formicarius elegantulus
Eurythmia santiagella
Fiorinia nephelii
Fundella pellucens
Furcaspis biformis
Gynaikothrips ficorum
Haplothrips gowdeyi
Heterobostrychus aequalis
Maruca testulalis
Pheidole megacephala
Platynota rostrana
Pseudococcus boninsis
Pulvinaria psidii
Ribua innoxia
"Targionia" hartii
"Targionia" sacchari
Unaspis citri

CURACAO:

Megalopyge krugii
Parlatoria cinerea

CYPRUS:

Ceratitis capitata

DENMARK:

Agriotes lineatus
Callidium aeneum
Hypera postica
Lecanium coryli
Pityogenes bidentatus
Sitona humeralis

DOMINICAN REPUBLIC:

Aleurothrixus floccosus
Anastrepha mombinpraeoptans
Anastrepha suspensa
Furcaspis biformis
Stenoma catenifer

ECUADOR:

Metamasius sericeus
Stenoma catenifer

EGYPT:

Ceratitis capitata
"Chionaspis" stanotophri
Cryptoblabes gnidiella
Lixus junci
Parlatoria oleae
Pectinophora gossypiella

ENGLAND:

Acalypta parvula
Allantus cinctus
Arctorthezia cataphracta
Cacoecia pronubana
Ceutorhynchus contractus
Ceutorhynchus erysimi
Cnephasia virgaureana
Coeliodes rubicundus
Deroceras reticulatum
Drymus assimilis
Gelechia ericetella
Gracilaria azaleella
Hypera nigrirostris
Hypera plantaginis (?)
Laspeyresia splendana
Leperisinus fraxini
Lepidosaphes tuberculata
Lygus lucorum
Mamestra brassicae
Myrmica laevinodis

Countries of origin and insects—Continued

ENGLAND—Continued

Newsteadia floccosa
Oligotrophus betulae
Orobitis cyaneus
Ortheziola signoreti
Orthochaetes setiger
Phytomyza atricornis
Pteleobius vittatus
Rhagoletis cerasi
Strophosoma melanogrammmum
Strophosoma retusus (?)
Taeniothrips atratus
Taeniothrips ericae
Taeniothrips picipes

ETHIOPIA:

Aleophagus myersi
Systole geniculata

FIJI ISLANDS:

Dacus dorsalis (?)

FORMOSA:

Parlatoria pseudaspidiotus

FRANCE:

Aphis rhamni (?)
Apion carduorum
Apion pomonae (?)
Bruchus luteicornis
Cacoecia pronubana
Ceratitis capitata
Ceroplastes japonicus
Crioceris lili
Curculio elephas
Epidiaspis piricola
Evergestis forficatis
Laspeyresia splendana
Mamestra brassicae
Oxythyrea funesta
Parlatoria zizyphus
Phalonia zephyrana
Pieris brassicae
Rhagoletis cerasi

FRENCH WEST AFRICA (?):

Parlatoria zizyphus

GERMANY:

Allantus cinctus
Anthonomus pomorum
Apion apricans
Arge rosae
Aspidiotus abietis
Aspidiotus pyri
Bruchus luteicornis
Callidium aeneum
Curculio nucum
Dryocoetes autographus
Hylurgops palliatus
Lampetia equestris
Laspeyresia strobilella
Leucaspis loewi
Pityogenes chalcographus
Rhagoletis cerasi
Rhyparochromus chiragra
Stenocarus fuliginosus
Taeniothrips atratus
Taeniothrips dianthi

GIBRALTAR (?):

Ceratitis capitata

GOLD COAST:

Cordylomera spinicornis
Dinoderus bifoveolatus
Heterobostrychus brunneus
"Targionia" hartii

GRAND CAYMAN:

"Targionia" hartii

GREAT BRITAIN:

Tingis cardui

GREECE:

Ceratitis capitata
Ceroplastes rusci
Cryptoblabes gnidiella
Dacus oleae
Gortyna flavago
Lecanium coryli
Leucaspis candida
Leucaspis loewi
Nilotaspis halli
Parlatoria oleae
Polychrosis botrana
Sesamia cretica

GRENADA:

Genopaschia protomis (?)

GUAM:

Achatina fulica
Ceroplastes rubens
Ferrisiana virgata

GUATEMALA:

Acanthoscelides obvelatus
Anastrepha ludens
Anastrepha mombinpraeoptans
Anastrepha serpentina
Apion auctum (?)
Chrysomphalus nigropunctatus
Chrysomphalus tenax
Chrysomphalus umboniferus
Coccus viridis
Ferrisiana virgata
Furcaspis bififormis
Lecaniodiaspis dendrobii
Metamasius sericeus carbonarius
Morganella longispina
Neoclytus cacicus
Protopulvinaria pyriformis
Puto ulter

HAITI:

Anastrepha mombinpraeoptans
Cylas formicarius elegantulus
Exophthalmus laetus
Haplothrips gowdeyi
Mimosestes dominicana
Pachyzancla bipunctalis

HAWAII:

Aonidiella inornata
Caryedon fuscus
Ceratitis capitata
Ceroplastes rubens
Coccotrypes dactyliperda
Coccus viridis
Cryptorhynchus mangiferae
Dacus cucurbitae
Dacus dorsalis
Dialeurodes citri
Dialeurodes kirkaldyi
Dryophthorus pusillus
Ereunetis flavistriata
Euscepes postfasciatus
Furcaspis bififormis
Haplothrips gowdeyi
Lampides boeticus
Lepidosaphes tokionis
Maruca testulalis
Nysius terrestris
Parlatoria crotonis
Parlatoria pseudaspidiotus
Parthenothrips dracaena
Pectinophora gossypiella
Phenacaspis sandwicensis
Pinnaspis buxi
Pseudococcus giffardi
Pseudococcus palmarum
Pulvinaria psidii
Taeniothrips hawaiiensis

HONDURAS:

Acanthoderes circumflexa
Anastrepha mombinpraeoptans
Chrysomphalus tenax
Furcaspis bififormis
Metamasius sericeus
Stenoma catenifer
Tenthecoris bicolor

INDIA:

Aspidiotus destructor
Coccotrypes dactyliperda
Cryptorhynchus mangiferae
Dinoderus brevis
Haplothrips gowdeyi
Lepidosaphes mcgregori
Lepidosaphes tuberculata
Monomorium destructor
Paraputo taraktogeni
Pectinophora gossypiella
Sinoxylon anale
Sinoxylon crassum

INDONESIA:

Monomorium destructor

IRAQ:

Bruchus rufipes

Countries of origin and insects—Continued

IRELAND:

Anaphothrips obscurus
Evergestis forficalis
Hypera postica

ISRAEL:

Ceratitis capitata
Lineaspis striata
Parlatoria cinerea
Polychrosis botrana (?)

ITALY:

Acrolepia assectella
Apion carduorum
Brachycerus albidentatus
Brachycerus algerus
Bruchus ervi
Bruchus signaticornis
Cacoecia pronubana
Ceratitis capitata
Ceroplastes ruscii
Cryptoblabes gnidiella
Curculio elephas
Curculio nucum
Dacus oleae
Deroceras reticulatum
Dyspessa ulula
Euphilippia olivina
Filippia oleae
Gortyna flavago
Hemimene juliana
Homotoma ficus
Iridomyrmex humilis
Lamptia equestris
Laspeyresia juliana
Laspeyresia splendana
Lepidosaphes ficus
Mamestra brassicae
Megastigmus pistaciae
Myelois ceratoniae
Notochilus damryi
Parlatoria camelliae
Parlatoria oleae
Parlatoria zizyphus
Parmena balteus
Pectinophora gossypiella
Phloeotribus scarabaeoides
Pieris brassicae
Pollinia pollonii
Polychrosis botrana
Prays oleellus
Pyrausta nubilalis
Rhagoletis cerasi
Sesamia cretica
Sparteus villosus
Thrips angusticeps
Trialeurodes lauri
Trupanea stellata

JAMAICA:

Aleurothrixus floccosus
Anastrepha mombinpraeoptans
Anastrepha suspensa
Asterolecanium epidendri
Caryedon fuscus
Chrysomphalus odontoglossi
Cylas formicarius elegantulus
Leucaspis cockerelli
Monomorium destructor
Myelois ceratoniae
Palaeopus costicollis
Paraleyrodes goyabae
Stenoma anonella
Tetraleurodes acaciae
Vinsonia stellifera

JAPAN:

Aleurolobus marlatti
Aleurotuberculatus similis
Aspidiotus corticis-pini
Aspidiotus pseudomeyeri
Capitophorus formosanus
Ceroplastes ceriferus
Ceroplastes rubens
Chilo simplex
Dinoderus brevis
Gracilaria azaleella
Grapholitha molesta
Hoplosternus japonicus
Iridomyrmex itoi abbotti

JAPAN—Continued

Laphygma exempta
Lepidosaphes celtis
Lepidosaphes conchiformis
Lepidosaphes kuwacola
Lepidosaphes pallida
Maruca testulalis
Microleon longipalpis
Monomorium destructor
Parlatoria camelliae
"Poliaspis" pini
Pyrausta nubilalis
Reticulitermes speratus
Thrips angusticeps
Unaspis yanonensis

KOREA:

Callosobruchus ademptus
Lepidosaphes conchiformis
Pectinophora gossypiella

LEBANON:

Ceratitis capitata
Cryptoblabes gnidiella
Dacus oleae

LIBERIA:

Cylas femoralis

MALTA:

Ceratitis capitata

MEXICO:

Acanthoscelides griseolus
Aceria tulipae
Acroleucus vicinalis
Aleurocanthus woglumi
Aleurodicus dugesii
Aleuroglandulus emmae
Aleuroparadoxus gardeniae
Aleuroplatus cococolus
Aleuroplatus plumosus
Aleurothrixus floccosus
Alpheias conspirata
Amitermes wheeleri
Anastrepha fraterculus
Anastrepha ludens
Anastrepha mombinpraeoptans
Anastrepha serpentina
Anthonomus scutellaris
Aspidiotus destructor
Aspidiotus herculeanus
Asterolecanium epidendri
Aulacaspis tubercularis
Catolethrus ebeninus
Chalcodermus dentiferus
Chrysomphalus agavis
Chrysomphalus personatus
Chrysomphalus sphaeroides
Chrysomphalus tenax
Chrysomphalus tingi
Chrysomphalus umboniferus
Clerada apicornis
Conchaspis angraeci
Conotrachelus aguacatae
Conotrachelus perseae
Cylas formicarius elegantulus
Dendroctonus mexicanus
Dialeurodes citri
Diorymerellus laevimargo
Draeculacephala minerva
Dysdercus mimulus
Epicaerus cognatus
Epinotia opposita
Ethmia festiva
Eucalymnatus tessellatus
Euetheola bidentata
Everes comyntas
Evergestis rimosalis
Exptochiomeria albomaculata
Ferrisiana virgata
Furcaspis biformis
Gargaphia patricia
Genuchinus v-notatus
Gerstaeckeria mutillaria
Gnorimoschema gudmannella
Grapholitha packardi
Hemileuca oliviae
Heteropsylla texana
Lecaniodiaspis dendrobii
Lepidosaphes carinata

Countries of origin and insects—Continued

MEXICO—Continued

Lepidosaphes philococcus
Leptophobia aripa
Lichtensia lutea
Ligyrocoris aurivilliana
Lineodes integra
Loxostege similalis
Lygaeus circumlinitus
Lygaeus circumplicatus
Malocampa punctata
Micrapate labialis
Monellia costalis
Moodna bisinuella
Mormidea collaris
Myzocallis caryaefoliae
Neoleucinodes elegantalis
Noropsis hieroglyphica
Orthodes melanops
Ozophora consanguinea
Pachyzancla bipunctalis
Pantomorus godmani
Parlatoria cinerea
Pectinophora gossypiella
Platynota rostrana
Praeblissus albofasciatus
Pseudischnaspis alienus
Pseudodiaspis yuccae
Plinus villiger
Puto lasiorum
Puto mexicanus
Rhagoletis completa
Rhagoletis juglans
Rhagoletis pomonella
Rhopalosiphum subterraneum
Scyphophorus acupunctatus
Selenothrips rubrocinctus
Sisamnes contractus
Sizeonotus luteiceps
Stenoma catenifer
Talponia batesi
"Targionia" bromiliae
"Targionia" cueroensis
Tenthecoris angustimarginatus
Tenthecoris bicolor
Tenthecoris confusus
Tetraleurodes acaciae
Thamnophthorus schwarzi
Trialeurodes intermedia (?)
Trialeurodes vitrinellus
Trichobaris mucorea
Trionymus sacchari
Trioza magnoliae
Xylobiops texanum

MONTSERRAT:

Genopaschia protomis (?)

MOROCCO:

Exosoma lusitanica
Lepidosaphes ficus

NETHERLANDS:

Acrolepia assectella
Adoxophyes orana
Dialeurodes chittendeni
Evergestis forficalis
Gracilaria azaleella
Lampetia equestris
Leucaspis loewi
Liosomaphis berberidis
Lygus campestris
Mamestra brassicae
Masonaphis rhododendri
Nematus bergmanni
Phytomyza rufipes
Pityogenes bidentatus
Psylla buxi
Sitona lineata
Strophosoma capitatus
Taeniothrips atratus
Tarsonemus laticeps

NEVIS:

"Targionia" hartii

NICARAGUA:

Anastrepha ludens
Anastrepha mombinpraeoptans
Anastrepha serpentina
Cosmopolites sordidus

NICARAGUA—Continued.

Pinnaspis buxi
Platypus rugulosus

NIGERIA:

Aspidiotus destructor
Cordylomera spinicornis

NORWAY:

Allantus cinctus
Gortyna flavago

PALESTINE:

Ceratitis capitata
Cryptoblabes gnidiella

PANAMA:

Anastrepha mombinpraeoptans
Anastrepha serpentina
Aspidiotus destructor
Asterolecanium epidendri
Chrysomphalus umboniferus
Coccus viridis
Furcaspis bififormis
Leucaspis cockerelli
Metamasius sericeus
Stenoma anonella
Stenoma catenifer
Tmetomorpha bitias

PERU:

Aleurocanthus woglumi
Anastrepha serpentina (?)
Epinotia opposita

PHILIPPINES:

Achatina fulica
Aonidiella inornata
Aspidiotus coryphae
Aspidiotus destructor
Aspidiotus excisus
Callosobruchus phaseoli
Caryedon fuscus
Chrysomphalus nulliporus
Chrysomphalus tingi
Dialeurodes kirkaldyi
Lepidosaphes mcgregori
Mertila malayensis
Nasutitermes luzonicus
Pseudaonidia trilobitiformis
Pseudococcus palmarum
Pulvinaria psidii
Tadius erirhinoides
Taeniothrips hawaiiensis

POLAND:

Brachyrhinus ovatus
Hypera nigrirostris

PORTUGAL:

Ceratitis capitata
Chaetanaphothrips orchidii
Chrysomphalus diversicolor
Cryptoblabes gnidiella
Curculio elephas
Epinotia tessulatana
Laspeyresia nigricana
Laspeyresia splendana
Metopoplax ditomoides
Microplax plagiatus
Rhagoletis cerasi

PUERTO RICO:

Acanthoscelides armitagei
Anastrepha mombinpraeoptans
Anastrepha suspensa
Ancylostomia stercorea
Coccus viridis
Cylas formicarius elegantulus
Exophthalmus roseipes
Frankliniella cubensis
Lepidosaphes ficus
Maruca testulalis
Metamasius sericeus
Pachyzancla periusalis
Pectinophora gossypiella
"Targionia" sacchari

ST. KITTS:

Monomorium destructor
"Targionia" hartii
Vinsonia stellifera

ST. LUCIA:

Chrysomphalus umboniferus
"Targionia" hartii

Countries of origin and diseases—Continued

ST. VINCENT:

Callosobruchus phaseoli
Stephanoderes lecontei

SAIPAN:

Achatina fulica

SALVADOR:

Anastrepha ludens
Anastrepha mombinpraeoptans
Anastrepha serpentina
Anastrepha striata
Leucaspis cockerelli

SCOTLAND:

Brachyrhinus singularis
Ceutorhynchus contractus
Gelechia ericetella
Lampetia equestris
Lochmaea capreae
Orthotylus ericetorum
Taeniothrips atratus

SIAM:

Monomorium destructor
Parlatoria pseudaspidotus

SOUTH AMERICA:

Coccidella americana
Furcaspis biformis
Pseudaonidia trilobitiformis

SPAIN:

Brachycerus algirus
Ceratitis capitata
Cryptoblabes gnidiella
Curculio elephas
Laspeyresia splendana
Parlatoria zizyphus
Rhagoletis cerasi

SWEDEN:

Callidium aeneum
Dicyphus annulatus
Hylurgops palliatus
Ips acuminatus
Pityogenes bidentatus
Pityogenes chalcographus
Rhagoletis cerasi
Taeniothrips atratus

SWITZERLAND:

Agallia venosa
Brachyrhinus porcatus
Brachyrhinus rugosostriatus
Parlatoria oleae
Rhyparochromus chiragra
Taeniothrips dianthi

SYRIA:

Ceratitis capitata
Dacus oleae
Monanthia echii

TAHITI:

Parlatoria cinerea

TRINIDAD:

Anastrepha mombinpraeoptans
Anastrepha striata
Ancylostomia stercorea
Asterolecanium epidendri
Chrysomphalus personatus

TRINIDAD—Continued

Eurytoma orchidearum
Euscepes postfasciatus
Furcaspis biformis
Maruca testulalis
Orthezia praelonga
Palaeopus costicollis
Parlatoria cinerea
Pectinophora gossypiella
Protopulvinaria longivalvata
Protopulvinaria pyriformis
Rhinochenus stigma
Sphenarches caffer
Thamnotettix hyalinapennis
Vinsonia stellifera

TURKEY:

Curculio elephas

UNION OF SOUTH AFRICA:

Argyroploce leucotreta
Asterolecanium stentae
Bostrychoplites cornutus
Carbula trisignata
"Chionaspis" indigoferae
Haplothrips bagnalli
Heterobostrychus brunneus
Lampetia equestris
Morganella longispina
Phlyctinus callosus
Rhagoletis pomonella
Specularius impressithorax

UNKNOWN:

Ceratitis capitata
Haplothrips gowdeyi
Laphygma exempta
Pectinophora gossypiella
Rhagoletis pomonella (?)
Stenoma catenifer
Taeniothrips atratus
Taeniothrips dianthi

VENEZUELA:

Asterolecanium epidendri
Aulacaspis tubercularis
Coccus viridis
Deroceras reticulatum
Diatraea busckella
Eurytoma orchidearum
Furcaspis biformis
Iridomyrmex iniquus
Protopulvinaria longivalvata
Pseudischnaspis alienus
Stenoma catenifer
Tenthecoris venezuelensis
Vinsonia stellifera

VIRGIN ISLANDS:

Cylas formicarius elegantulus
Euscepes postfasciatus
Orthezia praelonga
Vinsonia stellifera

YUGOSLAVIA:

Curculio elephas
Epidiaspis piricola
Laspeyresia splendana
Unaspis euonymi

List of pests (diseases) collected and reported from July 1, 1950, to June 30, 1951, inclusive

[An asterisk indicates State inspection]

Disease and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
<i>Alternaria citri</i> Ell. & Pierce:					
<i>Citrus paradisi</i> (grapefruit) -----	Argentina -----		1		Pa.
<i>Citrus reticulata</i> (Mandarin orange) -----	Japan, Mexico -----	1	2		Calif.,* Tex.
<i>Citrus sinensis</i> (orange) -----	Mexico, Union of South Africa, Yugoslavia. -----	3	2		Calif.,*N.Y., Pa., Tex.
<i>Citrus</i> sp -----	Mexico -----	1			Tex.
<i>Alternaria dianthi</i> F. L. Stevens & J. G. Hall:					
<i>Dianthus</i> sp -----	England -----			1	Wash.
<i>Gypsophila paniculata</i> (babysbreath) -----	Mexico -----	1			Tex.
<i>Alternaria porri</i> (Ell.) Cif.:					
<i>Allium cepa</i> (onion) -----	do -----	1			Tex.
<i>Alternaria raphani</i> Groves & Skolko:					
<i>Mathiola</i> sp. (stock) -----	do -----	1			Tex.
<i>Anguina tritici</i> (Steinbuch) Filip.:					
<i>Triticum aestivum</i> (wheat) -----	Syria, Turkey -----			4	D. C.
<i>Aphanomyces raphani</i> Kendr.:					
<i>Raphanus sativus</i> (radish) -----	Mexico -----	1			Tex.
<i>Aphelenchoides parietinus</i> (Bastian) Steiner:					
<i>Convallaria</i> sp -----	Denmark -----			1	N. Y.
<i>Aphelenchus avenae</i> Bastian:					
<i>Allium cepa</i> (onion) -----	Mexico -----	1			Tex.
<i>Gladiolus</i> sp -----	Netherlands -----			1	N. J.
Soil with cactus plants -----	Mexico -----			1	Ariz.
<i>Solanum tuberosum</i> (potato) -----	do -----	2			Tex.
<i>Apiospora camptospora</i> Penz. & Sacc.:					
<i>Saccharum officinarum</i> (sugarcane) -----	do -----	2			Tex.
<i>Apiospora montagnei</i> Sacc.:					
<i>Bamboo</i> -----	Japan -----	1			Tex.
<i>Ascochyta citri</i> Penz.:					
<i>Citrus sinensis</i> (orange) -----	Mexico -----	1			Tex.
<i>Botryosphaeria ribis</i> Gross. & Dugg.:					
<i>Citrus limon</i> (lemon) -----	Italy -----		1		Ala.
<i>Paeonia suffruticosa</i> (tree peony) -----	Japan -----			1	Calif.*
<i>Botrytis elliptica</i> (Berk.) Cke.:					
<i>Lilium auratum</i> (goldband lily) -----	do -----			2	Calif.*
<i>Lilium hansonii</i> (hanson lily) -----	do -----			1	Calif.*
<i>Lilium japonicum</i> (Japanese lily) -----	do -----			1	Calif.*
<i>Lilium rubellum</i> (rubellum lily) -----	do -----			1	Calif.*
<i>Lilium speciosum rubrum</i> (pink speciosum lily) -----	do -----			4	Calif.*
<i>Lilium</i> sp -----	China, Japan -----	1		1	Calif.*
<i>Lycoris radiata</i> (shorttube lycoris) -----	Japan -----			1	Calif.*
<i>Botrytis galanthina</i> (Berk. & Br.) Sacc.:					
<i>Galanthus nivalis</i> (snowdrop) -----	Netherlands -----			5	Calif.*
<i>Galanthus</i> sp -----	do -----			8	Md., Mass., N. Y., Pa.
<i>Botrytis gladiolorum</i> Timmermans:					
<i>Gladiolus</i> sp -----	Austria, Japan, Mexico, Netherlands. -----	1		9	Calif.,* Mich., Tex.
<i>Tritonia</i> sp -----	Netherlands -----			1	N. J.
<i>Calospora platanoidis</i> (Fr.) Niessl:					
<i>Acer pseudoplatanus</i> (sycamore maple) -----	Denmark -----			1	N. J.
<i>Catacauma sabal</i> Chardon:					
Palm -----	Mexico -----	2			Tex.
<i>Cercospora angreci</i> Roum.:					
<i>Odontoglossum</i> sp (orchid) -----	Belgium -----			2	N. J.
Orchid -----	Mexico -----			1	Tex.
<i>Stanhopea</i> sp. (orchid) -----	Guatemala -----			1	N. Y.
<i>Cercospora bocconiae</i> Chupp:					
<i>Bocconia frutescens</i> -----	Mexico -----			1	Tex.
<i>Cercospora centaureae</i> Died.:					
<i>Centaurea cyanus</i> (cornflower) -----	do -----	1			Tex.
<i>Cercospora coffeicola</i> Berk. & Cke.:					
<i>Coffea</i> sp. (coffee) -----	do -----			1	Ariz.
<i>Cercospora dudidae</i> Welles:					
<i>Allium cepa</i> (onion) -----	do -----	1			Tex.
<i>Cercospora fraxinites</i> Ell. & Ev.:					
<i>Fraxinus</i> sp. (ash) -----	do -----	4			Tex.

List of pests (diseases) collected and reported from July 1, 1950, to June 30, 1951
inclusive—Continued

[An asterisk indicates State inspection]

Disease and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
<i>Cercospora gossypina</i> Cke.: <i>Gossypium</i> sp. (cotton; leaf).....	Mexico.....	1			Tex.
<i>Cercospora handelii</i> Bub.: <i>Rhododendron</i> sp.....	Netherlands.....			1	N. J.
<i>Cercospora insulana</i> (Sacc.) Chupp: <i>Limonium sinuatum</i>	Mexico.....	1			Tex.
<i>Limonium</i> sp.....	do.....	1			Tex.
<i>Cercospora kaki</i> Ell. & Ev.: <i>Diospyros kaki</i> (kaki persimmon).....	Japan.....		1		Calif.*
<i>Cercospora lippiae</i> Ell. & Ev.: <i>Lippia alba</i>	Mexico.....	1			Tex.
<i>Cercospora lythracearum</i> Heald & Wolf: <i>Punica granatum</i> (pomegranate).....	do.....	1			Tex.
<i>Cercospora mangiferae</i> Koord.: <i>Mangifera indica</i> (mango).....	do.....		1		Calif.
<i>Cercospora musae</i> Zimm.: <i>Musa paradisiaca sapientum</i> (banana).....	Canal Zone, Colombia, Costa Rica, Guatemala, Honduras, Mexico, Nigeria, Panama.	55			Calif., Calif.,* Md., N. Y., Pa., Tex.
<i>Cercospora nepetae</i> Tehon: <i>Nepeta</i> sp.....	Mexico.....	1			Tex.
<i>Cercospora neriella</i> Sacc.: <i>Nerium oleander</i> (oleander).....	Bermuda.....			1	N. Y.
<i>Cercospora purpurea</i> Cke.: <i>Laurus</i> sp.....	Mexico.....	1			Ariz.
<i>Cerebella andropogonis</i> Ces.: <i>Paspalum dilatatum</i> (dallas grass).....	Australia.....			1	D. C.
<i>Tricholaena repens</i> (Natal grass).....	Venezuela.....			1	D. C.
<i>Ceuthospora lunata</i> Shear: <i>Rhododendron</i> sp.....	Netherlands.....			1	N. J.
<i>Cheatomium contortum</i> Pk.: <i>Zantedeschia aethiopica</i> (callalily).....	do.....			1	N. J.
<i>Zantedeschia</i> sp.....	do.....			1	N. J.
<i>Chiodecton sanguineum</i> (Sw.) Wain.: <i>Cattleya</i> sp. (orchid).....	Brazil.....			1	Calif.*
<i>Chlamydomyces palmarum</i> (Cke.) Mason: <i>Begonia</i> sp.....	Belgium.....			1	Calif.*
<i>Chrysomyxa rhododendri</i> (DC.) D By.: <i>Rhododendron ferrugineum</i>	Austria, Switzerland, unknown.	7	1		Mass., N. Y.
<i>Rhododendron</i> sp.....	England.....			1	Wash.
<i>Cladosporium oryzae</i> Sacc. & Syd.: <i>Oryza sativa</i> (rice).....	India, Japan.....	1	1		Calif.*
<i>Cladosporium pisicola</i> Snyder: <i>Pisum sativum</i> (pea).....	Mexico, Portugal.....	3	1		Md., Tex.
<i>Clonostachys araucaria</i> Cda.: <i>Ceanothus</i> sp.....	Netherlands.....			1	Wash.
<i>Coleosporium domingense</i> (Berk.) Arth.: <i>Plumeria</i> sp.....	Canal Zone.....			1	Fla.
<i>Coleosporium ipomoeae</i> (Schw.) Burr.: <i>Ipomoea</i> sp. (morning-glory).....	Mexico.....	1			Tex.
<i>Colletotrichum cajani</i> Rangel: <i>Cajanus cajan</i> (pigeonpea).....	Puerto Rico.....	4			N. Y., P. R.
<i>Colletotrichum coffeanum</i> Noack: <i>Coffea</i> sp. (coffee).....	Venezuela.....	1			Tex.
<i>Colletotrichum falcatum</i> Went: <i>Saccharum officinarum</i> (sugarcane).....	Bahamas, Cuba, Mexico	2	1		Fla.,* Tex.
<i>Colletotrichum graminicolum</i> (Ces.) G. W. Wils.: <i>Sorghum vulgare technicum</i> (broomcorn).....	Italy, Mexico.....	2			Md., Tex.
<i>Zea mays</i> (corn).....	Germany.....	1			Pa.
<i>Colletotrichum liliacearum</i> (Schw.) Ferr.: <i>Iris</i> sp.....	Australia.....			1	Calif.*
<i>Colletotrichum lilii</i> Plakidas: <i>Lilium auratum</i> (goldband lily).....	Japan.....			20	Calif.,* Oreg.
<i>Lilium formosanum</i> (Formosa lily).....	do.....			1	Calif.*
<i>Lilium giganteum</i> (giant lily).....	do.....			1	Calif.*
<i>Lilium hansonii</i> (hanson lily).....	do.....			2	Calif.*
<i>Lilium henryi</i> (henry lily).....	do.....			2	Calif.*

List of pests (diseases) collected and reported from July 1, 1950, to June 30, 1951,
inclusive—Continued

[An asterisk indicates State inspection]

Disease and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
<i>Colletotrichum lilii</i> Plakidas—Continued					
<i>Lilium japonicum</i> (Japanese lily)-----	Japan-----	-----	-----	2	Calif.*
<i>Lilium longiflorum</i> (Easter lily)-----	do-----	-----	-----	3	Calif.*
<i>Lilium neilgherrense</i> -----	India-----	-----	-----	1	Calif.*
<i>Lilium rubellum</i> (rubellum lily)-----	Japan-----	-----	-----	2	Calif.*
<i>Lilium speciosum rubrum</i> (pink speciosum lily)-----	do-----	-----	-----	25	Calif.,* Wash.
<i>Lilium tigrinum</i> (tiger lily)-----	do-----	-----	-----	1	Calif.*
<i>Lilium wallichianum</i> (wallich lily)-----	India-----	-----	-----	1	Wash.
<i>Lilium</i> sp.-----	Bermuda, China, India, Japan.	18	-----	5	Calif.,* N. Y.
<i>Colletotrichum pisi</i> Pat.:					
<i>Pisum sativum</i> (pea)-----	Mexico-----	1	-----	-----	Tex.
<i>Colletotrichum pisicola</i> Snyd.:					
<i>Pisum sativum</i> (pea)-----	Portugal-----	-----	1	-----	Md.
<i>Colletotrichum trichellum</i> (Fr.) Duke:					
<i>Hedera helix</i> (English ivy)-----	Germany-----	-----	-----	1	N. J.
<i>Hedera</i> sp. (ivy)-----	Ireland-----	-----	-----	1	N. Y.
<i>Coniosporium agaves</i> Pass.:					
<i>Agave</i> sp. (century plant)-----	Mexico-----	1	-----	-----	Tex.
<i>Coniosporium chusqueae</i> Speg.:					
<i>Chusquea quila</i> (quila)-----	Chile-----	1	-----	-----	N. Y.
<i>Coniothecium quercina</i> Sacc.:					
<i>Quercus</i> sp. (oak)-----	Mexico-----	1	-----	-----	Tex.
<i>Coniothyrium cytisallum</i> (Pass. & Thum.) Sacc.:					
<i>Laburnum watereri</i> -----	Netherlands-----	-----	-----	10	N. J.
<i>Coniothyrium hellebori</i> Oke. & Mass.:					
<i>Helleborus niger</i> (Christmas-rose)-----	Netherlands, Switzerland.	-----	-----	8	N. J.
<i>Coniothyrium olivaceum</i> Bon.:					
<i>Laburnum</i> sp.-----	Netherlands-----	-----	-----	1	N. J.
<i>Wisteria</i> spp.-----	Japan-----	-----	-----	2	Calif.*
<i>Coniothyrium pirinum</i> (Sacc.) Sheldon:					
<i>Malus sylvestris</i> (apple)-----	Mexico-----	2	-----	-----	Tex.
<i>Coryneum carpophilum</i> (Lev.) Jauch:					
<i>Prunus persica</i> (peach)-----	do-----	1	-----	-----	Tex.
<i>Cryptodiaporthe salicina</i> (Curr.) Wehm.:					
<i>Salix discolor</i> (pussy willow)-----	Netherlands-----	1	-----	-----	N. Y.
<i>Curvularia lunata</i> (Wakk.) Boed.:					
<i>Gladiolus</i> sp.-----	Mexico-----	1	-----	-----	Tex.
<i>Cymadothea trifolii</i> (Fr.) Wolf:					
<i>Trifolium</i> sp. (clover)-----	France-----	1	-----	-----	N. Y.
<i>Cytospora ceratophora</i> Sacc.:					
<i>Castanea</i> sp. (chestnut)-----	England-----	1	-----	-----	Pa.
<i>Cytospora chrysosperma</i> Fr.:					
<i>Salix discolor</i> (pussy willow)-----	Netherlands-----	1	-----	-----	N. Y.
<i>Cytospora rhoisa</i> Fr.:					
<i>Cotinus coggygria</i> (smoketree)-----	England-----	-----	-----	1	N. J.
<i>Cytospora salicis</i> (Cda.) Rab.:					
<i>Salix</i> sp.-----	Argentina, France-----	1	1	-----	La., Mass.
<i>Dendryphium obstipum</i> Pollack:					
<i>Colocasia esculenta</i> (dasheen)-----	China-----	2	-----	-----	Calif.*
<i>Dendryphium toruloides</i> (Fres.) Sacc.:					
<i>Marillaria</i> sp.-----	Mexico-----	-----	-----	1	Tex.
<i>Diaporthe eres</i> Nits.:					
<i>Wisteria</i> spp.-----	Japan-----	-----	-----	1	Calif.*
<i>Dibotryon morbosum</i> (Schw.) Theiss. & Syd.:					
Unknown shrub or tree-----	Mexico-----	1	-----	-----	Tex.
<i>Diplocarpon earliana</i> (Ell. & Ev.) Wolf:					
<i>Fragaria</i> sp. (strawberry)-----	Czechoslovakia-----	-----	-----	1	Md.
<i>Diplocarpon rosae</i> Wolf:					
<i>Rosa</i> sp. (rose)-----	Brazil-----	1	-----	-----	P. R.
<i>Diplodia cococarpa</i> Sacc.:					
<i>Cocos nucifera</i> (coconut)-----	Guam, Hawaii, Marshall Islands, Nigeria, Philippines.	26	-----	-----	Calif.*
<i>Diplodia epicocos</i> Cke.:					
<i>Cocos nucifera</i> (coconut)-----	Kwajalein Island-----	1	-----	-----	Hawaii.

List of pests (diseases) collected and reported from July 1, 1950, to June 30, 1951,
inclusive—Continued

[An asterisk indicates State inspection]

Disease and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
<i>Diplodia gossypina</i> Cke.: <i>Ipomoea batatas</i> (sweetpotato).....	Mexico.....	---	1	---	Tex.
<i>Morus</i> sp. (mulberry).....	Bahamas.....	---	---	2	Tex.
<i>Nymphaea</i> sp. (waterlily).....	China.....	1	---	---	Wash.
<i>Diplodia henriquesiana</i> Trav. & Spessa: <i>Vanda gigantea</i> (orchid).....	Siam.....	---	---	1	N. J.
<i>Diplodia paraphysaria</i> Sacc.: <i>Trichopilia</i> sp. (orchid).....	Canal Zone.....	---	---	1	Calif.*
<i>Diplodia sedicola</i> Cke. & Harkn.: <i>Sedum</i> sp.....	Mexico.....	---	---	1	D. C.
<i>Diplodia theobromae</i> (Pat.) Nowell: <i>Bamboo</i>	India.....	1	---	---	N. Y.
<i>Cucurbita pepo</i> (pumpkin).....	Brazil.....	---	1	---	Pa.
<i>Garcinia mangostana</i> (mangosteen).....	India.....	1	---	---	N. Y.
<i>Kigelia pinnata</i>	Union of South Africa.....	1	---	---	Mass.
<i>Palm</i>	Mexico.....	1	---	---	Tex.
<i>Diplodina eurhododendri</i> Voss: <i>Rhododendron</i> sp.....	Netherlands.....	---	---	2	N. J.
<i>Diplodina grossulariae</i> Sacc. & Briard: <i>Ribes</i> sp.....	Germany.....	---	---	1	N. J.
<i>Diplodina rostrupii</i> Vest.: <i>Leucothoe catesbaei</i>	Netherlands.....	---	---	1	N. J.
<i>Pieris floribunda</i>	do.....	---	---	1	N. J.
<i>Discella carbonacea</i> (Fr.) Berk. & Br.: <i>Salix discolor</i> (pussy willow).....	do.....	1	---	---	N. Y.
<i>Discosia artocreas</i> Fr.: <i>Camellia japonica</i> (camellia).....	Japan.....	---	---	4	Calif.*
<i>Rhododendron</i> sp.....	Canada.....	---	---	1	Wash.
<i>Ditylenchus dipsaci</i> (Kuhn) Filip.: <i>Allium cepa</i> (onion).....	Mexico.....	1	---	---	Ariz.
<i>Tigridia</i> sp.....	Netherlands.....	---	---	1	Pa.
<i>Ditylenchus iridis</i> Steiner: <i>Iris xiphium</i> (Spanish iris).....	do.....	---	---	1	Calif.*
<i>Elsinoe australis</i> Bitanc. & Jenkins: <i>Citrus aurantifolia</i> (sour lime).....	Brazil.....	---	4	---	La., Md., Tex.
<i>Citrus aurantifolia</i>	Paraguay.....	1	---	---	Fla.*
<i>Citrus limon</i> (lemon).....	Argentina, Brazil, Ecuador.....	1	32	---	Ala., Calif.,* La., Md., Mass., N. Y., Pa., Tex.
<i>Citrus sinensis</i> (orange).....	Argentina, Brazil, Unknown, Uruguay.....	2	61	---	Ala., Calif.,* Fla.,* La., Md., Mass., N. Y., Pa., Tex., Va.
<i>Citrus</i> sp. (orange).....	Argentina, Brazil, Uruguay.....	---	4	---	Fla.,* Md., N. Y.
<i>Elsinoe fawcettii</i> Bitanc. & Jenkins var. <i>scabiosa</i> Jenkins: <i>Citrus limon</i> (lemon).....	Australia.....	---	2	---	La., Mass.
<i>Elsinoe phaseoli</i> Jenkins: <i>Phaseolus lunatus macrocarpus</i> (lima bean).....	Cuba, Puerto Rico.....	6	---	---	N. Y., P. R.
<i>Entomosporium maculatum</i> Lev.: <i>Cydonia oblonga</i> (quince).....	Mexico.....	1	---	---	Tex.
<i>Entyloma dahliae</i> Syd.: <i>Dahlia</i> sp.....	Denmark.....	1	---	---	N. Y.
<i>Erwinia citrimaculans</i> (Doidge) Magrou: <i>Citrus sinensis</i> (orange).....	Union of South Africa.....	---	1	---	Tex.
<i>Exobasidium vaccinii</i> (Fekl.) Wor.: <i>Rhododendron carolinianum</i>	Netherlands.....	---	---	1	N. J.
<i>Rhododendron laetevirens</i>	do.....	---	---	1	N. J.
<i>Fabraea maculata</i> Atk.: <i>Cydonia oblonga</i> (quince).....	Mexico.....	2	---	---	Tex.

List of pests (diseases) collected and reported from July 1, 1950, to June 30, 1951,
inclusive—Continued

[An asterisk indicates State inspection]

Disease and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
<i>Fusarium oxysporum</i> Schlecht f. <i>gladioli</i> (Massey) Snyder & Hansen: <i>Gladiolus</i> sp.-----	Netherlands, Virgin Islands.	-----	-----	9	D. C., La., N. Y., Tex., Va.
<i>Fusarium oxysporum</i> Schlecht. f. <i>medicaginis</i> (Weimer) Snyder & Hansen: <i>Medicago sativa</i> (alfalfa)-----	Mexico-----	-----	-----	1	Calif.*
<i>Fusarium oxysporum</i> Schlecht. f. <i>narcissi</i> (Cke. & Mass.) Snyder & Hansen: <i>Narcissus</i> sp.-----	Netherlands-----	-----	-----	9	Calif.,* N. Y., S. C., Tex.
<i>Fusarium oxysporum</i> Schlecht. f. <i>tuberosi</i> (Wr.) Snyder & Hansen: <i>Solanum tuberosum</i> (potato)-----	Mexico-----	1	-----	-----	Tex.
<i>Gliomastix convoluta</i> (Harz.) Mason: <i>Lilium regale</i> (royal lily)-----	Netherlands-----	-----	-----	1	Calif.*
<i>Lilium tenuifolium</i> (coral lily)-----	do-----	-----	-----	1	Calif.*
<i>Orania macrocladus</i> (palm)-----	Straits Settlements-----	-----	-----	1	Calif.*
<i>Solanum tuberosum</i> (potato)-----	Australia, China, Japan, Netherlands, Sweden.	-----	5	-----	Calif.*
<i>Zingiber officinale</i> (ginger)-----	China, Japan-----	53	-----	-----	Calif.*
<i>Gloeosporium aquifolii</i> Penz. & Sacc.: <i>Ilex aquifolium</i> (English holly)-----	France-----	-----	1	-----	N. Y.
<i>Gloeosporium catechu</i> Syd.: <i>Areca cathecu</i> (betel palm)-----	Philippines-----	1	-----	-----	Calif.*
<i>Gloeosporium leguminum</i> (Cke.) Sacc.: <i>Prosopis</i> sp. (mesquite)-----	Mexico-----	1	-----	-----	Tex.
<i>Gloeosporium olivarum</i> Alm.: <i>Olea europaea</i> (olive)-----	Cyprus, Italy-----	3	1	-----	N. Y., Tex.
<i>Gloeosporium perennans</i> Zeller & Childs: <i>Malus sylvestris</i> (apple)-----	Sweden-----	-----	1	-----	N. Y.
<i>Gloeosporium piperatum</i> Ell. & Ev.: <i>Capsicum frutescens</i> (pepper)-----	Mexico-----	1	-----	-----	Tex.
<i>Gymnosporangium haraeae</i> Syd.: <i>Juniperus chinensis</i> (Chinese juniper)-----	Japan-----	-----	-----	4	Calif.*
<i>Gymnosporangium japonicum</i> Syd.: <i>Juniperus chinensis</i> -----	do-----	-----	-----	1	Calif.*
<i>Gymnosporangium juniperi</i> Lk.: <i>Sorbus aucuparia</i> (European mountain-ash)-----	Sweden-----	-----	-----	1	N. Y.
<i>Gymnosporangium juniperinum</i> (Pers.) Mart.: <i>Sorbus aucuparia</i> -----	Norway, Sweden-----	-----	-----	2	N. Y.
<i>Helminthosporium oryzae</i> Breda de Haan: <i>Oryza sativa</i> (rice)-----	China-----	1	-----	-----	Calif.*
<i>Hendersonia sabaleos</i> Ces.: Palm-----	Union of South Africa-----	-----	1	-----	Mass.
<i>Heterodera avenae</i> Eidam: Soil with bagging-----	England-----	1	-----	-----	N. Y.
Soil with pine-----	Isle of Man-----	-----	-----	1	N. Y.
Soil with potatoes-----	Netherlands-----	-----	1	-----	Pa.
Soil with rutabagas-----	England-----	-----	1	-----	Pa.
<i>Heterodera cacti</i> Filip. & Schuurmans Stekhoven: Soil with cactus-----	France, Israel-----	-----	-----	3	N. J., N. Y.
Soil with cactus and succulents-----	France-----	-----	-----	1	N. J.
Soil with <i>Epiphyllum</i> sp-----	Mexico-----	-----	-----	1	Calif.*
Soil with <i>Mammillaria</i> sp-----	do-----	-----	-----	3	Calif.,* Tex.
Soil with unknown plants-----	Italy-----	-----	-----	1	N. Y.
<i>Heterodera punctata</i> Thorne: Soil on an old army truck-----	Germany-----	1	-----	-----	N. Y.
Soil with bagging-----	England, Netherlands, Scotland.	4	-----	-----	N. Y., Pa.
Soil with bulbs-----	Denmark, England-----	-----	-----	2	Ill., N. Y.
Soil with cactus-----	England, Israel-----	-----	-----	2	N. J., N. Y.
Soil with cactus and sedum-----	England-----	-----	-----	1	N. Y.
Soil with carrots-----	Sweden-----	-----	1	-----	Pa.
Soil with cockscomb-----	England-----	-----	-----	1	N. Y.
Soil with colcus-----	Iceland-----	-----	-----	1	N. Y.
Soil with currant plants-----	England-----	-----	-----	1	N. Y.

List of pests (diseases) collected and reported from July 1, 1950, to June 30, 1951, inclusive—Continued

[An asterisk indicates State inspection]

Disease and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
<i>Heterodera punctata</i> —Continued					
Soil with cyclamen	England			1	N. Y.
Soil with <i>Cymbidium</i> sp.	do			1	N. J.
Soil with forget-me-not	Germany			1	N. Y.
Soil with heather	England, Scotland	1		2	N. Y.
Soil with <i>Laurus</i> sp.	Spain			1	N. Y.
Soil with narcissus bulbs	Ireland			1	N. Y.
Soil with onion sets	Netherlands			1	N. Y.
Soil with packing around dishes	Germany	1			N. Y.
Soil with phlox plants	do			1	N. Y.
Soil with pine	Isle of Man			1	N. Y.
Soil with various plants	Germany, Spain, Sweden, Switzerland.	1		3	N. J., N. Y.
Soil with potatoes	England, Norway, Sweden.	1	3		N. Y., Pa.
Soil with primrose plants	England			1	N. Y.
Soil with rose bush	do			1	N. Y.
Soil with <i>Sedum</i> sp. and cacti	do			1	N. Y.
Soil with <i>Sedum</i> sp.	Austria			1	N. Y.
Soil with shamrock	Ireland			1	N. Y.
Soil with spruce and oak trees	Germany			1	N. Y.
Soil with succulents and rhododendrons	Scotland			1	N. J.
Soil with miscellaneous trees	Spain			1	N. Y.
Soil from used urns	England	1			N. Y.
<i>Heterodera rostochiensis</i> Wr.:					
Soil on an old army truck	Germany	1			N. Y.
Soil with asparagus fern	England			1	N. Y.
Soil with bagging	Belgium, England, Netherlands, Scotland	57			Mass., N. Y. Pa., Va.
Soil with beets	England		1		N. Y.
Soil with begonia plants	Denmark			1	N. Y.
Soil with begonia tubers	Germany			1	N. Y.
Soil with bulbs	Denmark			1	Ill.
Soil with cactus and sedum plants	England			1	N. Y.
Soil with carrots	do		1		Wash.
Soil with chrysanthemum cuttings	do			1	N. J.
Soil with clematis plants	England, Switzerland			2	N. Y.
Soil with <i>Convallaria</i> sp.	England, Finland			2	Md., N. J.
Soil with old cordage	England	1			N. Y.
Soil with current plants	England, Sweden			3	N. Y.
Soil with cyclamen plants	Netherlands			1	N. Y.
Soil with dahlia tubers	England, Ireland, Scotland.			4	N. J., N. Y.
Soil with fern	England, Netherlands			2	N. Y.
Soil with <i>Fragaria</i> sp.	England			1	N. J.
Soil with geranium plant	England, Germany, Ireland.			3	N. J., N. Y.
Soil with <i>Glechoma hederacea</i> plant	Ireland			1	N. Y.
Soil with gloxinia plant	Luxembourg, Norway			2	N. Y.
Soil with gooseberry, currant, and plum plants	Sweden			1	N. Y.
Soil with heath	Scotland			1	Calif.*
Soil with heather	England, Scotland	1		6	N. J., N. Y.
Soil with heather and potatoes	Scotland	8			N. J., N. Y.
Soil with iris and gladiolus bulbs	England			1	N. Y.
Soil with jute bagging	do	1			N. Y.
Soil with kale and shamrock plants	Ireland			1	N. Y.
Soil with lavender plants	England, Ireland			3	N. Y.
Soil with leeks	Ireland		1		N. Y.
Soil with lily bulbs	England, Scotland			2	N. J., N. Y.
Soil with lily-of-the-valley pips	Netherlands			1	N. Y.
Soil with myrtle plant	Germany			1	N. Y.
Soil with narcissus bulbs and dahlia roots	Ireland			1	N. Y.
Soil with oat straw packing	England	1			N. Y.
Soil with onion sets	Netherlands			1	N. Y.
Soil with hay packing around dishes	Germany	1			N. Y.
Soil with packing for old toys	England	1			N. J.
Soil with perennials	Ireland			1	N. Y.

*List of pests (diseases) collected and reported from July 1, 1950, to June 30, 1951,
inclusive—Continued*

[An asterisk indicates State inspection]

Disease and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
<i>Heterodera rostochiensis</i> —Continued					
Soil with various plants.....	England, Germany, Scotland.	---	---	6	N. Y.
Soil with potatoes.....	Denmark, England, Germany, Ireland, Norway, Scotland, Spain.	4	14	3	Calif.,* N. Y., Pa., Tex., Va., Wash.
Soil with raspberry plants.....	Sweden.....	---	---	1	N. Y.
Soil with rhododendron plant.....	Scotland.....	---	---	1	Mass.
Soil with <i>Sedum</i> sp. plants.....	Poland.....	---	---	1	N. Y.
Soil with shallot.....	Wales.....	---	---	1	N. Y.
Soil with shamrocks.....	Ireland, Scotland.....	3	---	3	Calif.,* Mass., N. Y., Pa.
Soil with strawberry plants.....	Denmark.....	---	---	1	N. Y.
Soil with strawberry, gooseberry, and carnation plants.	England.....	---	---	1	N. Y.
Soil with thyme plants.....	England.....	---	---	1	N. Y.
Soil with tulip bulbs.....	do.....	---	---	1	N. Y.
Soil with violet roots.....	do.....	---	---	1	Calif.*
Soil with woody cuttings.....	Scotland.....	---	---	1	N. Y.
Soil.....	Ireland.....	1	---	---	N. Y.
Sweepings from floor of lighter.....	Scotland.....	1	---	---	N. Y.
<i>Heterodera schachtii</i> Schmidt:					
Soil with beets.....	Italy.....	---	1	---	Wash.
Soil with grape and fig plants.....	do.....	---	---	1	N. Y.
<i>Heterosporium iridis</i> (Fautr. & Roum.) Jacques:					
<i>Gladiolus</i> sp.....	Mexico.....	1	---	---	Tex.
<i>Iris germanica</i> (German iris).....	New Zealand.....	---	---	1	Calif.*
<i>Heterosporium ornithogali</i> (Klotzsch) Cke.:					
<i>Ornithogalum thyrsoides</i> (chinkerichee).....	Union of South Africa....	4	---	---	Mass., Mich., N. Y., Pa.
<i>Hormiscium pinophilum</i> (Nees) Lind.:					
<i>Abies balsamea</i> (balsam fir).....	Norway.....	1	---	---	Minn.
<i>Abies</i> sp. (fir).....	Germany.....	1	---	---	N. Y.
<i>Hormodendron cladosporioides</i> (Fres.) Sacc.:					
<i>Musa paradisiaca sapientum</i> (banana).....	Honduras.....	1	---	---	S. C.
<i>Hypocrella caulium</i> (Berk. & Curt.) Pat.:					
<i>Citrus reticulata</i> (Mandarin orange).....	Trinidad.....	1	---	---	N. Y.
<i>Iscaria clavata</i> Ditm. (?):					
<i>Cocos nucifera</i> (coconut).....	Mexico.....	1	---	---	Calif.*
<i>Isariopsis griseola</i> Sacc.:					
<i>Phaseolus vulgaris</i> var. (string bean).....	Puerto Rico.....	2	---	---	N. Y.
<i>Lembosia agave</i> Earle:					
<i>Agave</i> sp.....	do.....	1	---	---	P. R.
Leprosis:					
<i>Citrus sinensis</i> (orange).....	Bolivia, Brazil.....	1	1	---	Mass., Tex.
<i>Leptosphaeria eustomoides</i> Sacc.:					
<i>Triticum aestivum</i> (wheat).....	Germany.....	1	---	---	Calif.*
<i>Leptosphaeria rusci</i> (Wallr.) Sacc.:					
<i>Ruscus cladodes</i>	Italy.....	1	---	---	Pa.
<i>Leptosphaeria vagabunda</i> Sacc.:					
<i>Chrysanthemum zawadskii</i>	Canada.....	---	---	1	N. J.
<i>Leptostromella hysterioides</i> (Fr.) Sacc. (?):					
<i>Paeonia suffruticosa</i> (tree peony).....	Japan.....	---	---	1	Calif.*
<i>Leptothyrium pomi</i> (Mont. & Fr.) Sacc.:					
<i>Malus sylvestris</i> (apple).....	Mexico.....	1	---	---	Tex.
<i>Lophodermium arundinaceum</i> (Fr.) Chev.:					
<i>Phragmites communis</i> (reed).....	Netherlands.....	1	---	---	Md.
<i>Lophodermium pinastri</i> (Fr.) Chev.:					
<i>Pinus</i> sp. (pine).....	Japan.....	---	---	1	Calif.*
<i>Macrophoma epidendri</i> Keissl.:					
<i>Schomburgkia</i> sp. (orchid).....	Mexico.....	---	---	1	Tex.
<i>Macrophoma musae</i> (Cke.) Berl. & Vogl.:					
<i>Musa paradisiaca sapientum</i> (banana).....	Costa Rica, Hawaii, India, Mexico, Panama.	5	1	---	Calif.,* Hawaii.

List of pests (diseases) collected and reported from July 1, 1950, to June 30, 1951,
inclusive—Continued

[An asterisk indicates State inspection]

Disease and host	Country of origin	Number of interceptions in—			Collected in—
		Consump- tion	Nonentry	Propaga- tion	
<i>Macrophomina phaseolina</i> (Tassi) Goid.:					
<i>Ipomoea batatas</i> (sweetpotato)-----	Japan, Mexico-----		2		Calif.*
<i>Solanum tuberosum</i> (potato)-----	Japan-----		1		Calif.*
<i>Marssonina fraxini</i> Ell. & Davis:					
<i>Fraxinus</i> sp. (ash)-----	Mexico-----	1			Tex.
<i>Marssonina juglandis</i> (Lib.) Magn.:					
<i>Juglans</i> sp. (walnut)-----	Italy-----	1			Mass.
<i>Melanospora zamiae</i> Cda.:					
<i>Zingiber officinale</i> (ginger)-----	China-----	41			Calif.*
<i>Meliola citricola</i> Syd.:					
<i>Citrus grandis</i> (pummelo)-----	do-----	1			Calif.*
<i>Meloidogyne arenaria</i> (Neal) Chitwood:					
<i>Begonia</i> sp.-----	Belgium-----			1	N. J.
<i>Clematis</i> sp.-----	Netherlands-----			1	N. J.
<i>Memnoniella echinata</i> (Rivolta) L. O. Gall.:					
<i>Lilium longiflorum</i> (Easter lily)-----	Japan-----			1	Calif.*
<i>Zingiber officinale</i> (ginger)-----	China, Japan, Tahiti-----	75			Calif.*
<i>Metasphaeria hibiscicola</i> Rehm:					
<i>Hibiscus</i> sp.-----	Trinidad-----			1	N. Y.
<i>Microperella quercus</i> Hoehn:					
<i>Quercus</i> sp. (oak)-----	Japan-----	1			Wash.
<i>Microthyrium microscopicum</i> Desm.:					
<i>Buxus</i> sp.-----	Netherlands-----			1	N. J.
<i>Monilinia fructicola</i> (Wint.) Honey:					
<i>Malus sylvestris</i> (apple)-----	New Zealand-----	1			N. Y.
<i>Monilinia fructigena</i> (Aderh. & Ruhl.) Honey:					
<i>Cydonia oblonga</i> (quince)-----	Italy-----	1			N. Y.
<i>Malus sylvestris</i> (apple)-----	England-----		1		Pa.
<i>Pyrus communis</i> (pear)-----	Italy, Sweden-----		2		Calif.,* N. Y.
<i>Mycena citricolor</i> (Berk. & Curt.) Sacc.:					
[<i>Omphalia flavida</i> Maubl. & Rangel]					
<i>Gardenia augusta</i> (gardenia)-----	Guatemala, Mexico-----	3			Calif., La., Tex.
<i>Mycosphaerella advena</i> Syd.:					
<i>Chamaedorea</i> sp. (palm)-----	Mexico-----	1			Tex.
<i>Mycosphaerella clintoniana</i> House:					
<i>Rhododendron</i> sp.-----	Netherlands-----			1	Wash.
<i>Mycosphaerella opuntiae</i> (Ell. & Ev.) Dearn.:					
<i>Echinocactus</i> sp. (cactus)-----	Mexico-----			1	Tex.
<i>Mycosphaerella palmarum</i> Miles:					
Palm-----	do-----	1			Tex.
<i>Mycosphaerella pomi</i> (Pass.) Lindau:					
<i>Malus sylvestris</i> (apple)-----	New Zealand-----		1		Pa.
<i>Mycosphaerella punctiformis</i> (Pers.) Schroet.:					
<i>Andromeda</i> sp.-----	Netherlands-----			1	N. J.
<i>Mycosphaerella rhododendri</i> (Cke.) G. H. Martin:					
<i>Rhododendron</i> sp.-----	do-----			1	N. J.
<i>Mycosphaerella stemmatea</i> (Fr.) Rom.:					
<i>Vaccinium vitis-idaea</i> (cowberry)-----	Sweden-----			1	Wash.
<i>Myriangium duriae</i> Mont.:					
<i>Citrus sinensis</i> (orange)-----	Siam-----		1		Va.
<i>Mytilidium decipiens</i> (Karst.) Sacc.:					
<i>Juniperus</i> sp. (juniper)-----	Japan-----			1	Wash.
<i>Nigrospora sphaerica</i> (Sacc.) Mason:					
<i>Cymbopogon citratus</i> (lemon grass)-----	Iraq-----		1		Calif.*
<i>Oryza sativa</i> (rice)-----	Japan-----	2			Calif.*
<i>Ophiostoma narcissi</i> Limber:					
<i>Narcissus</i> sp.-----	England, Germany, Netherlands-----			13	N. J., N. Y.
<i>Papularia arundinis</i> (Cda.) Fr.:					
<i>Phragmites communis</i> (reed)-----	Netherlands-----	1			Tex.
<i>Papularia sphaerosperma</i> (Fr.) Hoehn.:					
Bamboo-----	Japan-----	1			Wash.
<i>Papularia vinosa</i> (Berk. & Curt.) Mason:					
Bamboo-----	Mexico-----	1			Ariz.
<i>Papulaspora coprophila</i> (Zukal) Hotson:					
<i>Tulipa</i> sp. (tulip)-----	Netherlands-----			1	N. J.

List of pests (diseases) collected and reported from July 1, 1950, to June 30, 1951,
inclusive—Continued

[An asterisk indicates State inspection]

Disease and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
<i>Papulaspora parasitica</i> (Eidam) Harz:					
<i>Gladiolus</i> sp.	Japan			1	Calif.*
<i>Ricinis communis</i> (castor-bean)	Philippines	1			Calif.*
<i>Paraphelenchus amblyurus</i> Steiner:					
<i>Iris kaempferi</i> (Japanese iris)	Japan			1	Calif.*
<i>Peronospora effusa</i> (Grev.) Rab.:					
<i>Spinacia oleracea</i> (spinach)	Mexico	8			Ariz.
<i>Pestalotia conspicua</i> Servazzi:					
<i>Cattleya</i> sp. (orchid)	Brazil			1	Calif.*
<i>Cymbidium</i> sp. (orchid)	Fiji Islands			1	Hawaii.
<i>Dendrobium johannis</i> (orchid)	Australia			1	Hawaii.
<i>Epidendrum prismatocarpum</i> (orchid)	Costa Rica			1	Fla.
Orchid	Honduras			1	Tex.
<i>Stanhopea</i> sp. (orchid)	Mexico			1	Tex.
<i>Pestalotia diospyri</i> Syd.:					
<i>Diospyros kaki</i> (kaki persimmon)	Japan	1			Calif.*
<i>Pestalotia disseminata</i> Thuem.:					
<i>Eucalyptus</i> sp.	Mexico	1			Tex.
<i>Pestalotia funerea</i> Desm.:					
<i>Araucaria araucana</i> (monkeypuzzle)	Scotland			1	N. Y.
<i>Pestalotia guepini</i> Desm.:					
<i>Camellia</i> sp.	Azores, France, Japan	1		3	Calif.,* Mass.
<i>Rhododendron obtusum</i>	Japan			1	Wash.
<i>Pestalotia japonica</i> Syd.:					
<i>Acer palmatum</i> (Japanese maple)	do			1	Calif.*
<i>Pestalotia macrotricha</i> Kleb.:					
<i>Pieris japonica</i> (Japanese andromeda)	Netherlands			1	N. J.
<i>Rhododendron</i> sp.	do			1	Wash.
<i>Pestalotia paeoniae</i> Maubl.:					
<i>Paeonia suffruticosa</i> (tree peony)	Japan			2	Calif.*
<i>Pestalotia palmarum</i> Cke.:					
<i>Cocos nucifera</i> (coconut)	Cuba, Hawaii, Marshall Islands, Philippines.	7	1	1	Calif.,* Pa.
Palm	Mexico	1			Tex.
<i>Pestalotia psidii</i> Pat.:					
<i>Psidium guajava</i> (guava)	do	1			Tex.
<i>Pestalotia rhododendri</i> (D. Sacc.) Guba:					
<i>Rhododendron</i> sp.	Netherlands			2	N. J., Wash.
<i>Pezizella oenotherae</i> (Cke. & Ell.) Sacc.:					
<i>Rosa</i> sp.	do			1	N. J.
<i>Phaeosphaeria oryzae</i> Miyake:					
<i>Oryza sativa</i> (rice)	Japan	1			Calif.*
<i>Phakospora desmum</i> (Berk. & Br.) Cumm.:					
<i>Gossypium</i> sp. (cotton)	Puerto Rico	1			P. R.
<i>Phlyctaena ranunculacearum</i> Hoehn.:					
<i>Paeonia suffruticosa</i> (tree peony)	Japan			1	Calif.*
<i>Paeonia</i> sp.	do			1	Calif.*
<i>Phoma citricarpa</i> McAlp.:					
<i>Citrus grandis</i> (pummelo)	China	2	1		Calif.*
<i>Citrus limon</i> (lemon)	China, New Zealand, Union of South Africa.		4		Calif.,* La., Mass.
<i>Citrus paradisi</i> (grapefruit)	Union of South Africa		1		Md.
<i>Citrus reticulata</i> (Mandarin orange)	China, Japan	55	3		Calif.,* Mass., Minn., N. Y.
<i>Citrus sinensis</i> (orange)	Australia, China, Fiji Islands, Japan, Union of South Africa.	39	9		Calif.,* Hawaii, Mass., Md., Pa.
<i>Citrus</i> sp.	China	1			Hawaii.
<i>Phoma hortensiae</i> Brun.:					
<i>Hydrangea</i> sp.	Azores			1	Mass.
<i>Phoma limonii</i> Theum.:					
<i>Citrus sinensis</i> (orange)	Mexico	1			Tex.
<i>Phoma pomi</i> Pass.:					
<i>Malus sylvestris</i> (apple)	Norway		1		Pa.

List of pests (diseases) collected and reported from July 1, 1950, to June 30, 1951, inclusive—Continued

[An asterisk indicates State inspection]

Disease and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
<i>Phoma rusci</i> West.:					
<i>Ruscus aculeatus</i> (?)	Italy	1			Pa.
<i>Phomopsis cinerescens</i> (Sacc.) Trav.:					
<i>Ficus carica</i> (fig)	Mexico			1	Tex.
<i>Phomopsis cocoas</i> Petch:					
<i>Cocos nucifera</i> (coconut)	Guam, Philippines	4			Calif.*
<i>Phomopsis ophites</i> (Sacc.) Trav.:					
<i>Hibiscus hamabo</i> (hamabo hibiscus)	Netherlands			1	N. J.
<i>Phomopsis palmicola</i> (Wint.) Sacc.:					
<i>Arecaoa thecu</i> (betel palm)	Yap Island			1	Calif.*
<i>Phragmidium disciflorum</i> [Tode] James:					
<i>Rosa</i> sp.	Germany, Italy	1		1	Mass., N. Y.
<i>Phragmidium montivagum</i> Arth. (?):					
<i>Rosa</i> sp.	Canada			1	N. J.
<i>Phyllosticta caryae</i> Pk.:					
<i>Carya illinoensis</i> (pecan)	Mexico	1			Tex.
<i>Phyllosticta gaultheriae</i> Ell. & Ev.:					
<i>Gaultheria shallon</i> (salal)	do	3			Tex.
<i>Phyllosticta glumarum</i> (Ell. & Tracy) Miyake:					
<i>Oryza sativa</i> (rice)	Dominican Republic	1			P. R.
<i>Phyllosticta laeliae</i> Keissl.:					
<i>Dendrobium</i> sp. (orchid)	Australia			1	Calif.*
<i>Phyllosticta mortoni</i> Fairm.:					
<i>Mangifera indica</i> (mango)	Mexico	1			Tex.
<i>Phyllosticta passiflorae</i> McAlp.:					
<i>Passiflora edulis</i> (purple granadilla)	Australia	1			Hawaii.
<i>Phyllosticta ruscicola</i> (Desm.) Dur. & Mont.:					
<i>Ruscus</i> sp.	Italy	3			N. Y., Pa.
<i>Physalospora obtusa</i> (Schw.) Cke.:					
<i>Malus sylvestris</i> (apple)	France, Germany	1	2		Ga., Mich., Pa.
<i>Phytophthora parasitica</i> Dast.:					
<i>Lycopersicon esculentum</i> (tomato)	Mexico	2			Ariz.
<i>Phytophthora phaseoli</i> Thaxt.:					
<i>Phaseolus vulgaris</i> var. (string bean)	do	1			Tex.
<i>Pleospora herbarum</i> (Pers.) Rab.:					
<i>Linum</i> sp. (flax)	Belgium	1			Pa.
<i>Vitis</i> sp. (grape)	Italy			1	N. Y.
<i>Pseudomonas marginata</i> (McCull.) Stapp:					
<i>Gladiolus</i> sp.	Netherlands			1	Calif.*
<i>Pseudomonas savastanoi</i> (E. F. Sm.) F. L. Stevens:					
<i>Olea europaea</i> (olive)	Italy	2			N. Y.
<i>Pseudomonas seminum</i> Cayley:					
<i>Pisum sativum</i> (pea)	Portugal		1		Tex.
<i>Pseudomonas solanacearum</i> E. F. Sm.:					
<i>Solanum tuberosum</i> (potato)	Mexico	1			Tex.
<i>Pseudopeziza medicaginis</i> (Lib.) Sacc.:					
<i>Medicago sativa</i> (alfalfa)	Argentina		1		Tex.
<i>Puccinia antirrhini</i> Diet. & Holw.:					
<i>Antirrhinum majus</i> (snapdragon)	Germany	1			Mass.
<i>Puccinia arenariae</i> (Schum.) Wint.:					
<i>Dianthus barbatus</i> (sweet-william)	England, Switzerland	2			Mass., N. Y.
<i>Puccinia buxi</i> DC.:					
<i>Buxus sempervirens</i> (box)	England, Yugoslavia			2	N. Y.
<i>Puccinia chrysanthemi</i> Roze:					
<i>Chrysanthemum</i> sp.	England			1	N. J.
<i>Puccinia glumarum</i> (Schmidt) Eriks. & E. Henn.:					
<i>Triticum aestivum</i> (wheat)	Italy	1			Pa.
<i>Puccinia graminis</i> Pers. var. <i>tritici</i> Eriks. & E. Henn.:					
<i>Triticum aestivum</i> (wheat)	Guatemala	1			Tex.
<i>Puccinia heliconiae</i> (Diet.) Arth.:					
<i>Strelitzia</i> sp. (bird-of-paradise-flower)	Trinidad			1	Fla.
<i>Puccinia hordei</i> Otth:					
<i>Hordeum</i> sp.	Mexico	2			Calif.*
<i>Puccinia obtecta</i> Pk.:					
<i>Scirpus</i> sp.	do	2			Tex.
<i>Puccinia ornithogali-thyrsoidea</i> Diet.:					
<i>Ornithogalum thyrsoidea</i> (chinkerichee)	Union of South Africa	3			N. Y.

List of pests (diseases) collected and reported from July 1, 1950, to June 30, 1951,
inclusive—Continued

[An asterisk indicates State inspection]

Disease and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
<i>Puccinia porri</i> (Sow.) Wint.: <i>Allium porrum</i> (leek)	Sweden		1		Pa.
<i>Puccinia scirpi</i> DC.: <i>Typha</i> sp. (cattail)	Mexico	1			Calif.
<i>Puccinia stakmanii</i> Presley: <i>Gossypium</i> sp. (cotton)	do	1			Tex.
<i>Puccinia urbaniana</i> P. Henn.: <i>Stachytarpheta jamaicensis</i>	Puerto Rico	1			P. R.
<i>Stachytarpheta</i> spp.	do	1			P. R.
<i>Puccinia violae</i> (Schum.) DC.: <i>Viola tricolor</i> (wild pansy)	Norway	1			N. Y.
<i>Pyrenochaeta acicola</i> (Lev.) Sacc.: <i>Pinus</i> sp. (5-leaved pine)	Japan			1	Hawaii.
<i>Pythium ultimum</i> Trow: <i>Cattleya</i> sp. (orchid)	Belgium			1	N. J.
<i>Pythium ultimum</i> Trow (?): <i>Sinningia speciosa</i> (gloxinia)	do			3	N. J.
<i>Ramularia tulasnei</i> Sacc.: <i>R. Fragaria</i> sp.	France			1	D. C.
<i>otylenchus robustus</i> (de Man) Filip. (?): Soil with primrose plant	England			1	N. Y.
<i>Schizophyllum commune</i> Fr.: <i>Agave</i> sp.	Hawaii	1			Wash.
Orchid	Mexico			1	Tex.
<i>Sclerotinia kernerii</i> Wettst.: <i>Abies</i> sp.	Switzerland	1			Mass.
<i>Sclerotinia minor</i> Jagger: <i>Cichorium endivia</i> (endive)	Belgium	3			N. Y.
<i>Sclerotium cepivorum</i> Berk.: <i>Allium sativum</i> (garlic)	Italy	33	2		N. Y., Pa.
<i>Sclerotium irregulare</i> Miy.: <i>Oryza sativa</i> (rice)	China	1			Wash.
<i>Septoria azaleae</i> Vogl.: <i>Rhododendron indicum</i> (indica azalea)	Belgium			1	N. J.
<i>Rhododendron</i> sp.	Netherlands			4	N. J.
<i>Septoria chrysanthemi</i> Allesch.: <i>Chrysanthemum</i> sp.	Japan, Mexico	4		1	Calif.,* Tex.
<i>Septoria citri</i> Pass.: <i>Citrus limon</i> (lemon)	Italy, Spain	1	3		Calif.,* Mich., Pa.
<i>Citrus paradisi</i> (grapefruit)	Japan		1		Calif.*
<i>Citrus sinensis</i> (orange)	Straits Settlements		1		N. Y.
<i>Septoria leucanthemi</i> Sacc. & Speg.: <i>Chrysanthemum maximum</i> (shasta daisy)	Mexico, Scotland	2		1	N. J., Tex.
<i>Chrysanthemum</i> sp.	Japan, unknown		1	1	Hawaii, N. Y.
<i>Septoria macrosporia</i> Dearn.: Daisy	Mexico	1			Tex.
<i>Septoria posekensis</i> Sacc.: <i>Cymbidium devonianum</i> (orchid)	India			4	Calif.*
<i>Cymbidium elegans</i>	do			3	Calif.*
<i>Cypripedium callosum</i> (orchid)	Siam			1	Calif.*
<i>Cypripedium fairieanum</i>	India			6	Calif.,* N. J.
<i>Odontoglossum citrosmum</i> (orchid)	Mexico			2	Calif.,* Tex.
<i>Septosporium scyphophorum</i> Cke. & Harkn.: <i>Eucalyptus</i> sp.	do	1			Tex.
Medicinal herb	do	1			Tex.
<i>Sorosporium syntherismae</i> (Pk.) Farl.: <i>Panicum</i> sp.	Argentina	1			Tex.
<i>Sphaceloma perseae</i> Jenkins: <i>Persea americana</i> (avocado)	Mexico	1			Tex.
<i>Sphaeropsis orchidearum</i> Cif. & Frag.: Orchid	Costa Rica			1	Fla.
<i>Stachybotrys subsimplex</i> Cke.: <i>Musa paradisiaca sapientum</i> (banana)	Panama	2			Calif.*
<i>Stachylidium theobromae</i> Ture.: <i>Musa paradisiaca</i> (plantain)	Honduras	1			N. Y.
<i>Musa paradisiaca sapientum</i> (banana)	Mexico, Panama, Phil- ippines, Portugal.	4	1		Calif.,* Mass.

List of pests (diseases) collected and reported from July 1, 1950, to June 30, 1951,
inclusive—Continued

[An asterisk indicates State inspection]

Disease and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
<i>Stagnospora macrospora</i> (Dur. & Mont.) Sacc.:					
<i>Agave</i> sp.-----	Mexico-----			1	Tex.
<i>Stemphylium botryosum</i> Wallr.:					
<i>Allium porrum</i> (leek)-----	do-----		1		Tex.
<i>Hyacinthus</i> sp.-----	Netherlands-----			1	Minn.
<i>Musa paradisica sapientum</i> (banana)-----	Mexico-----		1		Calif.*
<i>Stemphylium ilicis</i> Tengwall:					
<i>Muscari botryoides</i> (grapehyacinth)-----	Netherlands-----			2	N. Y., Tex.
<i>Stemphylium radicinum</i> (Meier, Drechs. & Eddy) Neerg.:					
<i>Daucus carota</i> (carrot)-----	England-----		1		Tex.
<i>Stereum rufum</i> Fr.:					
<i>Populus</i> sp.-----	Mexico-----	1			Tex.
<i>Stigmella sacchari</i> Speg.:					
<i>Saccharum officinarum</i> (sugarcane)-----	Hawaii-----	1			Calif.*
<i>Stilbum incarnatum</i> Wakk.:					
<i>Castanea</i> sp. (chestnut)-----	Japan-----	1			Calif.*
<i>Dahlia</i> sp.-----	Australia-----			1	Calif.*
<i>Eleocharis dulcis</i> (waternut)-----	China-----	3			Calif.*
<i>Pachyrhizus tuberosus</i> (West Indies yam)-----	do-----	3			Calif.*
<i>Trapa natans</i> (waterchestnut)-----	do-----	1			Calif.*
<i>Stomatogene agaves</i> (Ell. & Ev.) Th. & Syd.:					
<i>Yucca aloifolia</i> (Spanish dagger)-----	Mexico-----	1			Tex.
<i>Yucca</i> sp.-----	do-----	1			Tex.
Streak (winter blight):					
<i>Lycopersicon esculentum</i> (tomato)-----	do-----	2			Ariz.
<i>Thecopsora areolata</i> (Fr.) Magn.:					
<i>Picea abies</i> (Norway spruce)-----	Austria-----	1			Calif.*
<i>Thielaviopsis basicola</i> (Berk. & Br.) Ferr.:					
<i>Begonia</i> sp.-----	Netherlands-----			1	Calif.*
<i>Sinningia speciosa</i> (gloxinia)-----	Belgium-----			9	Calif.,* N. J., Pa.
<i>Torula oleae</i> Cast.:					
<i>Olea europaea</i> (olive)-----	Azores-----			1	Mass.
<i>Trichoderma viride</i> Fr.:					
<i>Pandanus</i> sp. (screwpine)-----	Kwajalein-----	1			Hawaii.
<i>Tritirachium dependens</i> Limber:					
<i>Gladiolus</i> sp.-----	Africa, Japan-----			2	La., N. Y.
<i>Lilium auratum</i> (goldband lily)-----	Japan-----				Calif.*
<i>Lilium concolor</i> (morningstar lily)-----	do-----			1	Calif.*
<i>Lilium giganteum</i> (giant lily)-----	do-----			1	Calif.*
<i>Lilium longiflorum</i> (Easter lily)-----	do-----			3	Calif.*
<i>Lilium rubellum</i> (rubellum lily)-----	do-----			1	Calif.*
<i>Lilium speciosum rubrum</i> (pink speciosum lily)-----	do-----			6	Calif.*
<i>Lilium</i> sp.-----	Bermuda, China, Japan-----	4		3	Calif.,* N. Y.
<i>Lycoris radiata</i> (shorttube lycoris)-----	Japan-----			1	Calif.*
<i>Narcissus</i> sp.-----	China-----	1			Calif.*
<i>Trullula olivascens</i> Sacc.:					
<i>Citrus sinensis</i> (orange)-----	Argentina-----		1		Calif.*
<i>Tryblidiella rufula</i> (Spreng.) Sacc.:					
Unknown stem-----	Mexico-----	1			Tex.
<i>Uredo aurantiaca</i> Mont.:					
<i>Oncidium</i> sp. (orchid)-----	Brazil-----			1	N. J.
<i>Uredo behnickiana</i> P. Henn.:					
<i>Brassavola</i> sp. (orchid)-----	Mexico-----			1	Tex.
<i>Laelia anceps</i> (orchid)-----	do-----			2	Tex.
<i>Uredo guacae</i> Mayor:					
<i>Stanhopea</i> sp. (orchid)-----	Costa Rica, Mexico-----			2	Fla., Tex.
<i>Uredo jucunda</i> Syd.:					
<i>Philodendron</i> sp.-----	Costa Rica-----			2	Fla.
<i>Uredo nigropunctata</i> P. Henn.:					
<i>Bletia</i> sp. (orchid)-----	Bahamas-----			1	Fla.
<i>Uredo oncidii</i> P. Henn.:					
<i>Oncidium bicallosum</i> (orchid)-----	Guatemala-----			1	Calif.*
<i>Oncidium cavendishianum</i> -----	Mexico-----			2	Fla., Tex.
<i>Oncidium cebolleta</i> -----	do-----			1	Tex.

List of pests (diseases) collected and reported from July 1, 1950, to June 30, 1951, inclusive—Continued

[An asterisk indicates State inspection]

Disease and host	Country of origin	Number of interceptions in—			Collected in—
		Consumption	Nonentry	Propagation	
<i>Urocystis colchici</i> (Schlecht.) Rab.:					
<i>Colchicum autumnale album</i>	Netherlands.....			1	N. J.
<i>Colchicum autumnale major</i>	do.....			1	N. J.
<i>Colchicum autumnale minor</i>	do.....			1	N. J.
<i>Colchicum bornmuelleri</i>	do.....			3	N. J.
<i>Colchicum</i> sp.....	do.....			7	N. J.
<i>Urocystis gladiolicola</i> Ainsworth:					
<i>Gladiolus</i> sp.....	do.....			1	N. J.
<i>Uromyces alyxiae</i> Arth.:					
<i>Alyxia olivaeformis</i>	Hawaii.....	2			Calif.*
<i>Uromyces lespedezae-procumbentis</i> (Schw.) Curt.:					
<i>Lespedeza stipulacea</i> (Korean lespedeza).....	China.....			1	Calif.*
<i>Uromyces striatus</i> Schroet. var. <i>medicaginis</i> (Pass.) Arth.:					
<i>Medicago sativa</i> (alfalfa).....	Argentina.....	1			Tex.
<i>Ustilago tritici</i> (Pers.) Rost.:					
<i>Triticum aestivum</i> (wheat).....	England.....	1			Calif.*
<i>Venturia inaequalis</i> (Cke.) Wint. var. <i>cinerascens</i> (Fckl.) Aderh.:					
<i>Sorbus aucuparia</i> (European mountain-ash).....	Germany.....	1			N. Y.
<i>Vermicularia dematium</i> Fr.:					
<i>Dahlia</i> sp.....	Australia.....			1	Calif.*
Virus—undetermined:					
<i>Crossandra</i> sp.....	Canal Zone.....			1	Fla.
<i>Xanthomonas citri</i> (Hasse) Dowson:					
<i>Citrus aurantifolia</i> (sour lime).....	India, Indonesia.....		14		Ala., Mas N. Y.
<i>Citrus grandis</i> (pummelo).....	China, Japan.....	2	1		Calif.*
<i>Citrus grandis</i> (?).....	Straits Settlements.....		1		Calif.*
<i>Citrus limon</i> (lemon).....	India, Japan.....		18		Calif.*
<i>Citrus mitis</i> (calamondin orange) (?).....	India.....		1		N. Y.
<i>Citrus paradisi</i> (grapefruit).....	Ceylon, China, Japan.....		4		Calif.,* Mass.
<i>Citrus reticulata</i> (Mandarin orange).....	China.....	6			Calif.*
<i>Citrus sinensis</i> (orange).....	Ceylon, China, Japan.....	11	6		Calif.,* Pa.
<i>Citrus</i> sp.....	Japan (?).....		1		Wash.
<i>Xanthomonas hyacinthi</i> (Wakk.) Dowson:					
<i>Hyacinthus</i> sp.....	Netherlands.....			14	Mich., N. Y.
<i>Xanthomonas</i> sp. (Cancrosis "B"):					
<i>Citrus limon</i> (lemon).....	Argentina.....		6		La., N. Y., Pa., Tex.
Yellow-mottle virus:					
<i>Camellia sasanqua</i> (sasanqua tea).....	Japan.....			1	Calif.*

Hosts and diseases

- ✓ **ABIES:**
Hormiscium pinophilum (Deuteromycetes)
Sclerotinia kernerii (Ascomycetes)
- ACER:**
Calospora platanoidis (Ascomycetes)
Pestalotia japonica (Deuteromycetes)
- AGAVE:**
Coniosporium agaves (Deuteromycetes)
Lembosia agave (Ascomycetes)
Schizophyllum commune (Basidiomycetes)
Stagnospora macrospora (Deuteromycetes)
- ALLIUM CEPA:**
Alternaria porri (Deuteromycetes)
Aphelenchus avenae (Nematoda)
Cercospora duddiae (Deuteromycetes)
Ditylenchus dipsaci (Nematoda)
- ALLIUM PORRUM:**
Puccinia porri (Promycetes)
Stemphylium botryosum (Deuteromycetes)
- ALLIUM SATIVUM:**
Sclerotium cepivorum (Deuteromycetes)
- ALYXIA:**
Uromyces alyxiae (Promycetes)
- ANDROMEDA:**
Mycosphaerella punctiformis (Ascomycetes)
- ANTIRRHINUM:**
Puccinia antirrhini (Promycetes)
- ARAUCARIA:**
Pestalotia funerea (Deuteromycetes)
- ARECA:**
Gloeosporium catechu (Deuteromycetes)
Phomopsis palmicola (Deuteromycetes)
- BAMBOO:**
Apiospora montagnei (Phycomycetes)
Diplodia theobromae (Deuteromycetes)
Papularia sphaerosperma (Deuteromycetes)
Papularia vinosa (Deuteromycetes)
- BEGONIA:**
Chlamydomyces palmarum (Deuteromycetes)
Meloidogyne arenaria (Nematoda)
Thielaviopsis basicola (Deuteromycetes)
- BLETIA:**
Uredo nigropunctata (Promycetes)
- BOCCONIA:**
Cercospora bocconiae (Deuteromycetes)
- BRASSAVOLA:**
Uredo behnickiana (Promycetes)
- BUXUS:**
Microthyrium microscopicum (Ascomycetes)
Puccinia buxi (Promycetes)
- CAJANUS:**
Colletotrichum cajani (Deuteromycetes)
- CAMELLIA:**
Discosia artocreas (Deuteromycetes)
Pestalotia guepini (Deuteromycetes)
Yellow-mottle virus
- CAPSICUM:**
Gloeosporium piperatum (Deuteromycetes)
- CARYA:**
Phyllosticta caryae (Deuteromycetes)
- CASTANEA:**
Cytospora ceratophora (Deuteromycetes)
Stilbum incarnatum (Deuteromycetes)
- CATTLEYA:**
Chiodecton sanguineum (Ascomycetes)
Pestalotia conspicua (Deuteromycetes)
Pythium ultimum (Phycomycetes)
- CEANOETHUS:**
Clonostachys araucaria (Deuteromycetes)
- CENTAUREA:**
Cercospora centaureae (Deuteromycetes)
- CHAMAEDOREA:**
Mycosphaerella advena (Ascomycetes)
- CHRYSANTHEMUM:**
Leptosphaeria vagabunda (Ascomycetes)
Puccinia chrysanthemi (Promycetes)
Septoria chrysanthemi (Deuteromycetes)
Septoria leucanthemi (Deuteromycetes)
- CHUSQUEA:**
Coniosporium chusqueae (Deuteromycetes)
- CICHORIUM:**
Sclerotinia minor (Ascomycetes)
- CITRUS AURANTIFOLIA:**
Elsinoe australis (Ascomycetes)
Xanthomonas citri (Schizomycetes)
- CITRUS GRANDIS:**
Meliola citricola (Ascomycetes)
Phoma citricarpa (Deuteromycetes)
Xanthomonas citri (Schizomycetes)
- CITRUS LIMON:**
Botryosphaeria ribis (Ascomycetes)
Elsinoe australis (Ascomycetes)
Elsinoe fawcetti var. *scabiosa* (Ascomycetes)
Phoma citricarpa (Deuteromycetes)
Septoria citri (Deuteromycetes)
Xanthomonas citri (Schizomycetes)
Xanthomonas sp. (Cancrosis "B") (Schizomycetes)
- CITRUS MITIS (?)**
Xanthomonas citri (Schizomycetes)
- CITRUS PARADISI:**
Alternaria citri (Deuteromycetes)
Phoma citricarpa (Deuteromycetes)
Septoria citri (Deuteromycetes)
Xanthomonas citri (Schizomycetes)
- CITRUS RETICULATA:**
Alternaria citri (Deuteromycetes)
Hypocrella caulium (Ascomycetes)
Phoma citricarpa (Deuteromycetes)
Xanthomonas citri (Schizomycetes)
- CITRUS SINENSIS:**
Alternaria citri (Deuteromycetes)
Ascochyta citri (Deuteromycetes)
Elsinoe australis (Ascomycetes)
Erwinia citrimaculans (Schizomycetes)
Leprosis
Myriangium duriaei (Ascomycetes)
Phoma citricarpa (Deuteromycetes)
Phoma limonii (Deuteromycetes)
Septoria citri (Deuteromycetes)
Trullula olivascens (Deuteromycetes)
Xanthomonas citri (Schizomycetes)
- CITRUS SP. (orange):**
Elsinoe australis (Ascomycetes)
- CITRUS SP.:**
Alternaria citri (Deuteromycetes)
Phoma citricarpa (Deuteromycetes)
Xanthomonas citri (Schizomycetes)
- CLEMATIS:**
Meloidogyne arenaria (Nematoda)
- COCOS:**
Diplodia cococarpa (Deuteromycetes)
Diplodia epicocos (Deuteromycetes)
Isaria clavata (Deuteromycetes)
Pestalotia palmarum (Deuteromycetes)
Phomopsis cocoas (Deuteromycetes)
Urocystis colchici (Promycetes)
- COFFEA:**
Cercospora coffeicola (Deuteromycetes)
Colletotrichum coffeanum (Deuteromycetes)
- COLCHICUM:**
Urocystis colchici (Promycetes)
- COLOCASIA:**
Dendryphium obstipum (Deuteromycetes)
- CONVALLARIA:**
Aphelenchoides parietinus (Nematoda)
- COTINUS:**
Cytospora rhoia (Deuteromycetes)
- CROSSANDRA:**
Virus—undetermined
- CUCURBITA:**
Diplodia theobromae (Deuteromycetes)
- CYDONIA:**
Entomosporium maculatum (Deuteromycetes)
Fabraea maculata (Ascomycetes)
Monilinia fructigena (Ascomycetes)
- CYMBIDIUM:**
Pestalotia conspicua (Deuteromycetes)
Septoria posekensis (Deuteromycetes)
- CYMOPOGON:**
Nigrospora sphaerica (Deuteromycetes)
- CYPRIPEDIUM:**
Septoria posekensis (Deuteromycetes)
- DAHLIA:**
Entyloma dahliae (Promycetes)
Stilbum incarnatum (Deuteromycetes)
Vermicularia dematium (Deuteromycetes)
- DAISY:**
Septoria macrospora (Deuteromycetes)

Hosts and diseases—Continued

- DAUCUS:**
Stemphylium radicinum (Deuteromycetes)
DENDROBIUM:
Pestalotia conspicua (Deuteromycetes)
Phyllosticta laeliae (Deuteromycetes)
DIANTHUS:
Alternaria dianthi (Deuteromycetes)
Puccinia arenariae (Promycetes)
DIOSPYROS:
Cercospora kaki (Deuteromycetes)
Pestalotia diospyri (Deuteromycetes)
ECHINOCACTUS:
Mycosphaerella opuntiae (Ascomycetes)
ELEOCHARIS:
Stilbum incarnatum (Deuteromycetes)
EPIDENDRUM:
Pestalotia conspicua (Deuteromycetes)
EUCALYPTUS:
Pestalotia disseminata (Deuteromycetes)
Septosporium scyphophorum (Deuteromycetes)
FICUS:
Phomopsis cinerescens (Deuteromycetes)
FRAGARIA:
Diplocarpon earliana (Ascomycetes)
Ramularia tulasnei (Deuteromycetes)
FRAXINUS:
Cercospora fraxinites (Deuteromycetes)
Marssonina fraxini (Deuteromycetes)
GALANTHUS:
Botrytis galanthina (Deuteromycetes)
GARCINIA:
Diplodia theobromae (Deuteromycetes)
GARDENIA:
Mycena citricolor [*Omphalia flavida*] (Deuteromycetes)
GAULTHERIA:
Phyllosticta gaultheriae (Deuteromycetes)
GLADIOLUS:
Aphelenchus avenae (Nematoda)
Botrytis gladiolorum (Deuteromycetes)
Curvularia lunata (Deuteromycetes)
Fusarium oxysporum f. *gladioli* (Deuteromycetes)
Heterosporium iridis (Deuteromycetes)
Papulaspora parasitica (Deuteromycetes)
Pseudomonas marginata (Schizomycetes)
Tritirachium dependens (Deuteromycetes)
Urocystis gladiolicola (Promycetes)
GOSSYPIUM:
Cercospora gossypina (Deuteromycetes)
Phakopsora desmii (Promycetes)
Puccinia stakmanii (Promycetes)
GYPSOPHILA:
Alternaria dianthi (Deuteromycetes)
HEDERA:
Colletotrichum trichellum (Deuteromycetes)
HELLEBORUS:
Coniothyrium hellebori (Deuteromycetes)
HIBISCUS:
Metasphaeria hibiscincola (Ascomycetes)
Phomopsis ophites (Deuteromycetes)
HORDEUM:
Puccinia hordei (Promycetes)
HYACINTHUS:
Stemphylium botryosum (Deuteromycetes)
Xanthomonas hyacinthi (Schizomycetes)
HYDRANGEA:
Phoma hortensiae (Deuteromycetes)
ILEX:
Gloeosporium aquifolii (Deuteromycetes)
IPOMOEAE:
Coleosporium ipomoeae (Promycetes)
Diplodia gossypina (Deuteromycetes)
Macrophomina phaseolina (Deuteromycetes)
IRIS:
Colletotrichum liliacearum (Deuteromycetes)
Ditylenchus iridis (Nematoda)
Heterosporium iridis (Deuteromycetes)
Paraphelenchus amblyurus (Nematoda)
JUGLANS:
Marssonina juglandis (Deuteromycetes)
JUNIPERUS:
Gymnosporangium haraeaeum (Promycetes)
Gymnosporangium japonicum (Promycetes)
Mytilidion decipiens (Ascomycetes)
- KIGELIA:**
Diplodia theobromae (Deuteromycetes)
LABURNUM:
Coniothyrium cytisellum (Deuteromycetes)
Coniothyrium olivaceum (Deuteromycetes)
LAELIA:
Uredo behnickiana (Promycetes)
LAURUS:
Cercospora purpurea (Deuteromycetes)
LESPEDeza:
Uromyces lespedezae-procumbentis (Promycetes)
LEUCOTHOE:
Diplodina rostrupii (Deuteromycetes)
LILIUM:
Botrytis elliptica (Deuteromycetes)
Colletotrichum lilii (Deuteromycetes)
Glomastix convoluta (Deuteromycetes)
Memnoniella echinata (Deuteromycetes)
Tritirachium dependens (Deuteromycetes)
LIMONIUM:
Cercospora insulana (Deuteromycetes)
LINUM:
Pleospora herbarum (Ascomycetes)
LIPPIA:
Cercospora lippiae (Deuteromycetes)
LYCOPERSICON:
Phytophthora parasitica (Phycomycetes)
Streak (winter blight)
LYCORIS:
Botrytis elliptica (Deuteromycetes)
Tritirachium dependens (Deuteromycetes)
MALUS:
Coniothyrium pirinum (Deuteromycetes)
Gloeosporium perennans (Deuteromycetes)
Leptothyrium pomi (Deuteromycetes)
Monilinia fruticola (Ascomycetes)
Mycosphaerella pomi (Ascomycetes)
Phoma pomi (Deuteromycetes)
Physalospora obtusa (Ascomycetes)
MANGIFERA:
Cercospora mangiferae (Deuteromycetes)
Phyllosticta mortoni (Deuteromycetes)
MATHIOLA:
Alternaria raphani (Deuteromycetes)
MAXILLARIA:
Dendryphium toruloides (Deuteromycetes)
MEDICAGO:
Fusarium oxysporum f. *medicaginis* (Deuteromycetes)
Pseudopeziza medicaginis (Ascomycetes)
Uromyces striatus var. *medicaginis* (Promycetes)
MORUS:
Diplodia gossypina (Deuteromycetes)
MUSA PARADISIACA SAPIENTUM:
Cercospora musae (Deuteromycetes)
Hormodendron cladosporioides (Deuteromycetes)
Macrophoma musae (Deuteromycetes)
Stachybotrys subsimplex (Deuteromycetes)
Stachylidium theobromae (Deuteromycetes)
Stemphylium botryosum (Deuteromycetes)
MUSCARI:
Stemphylium ilicis (Deuteromycetes)
NARCISSUS:
Fusarium oxysporum f. *narcissi* (Deuteromycetes)
Ophiostoma narcissi (Ascomycetes)
Tritirachium dependens (Deuteromycetes)
NEPETA:
Cercospora nepetae (Deuteromycetes)
NERIUM:
Cercospora neriella (Deuteromycetes)
NYMPHAEA:
Diplodia gossypina (Deuteromycetes)
ODONTOGLOSSUM:
Cercospora angreci (Deuteromycetes)
Septoria posekensis (Deuteromycetes)
OLEA:
Gloeosporium olivarum (Deuteromycetes)
Pseudomonas savastanoi (Schizomycetes)
Torula oleae (Deuteromycetes)
ONCIDIUM:
Uredo aurantiaca (Promycetes)
Uredo oncidii (Promycetes)

Hosts and diseases—Continued

ORANIA:

Gliomastix convoluta (Deuteromycetes)

ORCHID:

Cercospora angreci (Deuteromycetes)
Pestalotia conspicua (Deuteromycetes)
Schizophyllum commune (Basidiomycetes)
Sphaeropsis orchidearum (Deuteromycetes)

ORNITHOGALUM:

Heterosporium ornithogali (Deuteromycetes)
Puccinia ornithogali-thyrsoideis (Promycetes)

ORYZA:

Cladosporium oryzae (Deuteromycetes)
Helminthosporium oryzae (Deuteromycetes)
Nigrospora sphaerica (Deuteromycetes)
Phaeosphaeria oryzae (Ascomycetes)
Phyllosticta glumarum (Deuteromycetes)
Sclerotium irregulare (Deuteromycetes)

PACHYRHIZUS:

Stilbum incarnatum (Deuteromycetes)

PAEONIA:

Botryosphaeria ribis (Ascomycetes)
Leptostromella hysterioides (Deuteromycetes)
Pestalotia paeoniae (Deuteromycetes)
Phlyctaena ranunculacearum (Deuteromycetes)

PALM:

Catacauma sabal (Ascomycetes)
Diplodia theobromae (Deuteromycetes)
Hendersonia sabaleos (Deuteromycetes)
Mycosphaerella palmarum (Ascomycetes)
Pestalotia palmarum (Deuteromycetes)

PANDANUS:

Trichoderma viride (Deuteromycetes)

PANICUM:

Sorosporium syntherismae (Promycetes)

PASPALUM:

Cerebella andropogonis (Deuteromycetes)

PASSIFLORA:

Phyllosticta passiflorae (Deuteromycetes)

PERSEA:

Sphaceloma perseae (Deuteromycetes)

PHASEOLUS LUNATUS MACROCARPUS:

Elsinoe phaseoli (Ascomycetes)

PHASEOLUS VULGARIS VAR.:

Isariopsis griseola (Deuteromycetes)
Phytophthora phaseoli (Phycomycetes)

PHILODENDRON:

Uredo jucunda (Promycetes)

PHRAGMITES:

Lophodermium arundinaceum (Ascomycetes)
Papularia arundinis (Deuteromycetes)

PICEA:

Thecopsora areolata (Promycetes)

PIERIS:

Diplodina rostrupii (Deuteromycetes)
Pestalotia macrotricha (Deuteromycetes)

PINUS:

Lophodermium pinastri (Ascomycetes)
Pyrenochaeta acicola (Deuteromycetes)

PISUM:

Cladosporium pisicola (Deuteromycetes)
Colletotrichum pisi (Deuteromycetes)
Pseudomonas seminum (Schizomycetes)

PLUMERIA:

Coleosporium domingense (Promycetes)

POPULUS:

Stereum rufum (Basidiomycetes)

PROSOPIS:

Gloeosporium leguminum (Deuteromycetes)

PRUNUS PERSICA:

Coryneum carpophilum (Deuteromycetes)

PSIDIUM:

Pestalotia psidii (Deuteromycetes)

PUNICA:

Cercospora lythracearum (Deuteromycetes)

PYRUS:

Monilinia fructigena (Ascomycetes)

QUERCUS:

Coniothecium quercina (Deuteromycetes)
Microperella quercus (Deuteromycetes)

RAPHANUS:

Aphanomyces raphani (Phycomycetes)

RHODODENDRON:

Cercospora handelii (Deuteromycetes)
Ceuthospora lunata (Deuteromycetes)
Chrysomyxa rhododendri (Promycetes)
Diplodina eurhododendri (Deuteromycetes)
Discosia artocreas (Deuteromycetes)
Exobasidium vaccinii (Basidiomycetes)
Mycosphaerella clintoniana (Ascomycetes)
Mycosphaerella rhododendri (Ascomycetes)
Pestalotia guepini (Deuteromycetes)
Pestalotia macrotricha (Deuteromycetes)
Pestalotia rhododendri (Deuteromycetes)
Septoria azaleae (Deuteromycetes)

RIBES:

Diplodina grossulariae (Deuteromycetes)

RICINUS:

Papulaspora parasitica (Deuteromycetes)

ROSA:

Diplocarpon rosae (Ascomycetes)
Pezizella oenotherae (Ascomycetes)
Phragmidium disciflorum (Promycetes)
Phragmidium montivagum (?) (Promycetes)

RUSCUS:

Leptosphaeria rusci (Ascomycetes)
Phoma rusci (Deuteromycetes)
Phyllosticta ruscicola (Deuteromycetes)

SACCHARUM:

Apiospora campthospora (Ascomycetes)
Colletotrichum falcatum (Deuteromycetes)
Stigmella sacchari (Deuteromycetes)

SALIX:

Cryptodiaporthe salicina (Ascomycetes)
Cytospora chrysosperma (Deuteromycetes)
Cytospora salicis (Deuteromycetes)
Discella carbonacea (Deuteromycetes)

SCHOMBURGKIA:

Macrophoma epidendri (Deuteromycetes)

SCIRPUS:

Puccinia oblecta (Promycetes)

SEDUM:

Diplodia sedicola (Deuteromycetes)

SINNINGIA:

Pythium ultimum (?) (Phycomycetes)
Thielaviopsis basicola (Deuteromycetes)

SOIL:

Aphelenchus avenae (Nematoda)
Heterodera avenae (Nematoda)
Heterodera cacti (Nematoda)
Heterodera punctata (Nematoda)
Heterodera rostochiensis (Nematoda)
Heterodera schachtii (Nematoda)
Rotylenchus robustus (?) (Nematoda)

SOLANUM TUBEROSUM:

Aphelenchus avenae (Nematoda)
Fusarium oxysporum f. *tuberosi* (Deuteromycetes)
Gliomastix convoluta (Deuteromycetes)
Macrophoma phaseolina (Deuteromycetes)
Pseudomonas solanacearum (Schizomycetes)

SORBUS:

Gymnosporangium juniperi (Promycetes)
Gymnosporangium juniperinum (Promycetes)
Venturia inaequalis var. *cinerascens* (Ascomycetes)

SORGHUM:

Colletotrichum graminicolum (Deuteromycetes)

SPINACIA:

Peronospora effusa (Phycomycetes)

STACHYTARPHETA:

Puccinia urbaniana (Promycetes)

STANHOPEA:

Cercospora angreci (Deuteromycetes)
Pestalotia conspicua (Deuteromycetes)
Uredo guacae (Promycetes)

STRELITZIA:

Puccinia heliconiae (Promycetes)

TIGRIDIA:

Ditylenchus dipsaci (Nematoda)

TRAPA:

Stilbum incarnatum (Deuteromycetes)

TRICHOLAENA:

Cerebella andropogonis (Deuteromycetes)

TRICHOPILIA:

Diplodia paraphysaria (Deuteromycetes)

TRIFOLIUM:

Cymadoclea trifolii (Ascomycetes)

Hosts and diseases—Continued

TRITICUM:

- Anguina tritici* (Nematoda)
- Leptosphaeria eustomoides* (Ascomycetes)
- Puccinia glumarum* (Promycetes)
- Puccinia graminis* var. *tritici* (Promycetes)
- Ustilago tritici* (Promycetes)

TRITONIA:

- Botrytis gladiolorum* (Deuteromycetes)

TULIPA:

- Papulaspora coprophila* (Deuteromycetes)

TYPHA:

- Puccinia scirpi* (Promycetes)

VACCINIUM:

- Mycosphaerella stemmatea* (Ascomycetes)

VANDA:

- Diplodia henriquesiana* (Deuteromycetes)

VIOLA:

- Puccinia violae* (Promycetes)

VITIS:

- Pleospora herbarum* (Ascomycetes)

WISTERIA:

- Coniothyrium olivaceum* (Deuteromycetes)
- Diaporthe eres* (Ascomycetes)

YUCCA:

- Stomatogene agaves* (Ascomycetes)

ZANTEDESCHIA:

- Chaetomium contortum* (Ascomycetes)

ZEA:

- Colletotrichum graminicolum* (Deuteromycetes)

ZINGIBER:

- Glimoastix convoluta* (Deuteromycetes)
- Melanospora zamiae* (Ascomycetes)
- Memnoniella echinata* (Deuteromycetes)

Hosts unknown

HERB:

- Septosporium scyphophorum* (Deuteromycetes)

STEM:

- Dibotryon morbosum* (Ascomycetes)
- Tryblidiella rufula* (Ascomycetes)

Countries of origin and diseases

AFRICA:

- Tritirachium dependens*

ARGENTINA:

- Alternaria citri*
- Cytospora salicis*
- Elsinoe australis*
- Pseudopeziza medicaginis*
- Sorosporium syntherismae*
- Trullula olivascens*
- Uromyces striatus* var. *medicaginis*
- Xanthomonas* sp. (Cancrosis "B")

AUSTRALIA:

- Cerebella andropogonis*
- Colletotrichum liliacearum*
- Elsinoe fawcettii* var. *scabiosa*
- Gliomastix convoluta*
- Pestalotia conspicua*
- Phoma citricarpa*
- Phyllosticta laeliae*
- Phyllosticta passiflorae*
- Stilbum incarnatum*
- Vermicularia dematium*

AUSTRIA:

- Botrytis gladiolorum*
- Chrysomyxa rhododendri*
- Heterodera punctata*
- Thecopsora areolata*

AZORES:

- Pestalotia guepini*
- Phoma hortensiae*
- Torula oleae*

BAHAMAS:

- Colletotrichum falcatum*
- Diplodia gossypina*
- Uredo nigropunctata*

BELGIUM:

- Cercospora angreci*
- Chlamydomyces palmarum*
- Heterodera rostochiensis*
- Meloidogyne arenaria*
- Pleospora herbarum*
- Pythium ultimum*
- Sclerotinia minor*
- Septoria azaleae*
- Thielaviopsis basicola*

BERMUDA:

- Cercospora neriella*
- Colletotrichum lili*
- Tritirachium dependens*

BOLIVIA:

- Leprosis

BRAZIL:

- Chiodecton sanguineum*
- Diplocarpon rosae*
- Diplodia theobromae*
- Elsinoe australis*
- Leprosis
- Pestalotia conspicua*
- Uredo aurantiaca*

CANADA:

- Discosia artocreas*
- Leptosphaeria vagabunda*
- Phragmidium montivagum*

CANAL ZONE:

- Cercospora musae*
- Coleosporium domingense*
- Diplodia paraphysaria*
- Virus—undetermined

CEYLON:

- Xanthomonas citri*

CHILE:

- Coniosporium chusqueae*

CHINA:

- Botrytis elliptica*
- Colletotrichum lili*
- Dendryphium obstipum*
- Diplodia gossypina*
- Gliomastix convoluta*
- Helminthosporium oryzae*
- Melanospora zamiae*
- Meliola citricola*
- Memnoniella echinata*
- Phoma citricarpa*
- Sclerotium irregulare*
- Stilbum incarnatum*
- Tritirachium dependens*
- Uromyces lespedezae-procumbentis*
- Xanthomonas citri*

COLOMBIA:

- Cercospora musae*

COSTA RICA:

- Cercospora musae*
- Macrophoma musae*
- Pestalotia conspicua*
- Sphaeropsis orchidearum*
- Uredo guacae*
- Uredo jucunda*

CUBA:

- Colletotrichum falcatum*
- Elsinoe phaseoli*
- Pestalotia palmarum*

CYPRUS:

- Gloeosporium olivarum*

CZECHOSLOVAKIA:

- Diplocarpon earliana*

DENMARK:

- Aphelenchoides parietinus*
- Calospora platanoidis*
- Entyloma dahliae*
- Heterodera punctata*
- Heterodera rostochiensis*

DOMINICAN REPUBLIC:

- Phyllosticta glumarum*

ECUADOR:

- Elsinoe australis*

Countries of origin and diseases—Continued

ENGLAND:

Alternaria dianthi
Chrysomyxa rhododendri
Cytospora ceratophora
Cytospora rhoïna
Heterodera avenae
Heterodera punctata
Heterodera rostochiensis
Monilinia fructigena
Ophiostoma narcissi
Puccinia arenariae
Puccinia buxi
Puccinia chrysanthemi
Rotylenchus robustus
Stemphylium radicinum
Ustilago tritici

FIJI ISLANDS:

Pestalotia conspicua
Phoma citricarpa

FINLAND:

Heterodera rostochiensis

FRANCE:

Cynadothea trifolii
Cytospora salicis
Gloeosporium aquifolii
Heterodera cacti
Pestalotia guepini
Physalospora obtusa
Ramularia tulasnei

GERMANY:

Colletotrichum graminicolum
Colletotrichum trichellum
Diplodina grossulariae
Heterodera punctata
Heterodera rostochiensis
Hormiscium pinophilum
Leptosphaeria eustomoides
Ophiostoma narcissi
Phragmidium disciflorum
Physalospora obtusa
Puccinia antirrhini
Venturia inaequalis var. *cinerascens*

GUAM:

Diplodia cococarpa
Phomopsis cocoës

GUATEMALA:

Cercospora angreci
Cercospora musae
Mycena citricolor
Puccinia graminis var. *tritici*
Uredo oncidii

HAWAII:

Diplodia cococarpa
Macrophoma musae
Pestalotia palmarum
Schizophyllum commune
Stigmella sacchari
Uromyces alyxiae

HONDURAS:

Cercospora musae
Hormodendron cladosporioides
Pestalotia conspicua
Stachylidium theobromae

ICELAND:

Heterodera punctata

INDIA:

Cladosporium oryzae
Colletotrichum lilii
Diplodia theobromae
Macrophoma musae
Septoria posekensis
Xanthomonas citri

INDONESIA:

Xanthomonas citri

IRAQ:

Nigrospora sphaerica

IRELAND:

Colletotrichum trichellum
Heterodera punctata
Heterodera rostochiensis

ISLE OF MAN:

Heterodera avenae
Heterodera punctata

ISRAEL:

Heterodera cacti
Heterodera punctata

ITALY:

Botryosphaeria ribis
Colletotrichum graminicolum
Gloeosporium olivarum
Heterodera cacti
Heterodera schachtii
Leptosphaeria rusci
Marssonina juglandis
Monilinia fructigena
Phoma rusci
Phragmidium disciflorum
Phyllosticta ruscicola
Pleospora herbarum
Pseudomonas savastanoi
Puccinia glumarum
Sclerotium cepivorum
Septoria citri

JAPAN:

Alternaria citri
Apiospora montagnei
Botryosphaeria ribis
Botrytis elliptica
Botrytis gladiolorum
Cercospora kaki
Cladosporium oryzae
Colletotrichum lilii
Coniothyrium olivaceum
Diaporthe eres
Discosia artocreas
Gliomastix convoluta
Gymnosporangium haraeaeum
Gymnosporangium japonicum
Leptostromella hysterioides
Lophodermium pinastri
Macrophomina phaseolina
Memnoniella echinata
Microperella quercus
Mytilidion decipiens
Nigrospora sphaerica
Papularia sphaerosperma
Papulaspora parasitica
Paraphelenchus amblyurus
Pestalotia diospyri
Pestalotia guepini
Pestalotia japonica
Pestalotia paeoniae
Phaeosphaeria oryzae
Phlyctaena ranunculacearum
Phoma citricarpa
Pyrenochaeta acicola
Septoria chrysanthemi
Septoria citri
Septoria leucanthemi
Stilbum incarnatum
Tritirachium dependens
Xanthomonas citri
 Yellow-mottle virus

KWAJALEIN ISLAND:

Diplodia epicocos
Trichoderma viride

LUXEMBOURG:

Heterodera rostochiensis

MARSHALL ISLANDS:

Diplodia cococarpa
Pestalotia palmarum

MEXICO:

Alternaria citri
Alternaria dianthi
Alternaria porri
Alternaria raphani
Aphanomyces raphani
Aphe'enchus avenae
Apiospora camptospora
Ascochyta citri
Botrytis gladiolorum
Catacauma sabal
Cercospora angreci
Cercospora bocconiae
Cercospora centaureae
Cercospora coffeicola

Countries of origin and diseases—Continued

MEXICO—Continued

Cercospora duddiae
Cercospora fraxinites
Cercospora gossypina
Cercospora insulana
Cercospora lippiae
Cercospora lythracearum
Cercospora mangiferae
Cercospora musae
Cercospora nepetae
Cercospora purpurea
Cladosporium pisicola
Coleosporium ipomoeae
Colletotrichum falcatum
Colletotrichum graminicolum
Colletotrichum pisi
Coniosporium agaves
Coniothecium quercina
Coniothyrium pirinum
Coryneum carpophilum
Curvularia lunata
Dendryphium toruloides
Dibotryon morbosum
Diplodia gossypina
Diplodia sedicola
Diplodia theobromae
Ditylenchus dipsaci
Entomosporium maculatum
Fabraea maculata
Fusarium oxysporum f. *medicaginis*
Fusarium oxysporum f. *tuberosi*
Gloeosporium leguminum
Gloeosporium piperatum
Heterodera cacti
Heterosporium iridis
Isaria clavata (?)
Leptothyrium pomi
Macrophoma epidendri
Macrophoma musae
Macrophomina phaseolina
Marssonina fraxini
Mycena citricolor
Mycosphaerella advena
Mycosphaerella opuntiae
Mycosphaerella palmarum
Papularia vinosa
Peronospora effusa
Pestalotia conspicua
Pestalotia disseminata
Pestalotia palmarum
Pestalotia psidii
Phoma limonii
Phomopsis cinerescens
Phyllosticta caryae
Phyllosticta gaultheriae
Phyllosticta mortoni
Phytophthora parasitica
Phytophthora phaseoli
Pseudomonas solanacearum
Puccinia hordei
Puccinia oblecta
Puccinia scirpi
Puccinia stakmanii
Schizophyllum commune
Septoria chrysanthemi
Septoria leucanthemi
Septoria macrospora
Septoria posekensis
Septosporium scyphophorum
Sphaceloma perseae
Stachylidium theobromae
Stagnospora macrospora
Stemphylium botryosum
Stereum rufum
Stomatogene agaves
Streak (winter blight)
Tryblidiella rufula
Uredo behnickiana
Uredo guacae
Uredo oncidii

NETHERLANDS:

Aphelenchus avenae
Botrytis galanthina
Botrytis gladiolorum
Cercospora handelii
Ceuthospora lunata

NETHERLANDS—Continued

Chaetomium contortum
Clonostachys araucaria
Coniothyrium cytisellum
Coniothyrium hellebori
Coniothyrium olivaceum
Cryptodiaporthe salicina
Cytospora chrysosperma
Diplodina eurhododendri
Diplodina rostrupii
Discella carbonacea
Ditylenchus dipsaci
Ditylenchus iridis
Exobasidium vaccinii
Fusarium oxysporum f. *gladioli*
Fusarium oxysporum f. *narcissi*
Gliomastix convoluta
Heterodera avenae
Heterodera punctata
Heterodera rostochiensis
Lophodermium arundinaceum
Meloidogyne arenaria
Microthyrium microscopicum
Mycosphaerella clintoniana
Mycosphaerella punctiformis
Mycosphaerella rhododendri
Ophiostoma narcissi
Papularia arundinis
Papulaspora coprophila
Pestalotia macrotricha
Pestalotia rhododendri
Pezizella oenotherae
Phomopsis ophites
Pseudomonas marginata
Septoria azaleae
Stemphylium botryosum
Stemphylium ilicis
Thielaviopsis basicola
Urocystis colchici
Urocystis gladiolicola
Xanthomonas hyacinthi

NEW ZEALAND:

Heterosporium iridis
Monilinia fructicola
Mycosphaerella pomi
Phoma citricarpa

NIGERIA:

Cercospora musae
Diplodia cococarpa

NORWAY:

Gymnosporangium juniperinum
Heterodera punctata
Heterodera rostochiensis
Hormiscium pinophilum
Phoma pomi
Puccinia violae

PANAMA:

Cercospora musae
Macrophoma musae
Stachybotrys subsimplex
Stachylidium theobromae

PARAGUAY:

Elsinoe australis

PHILIPPINES:

Diplodia cococarpa
Gloeosporium catechu
Papulaspora parasitica
Pestalotia palmarum
Phomopsis cocoes
Stachylidium theobromae

POLAND:

Heterodera rostochiensis

PORTUGAL:

Cladosporium pisicola
Pseudomonas seminum
Stachylidium theobromae

PUERTO RICO:

Colletotrichum cajani
Elsinoe phaseoli
Isariopsis griseola
Lembosia agave
Phakopsora desmum
Puccinia urbaniana

Countries of origin and diseases—Continued

SCOTLAND:

Heterodera punctata
Heterodera rostochiensis
Pestalotia funerea
Septoria leucanthemi

SIAM:

Diplodia henriquesiana
Myriangium duriae
Septoria posekensis

SPAIN:

Heterodera punctata
Heterodera rostochiensis
Septoria citri

STRAITS SETTLEMENTS:

Gliomastix convoluta
Septoria citri
Xanthomonas citri

SWEDEN:

Gliomastix convoluta
Gloeosporium perennans
Gymnosporangium juniperi
Gymnosporangium juniperinum
Heterodera punctata
Heterodera rostochiensis
Monilinia fructigena
Mycosphaerella stemmatea
Puccinia porri

SWITZERLAND:

Chrysomyxa rhododendri
Coniothyrium hellebori
Heterodera punctata
Heterodera rostochiensis
Puccinia arenariae
Sclerotinia kernerii

SYRIA:

Anguina tritici

TAHITI:

Memnoniella echinata

TRINIDAD:

Hypocrella caulium
Metasphaeria hibiscicola
Puccinia heliconiae

TURKEY:

Anguina tritici

UNION OF SOUTH AFRICA:

Alternaria citri
Diplodia theobromae
Erwinia citrimaculans
Hendersonia sabaleos
Heterosporium ornithogali
Phoma citricarpa
Puccinia ornithogali-thyrsoidea

UNKNOWN:

Chrysomyxa rhododendri
Elsinoe australis
Septoria leucanthemi

URUGUAY:

Elsinoe australis

VENEZUELA:

Cerebella andropogonis
Colletotrichum coffeanum

VIRGIN ISLANDS:

Fusarium oxysporium f. *gladioli*

WALES:

Heterodera rostochiensis

YAP ISLAND:

Phomopsis palmicola

YUGOSLAVIA:

Alternaria citri
Puccinia buxi

